AYGUN®

SURGICAL INSTRUMENTS CO., INC.

STERILE CONTAINER SYSTEMS











Six Different Models



Edition | 8

- CONTAINER SYSTEMS FOR STERILIZATION
- MOTOR SYSTEM FOR ORTHOPEDY
- DISPOSABLE MEDICAL PRODUCTS
- MEDICAL ILLUMINATION

AYGÜN®
SURGICAL INSTRUMENTS CO., INC.

Organize Sanayi Bölgesi
Yaşar Doğu Cad. No:76
55330 Kutlukent-SAMSUN
TÜRKİYE

Tel : 90 (362) 266 66 80
Fax : 90 (362) 266 93 30
E-mail : aygun@aygun.com
Web : www.aygun.com

Edition 8

- Aygün has the right to modify and develop the products declared in this catalogue and its production program.
- The weight and dimensional information given in our catalog are approximate values.

KA - 3007-Y1 Copyright © Aygün Co., Inc
2017 All Rights Reserved, Printed in Turkey



One of the leading establishments of Turkey...

Since 1988,















AYGÜN®
SURGICAL INSTRUMENTS CO., INC.

AYGÜN, one of the leading establishments of Turkey in the field of Medical Industry, was founded in 1988.

It manufactures Container Systems for sterilization, Surgical Motor Systems, Medical Illumination Systems and Single Use Medical Systems in its facility at Samsun Central Organized Industrial Zone.

AYGÜN meets the needs of significant part of Turkey as a result of its continuous R&D works and the capacity increasing. It manufactures its products in international standards and put them to the world market with a high competitive power. Moreover with its integrated quality management system, it proves that it is a specialized establishment.

Besides being a manufacturer, AYGÜN is also a designer company and with its continuous product development works it increases number of its patents, on the other hand, is contributing career development of rising generation by acting as a school.





EXPOMED ISTANBUL





MEDICA DUSSELDORF

Motor system for orthopedy...

Quality, power and ergonomic design,



HSM NEURO SYSTEM 90.000 RPM



DERMATOM & SKIN GRAFT MESHER



MACRO SYSTEM 20.000 RPM



AYGÜN®
SURGICAL INSTRUMENTS CO., INC.



BATTERY + ELECTRO SYSTEM



MICRO SYSTEM 40.000 RPM



SET ORGANIZATION



The expertise of AYGÜN in surgical motor systems gathered up many designs and systems that have special structures servicing from neuro and spinal surgery to many fields like cardiovascular, orthopedic, plastic, hand & foot and maxillofacial surgery. The quality, power and ergonomic design that its new generation high technology battery operated surgical motor systems provide proves AYGÜN's profession on this matter one more time.


PRAXIS 3B

Battery + Electro Surgical Motor

Disposable medical products...

Silicone, PVC,











AYGÜN, by completing its new project soon, plans to announce to the world market the sales of completely silicone medical drainage systems for surgical needs. With its clean room and by carrying its expertise on sterilization solutions one step further, AYGÜN aims to offer professional service to its valued customers in a new product group.
AYGÜN continues expanding its product range by adding other single use medical products to the completely silicone medical drainage systems needed by surgery.

AYGUN®
SURGICAL INSTRUMENTS CO., INC.

ENDOTRACHEAL TUBE WITH SUCTION LUMEN

ORAL PREFORMED ENDOTRACHEAL TUBE

REINFORCED ENDOTRACHEAL TUBE

REUSABLE LARYNGEAL MASK

SLICONE FEEDING TUBE

URINE DRAINAGE BAGS

PVC LARYNGEAL MASK

TRACHEOSTOMY TUBE

OSCILATION BLADE

SLICONE FEEDING

FEEDING BAG



Medical illumination systems...

Almost perfect color rendition,



AYGUN®
SURGICAL INSTRUMENTS CO., INC.



I-LIGHT
SURGICAL ILLUMINATION SYSTEM


TO SEE WHAT YOU COULD NOT SEE BEFORE

- Superior Optical Performance
- Light beams configuration to provide shadowless
- Almost perfect color rendition
- Wireless control unit/panel with graphical user
- interface
- Light head keypad for lighting control
- Adjustable beam sizes to user preference
- Aerodynamic design for minimum turbulence
- HD camera for Multimedia Solution & large screen
- TFT HD LCD
- Easy to clean
- 50.000 hours LED life
- Minimum Energy Consumption









CRI

R_a
95


CRI (Color Rendering index) is a parameter of how well a light source reproduce colors.


Adjustable Color Control				
				
3,500˚K	4,000˚K	4,500˚K	5,000˚K	5,600˚K


I-LIGHT provides adjustable color temperature to optimize visualization of red tissues. Color temperature is variable from 3500K – 5600K.

Research, Development, Quality...

Combination of precious high technology production machines and perfect craftsmanship,










AYGÜN increases its power with its endless R&D works. It makes all needed investments so as to research and develop even the smallest part of the complicated products manufactured and carries out successful projects with its professional engineer team. It both develops the existing products with today's technology and performs serious works on new product designs.

New product development desire and need began in minds becomes sharable and interpretable with 3D printers and technical drawings. After setting the models and testing the prototypes, the production process starts for the approved designs. The production starts with combination of high technology production machines and perfect craftsmanship. The production process is completed with sterilization and packing made in clean room environment when needed.





AYGUN®
SURGICAL INSTRUMENTS CO., INC.











HSM NEURO SYSTEM 90.000 RPM

Catalogues...

New website, tens of high quality catalogues and thousands of products,



Standard Model



Accessories



Baskets



Bio-Barrier Model




Dental, Mini Model



High Performance Polymer PPSU Lids



PTFE - Valve - Biostop



AYGUN®
SURGICAL INSTRUMENTS CO., INC.



Compact 2



Dermatome



Electro Pneumatic Surgical Motor



HSM Micro System



HSM Neuro System



Macro Compact 2




Mini Compact



Mini Surgical Motor



Mobil Stator



NAP Neuro Air Power



Praxis 2



Praxis 3



Praxis 3B



Skin Graft Mesher



Standart Macro



Standard Micro

Production...

Sense of high-grade quality in each process from raw metarial supply to shipment,






VISION

The vision of AYGÜN is to grow in health sector according to the developing technology and sectoral innovations and serve humanity by producing new project and products appropriate to these innovations.

MISSION

AYGÜN builds projects that can contribute to human health all over the world and integrates these projects to its production area and products in the light of technological developments.
It constantly stays active with its innovative and explorer soul and remains taking part among the leader companies ruling the sector.



AYGUN®
SURGICAL INSTRUMENTS CO., INC.






TECHNICAL INFRASTRUCTURE

- CNC Machines
- Hydraulic and Eccentric Presses
- Hot Presses
- Conventional CNC Machines
- Mold Design and Molding Technology
- 3D Modelling Technology
- Thermoforming
- Cutting Machines
- Electronic Design and Manufacturing Engineering
- Software Technology
- Mechanical Surface Finishing Techniques

QUALITY MANAGEMENT SYSTEM

Sense of high-grade quality in each process from raw material supply to shipment.
Quality management system and policy according to standards:

- ISO 9001:2008
- ISO 13485:2003
- ISO 14001
- 2007/42/EC
- OHSAS 18001
- FDA 510 (K)



Quality Management Systems and Patents...

Places great importance to University-Industry cooperation,







AYGÜN, meeting needs or surgeons and giving particular importance to the health and safety of patients with its expert team and its products appropriate to the world standards, perform its production in accordance with ISO 9001, ISO 13485 standards and CE 2007/42/EEC directives. As an addition to these standards and directives, it also has FDA 510 (K) approval.

Within the scope of Integrated Management System Policy, it has taken all needed precautions about Quality, Environment and Occupational Health and Safety with a management approach identified by objectives and certified for these requirements. It determined its working principle in consideration of legal obligations and fulfills all production conditions suitable to these obligations.



ISO 9001:2008 CERTIFIED
ISO 13485:2012 CERTIFIED
ISO 14001
OHSAS 18001
TÜRKAK
CE 1984
FDA 510(k)


AYGÜN®
SURGICAL INSTRUMENTS CO., INC.




AYGÜN provides new products to Medical Industry with its non-stop R&D works, thus aims to carry out the operations safely and in less time.

It places great importance to University-Industry cooperation in order to develop the existing products and increase the performance. The products considered necessary are tested in accredited laboratories, and patent registration is created.

In order to keep the efficiency to compete at international levels different methods of production are developed and protected by patent rights.







Meeting Point For Surgery

- CONTAINER SYSTEMS FOR STERILIZATION



- MOTOR SYSTEM FOR ORTHOPEDY




- PPSU TRAY FOR SET ORGANIZATION



- HSM, HIGH SPEED MICRO MOTOR



- WIRE BASKETS



- DERMATOME



- DISPOSABLE MEDICAL PRODUCTS



- STERNUM 3B



- MEDICAL ILLUMINATION



AYGÜN®
SURGICAL INSTRUMENTS CO., INC.

STERILE CONTAINER SYSTEMS



Edition 8

Container system for sterilization...

A greener alternative to wrapping method in sterilization,

Special lid design for stackability!

Optional OEM marking possibility!




Internal gasket of the lid assures safe seal of the container.


- No extra cost for OEM marking!
- No extra cost for label marking!
- 6 different color for lid, labels and silicone handle options!

Corrosion resistant **lid and bottom made of 2 mm** high quality special alloy aluminium!

AYGUN®
SURGICAL INSTRUMENTS CO., INC.



Sealed filter retainers having 2 springs inside and pre-tensioning feature enable fast, easy and secure change of the filters by seating solidly on the surface.



Locking mechanism ensures better grip with its flexible design structure including 2 scrings inside and performing "single-step" movement.



Heat sensitive modular auto lock mechanism offers safer result for sterilization process.

Identification labels can be marked with up to 18 - 24 letters.

Wide, special design, silicone coated handles let easy and safe handling of the container and avoids hand injuries.

Face plates on both sides of the container are made of one single piece !

Emulating indicator window placed inside the container provides visual control without opening the lid after sterilization.

CONTENTS

STANDARD MODEL 1-32



1/1 Full size	1-6
3/4 Quarter size	7-12
1/2 Half size	13-18
Extra Large size	19-24
Extra Long size	25-30

BIO-BARRIER MODEL 33-64



1/1 Full size	33-38
3/4 Quarter size	39-44
1/2 Half size	45-50
Extra Large size	51-56
Extra Long size	57-62

HIGH PERFORMANCE POLYMERS PPSU LIDS 65-84



1/1 Full size	65-70
3/4 Quarter size	71-76
1/2 Half size	77-82



PPSU
It has a high heat distortion temperature up to 190º C and can be easily sterilized by superheated steam.

WINDOW MODEL 85-102



1/1 Full size	85-90
3/4 Quarter size	91-96
1/2 Half size	97-102

B3arrier MODEL (PTFE ⇄ Valve ⇄ Biostop) 103-134



1/1 Full size	103-108
3/4 Quarter size	109-114
1/2 Half size	115-120
Extra Large size	121-126
Extra Long size	127-132

AYGUN®
SURGICAL INSTRUMENTS CO., INC.

H_2O_2 for STERRAD 135-144




1/1 Full Size	136-137
3/4 Quarter Size	138-139
1/2 Half Size	140-141
Dental, Mini Model	142
1/2 Dental Model	143
Endo Model	144
Tray Laparoscopy	144

DENTAL, MINI, SPECIAL MODEL 145-162



Large Dental Model	146-149
Dental Model	150-151
1/2 Dental Model	152-153
Mini Model	154-155
Flat Model	156-157
Endo Model	158-159
Implant Model	160
Scopy Model	161
Brush Model	162

BASKETS 163-182



Basket Made From Stainless Steel Wire Mesh	164-167
Wire Basket With Perforated Metal Plate	168-169
Basket Made From Stainless Steel Sheet	170-171
Dental Basket & Trays	172-173
Dental, Mini Baskets	174
Small Fine Mesh Baskets With Lid	175
Laundry Baskets	176-177
Drape	177
Endoscope Baskets	178
Aluminium Basket, With Lid	179
Washer Tube for K-WIRES	180-181

Window For Emulating Indicator / Modular Auto Lock Mechanism 183-190





ACCESSORIES 191-218



Labels	192-193
Security Seal	195
Handles	196-197
Filters & Filter Holders	198-200
Silicone Mats	201
Sterilization Racks	202-203
Silicone Fixation System	204-209
Fixation Clamps & Divider	210
Storage In Wire Basket	212-213
Trolleys	215
Goods Compatibility Table	216-218




CONTAINER SYSTEMS FOR STERILIZATION



Auto Lock Mechanism (Modular)

Patent Pending

A heat-sensitive automatic locking system in order to ease the sterilization control in CSSD.



Window For Emulating Indicator

Patent Pending

The result of emulating indicator can easily be observed from the window after sterilization.



Silicone handle has available in six different colors and detachable by user.



Locking flops are movable 180° on a pivot and can be secured in any position.



Plastic security seals are used to keep the container lock safe from unauthorized opening and automatically breaks up when locking flap is lifted.



By means of the locking latches, the holders of the filters enable the filters be changed quickly.



The mechanism of the lock can be utilized as the lid handle.



In reliable position, the containers can be put on top of each others without sliding over the sides.




Container lids made of PPSU polymer have an option of six different colors and a transparent one.





B3 container systems are available with an integrated safety lid which is optionally made from PPS or Aluminium.



B3 biostop mechanism filtering system is also optionally available as PPS or Aluminium. Biostop mechanism is a maintenance free filtering system which provides lifetime use and protection according to Pasteur's swan neck flask experiment. The labyrinth shape air channel stops microorganisms and germs and does not need any consumables for reuse.



B3 PTFE filtering system is used with a 2000 cycles Teflon Filter which can easily be changed by the user.




B3 valve filtering system runs with mechanical valves inside it which is easy to open, clean and change the spares. The proper running of the mechanism can be smoothly checked by one touch control pin at the center of the system.



PTFE ⇄ Valve ⇄ Biostop

This container model can be used with PTFE filter, mechanical valve or biostop system without any extra lid cost.



Silicone fixation systems for fixing and protecting the instruments during sterilization and transportation.



Colored aluminium labels give the description and department of the sterile item and can easily slide into their slots.









Silicone gaskets placed around inside of the lid ensure a secure seal of the container.

AYGUN®
SURGICAL INSTRUMENTS CO., INC.

SUITABILITY OF OUR STERILE CONTAINERS FOR STEAM STERILIZATION PROCEDURES [1]

as per DIN 58953 part 9

Sterilization container	Packing		Steam sterilization procedure acc. to DIN 58946, part 1				
	Description	Symbolic representation and packing system	Gravitation procedure	Pre-vacuum procedure	Fractional vacuum procedure	Fractional flow procedure	Steam injection procedure
with filters (StB-F)	Textiles in sterilization container with filter in lid and bottom acc. to DIN 58952 part 1		+	+	+	+	+
			O	O	+	+	+
	Textiles in sterilization container with filter in lid, bottom not perforated acc.to DIN 58952 part 1		−	−	+	+	+
			−	−	+	+	O
	Textiles in sterilization container with filter in bottom lid,not perforated acc.to DIN 58952 part 1		O	+	+	+	+
			−	O	+	+	+
	Instruments in wire basket acc. to DIN 58952 part III, in sterilization container with filter in lid and bottom acc. to DIN 58952 part 1		+[3]	+	+	+	+
	Instruments in wire basket acc. to DIN 58952 part III, in sterilization container with filter in lid and bottom not perforated acc. to DIN 58952 part 1		−	+[2]	+[2]	+[2]	+[2]
	Instruments in wire basket acc. to DIN 58952 part III, in sterilization container with filter in bottom acc. to DIN 58952 part 1		O	+	+	+	+
with Valves (StB-V)	Textiles in sterilization container with valves in lid and bottom acc. to DIN 58952 part 1		−	O	+	+	O
			−	−	+	+	O
	Textiles in sterilization container with valves in lid no valves on the bottom		−	−	+	+	−
			−	−	+	+	−
	Instruments in wire basket in sterilization container with valve in lid and bottom		−	+[2]	+[2]	+[2]	+[2]
	Instruments in wire basket in sterilization container with valve in lid and not perforated		−	+[2]	+[2]	+[2]	+[2]

Explanation of symbols: + applicable − not applicable O limited application

1) In order to avoid mistakes with regards to service, operation and/or when loading the sterilizer, please refer to table 1 for correct or wrong combination of sterilization containers for standardized steam sterilization procedures.

2) Only sterilization containers guaranteeing evaporation or discharge of condensate are suitable above.

3) Gravitation procedures having no drying device do not guarantee a sufficient after-drying effect.

AYGUN®
SURGICAL INSTRUMENTS CO., INC.


STERILE CONTAINER SYSTEMS



Standard Model

» *1/1 Full Size*

1/1 STANDARD MODEL






Sizes / Specifications	Lid (Perforated)	Lid (Perforated)	Safety Lid	Safety Lid
	Box (Non Perforated)	Box (Perforated)	Box (Non Perforated)	Box (Perforated)
h=100 mm	K6-010	K6-040	K6-150	K6-180
	K6-011	K6-041	K6-151	K6-181
	K6-012	K6-042	K6-152	K6-182
	K6-013	K6-043	K6-153	K6-183
	K6-014	K6-044	K6-154	K6-184
	K6-015	K6-045	K6-155	K6-185
h=135 mm	K6-016	K6-046	K6-156	K6-186
	K6-017	K6-047	K6-157	K6-187
	K6-018	K6-048	K6-158	K6-188
	K6-019	K6-049	K6-159	K6-189
	K6-020	K6-050	K6-160	K6-190
	K6-021	K6-051	K6-161	K6-191
h=150 mm	K6-022	K6-052	K6-162	K6-192
	K6-023	K6-053	K6-163	K6-193
	K6-024	K6-054	K6-164	K6-194
	K6-025	K6-055	K6-165	K6-195
	K6-026	K6-056	K6-166	K6-196
	K6-027	K6-057	K6-167	K6-197
h=200 mm	K6-028	K6-058	K6-168	K6-198
	K6-029	K6-059	K6-169	K6-199
	K6-030	K6-060	K6-170	K6-200
	K6-031	K6-061	K6-171	K6-201
	K6-032	K6-062	K6-172	K6-202
	K6-033	K6-063	K6-173	K6-203
h=260 mm	K6-034	K6-064	K6-174	K6-204
	K6-035	K6-065	K6-175	K6-205
	K6-036	K6-066	K6-176	K6-206
	K6-037	K6-067	K6-177	K6-207
	K6-038	K6-068	K6-178	K6-208
	K6-039	K6-069	K6-179	K6-209

Ps: All container measurements cover the outer size of the lids.

BOX *(perforated)*






code	outside dimension	inside dimension	weight
K6-100	600 x 272 h=100 mm	543 x 258 h=83 mm	2.24 kg
K6-101	600 x 272 h=116 mm	543 x 258 h=101 mm	2.25 kg
K6-102	600 x 272 h=138 mm	543 x 258 h=122 mm	2.55 kg
K6-103	600 x 272 h=190 mm	543 x 258 h=173 mm	2.90 kg
K6-104	600 x 272 h=235 mm	543 x 258 h=218 mm	3.32 kg

BOX *(non perforated)*





code	outside dimension	inside dimension	weight
K6-105	600 x 272 h=100 mm	543 x 258 h=94 mm	2.00 kg
K6-106	600 x 272 h=116 mm	543 x 258 h=112 mm	2.10 kg
K6-107	600 x 272 h=138 mm	543 x 258 h=130 mm	2.32 kg
K6-108	600 x 272 h=190 mm	543 x 258 h=180 mm	2.66 kg
K6-109	600 x 272 h=235 mm	543 x 258 h=228 mm	3.10 kg

PERFORATED LIDS



code	color	weight
K6-120		1.35 kg
K6-121		
K6-122		
K6-123		
K6-124		
K6-125		

Dimension= 602 x 285 mm

REMOVAL LIDS *(non perforated)*



code	color	weight
K6-130		1.10 kg
K6-131		
K6-132		
K6-133		
K6-134		
K6-135		

Dimension= 602 x 285 mm


SAFETY LIDS




code	color	weight
K6-230		1.10 kg
K6-231		
K6-232		
K6-233		
K6-234		
K6-235		

BASKET MADE FROM STAINLESS STEEL WIRE MESH


WIRE BASKET






code	outside dimension
K2-460	540 x 250 h=30 mm
K2-461	540 x 250 h=50 mm
K2-462	540 x 250 h=70 mm
K2-463	540 x 250 h=100 mm
K2-450	480 x 250 h=30 mm
K2-451	480 x 250 h=50 mm
K2-452	480 x 250 h=70 mm
K2-453	480 x 250 h=100 mm

WIRE BASKET WITH LID






code	outside dimension
K3-1010	540 x 250 h=35 mm
K3-1011	540 x 250 h=55 mm
K3-1012	540 x 250 h=75 mm
K3-1013	540 x 250 h=105 mm
K3-1014	ONLY LID, for baskets
K3-1020	480 x 250 h=35 mm
K3-1021	480 x 250 h=55 mm
K3-1022	480 x 250 h=75 mm
K3-1023	480 x 250 h=105 mm
K3-1024	ONLY LID, for baskets

WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET





code	outside dimension
K2-461 P	540 x 250 h=50 mm
K2-462 P	540 x 250 h=70 mm
K2-463 P	540 x 250 h=100 mm
K2-451 P	480 x 250 h=50 mm
K2-452 P	480 x 250 h=70 mm
K2-453 P	480 x 250 h=100 mm

WIRE BASKET WITH LID






code	outside dimension
K3-1011 P	540 x 250 h=55 mm
K3-1012 P	540 x 250 h=75 mm
K3-1013 P	540 x 250 h=105 mm
K3-1014 P	ONLY LID, for baskets
K3-1021 P	480 x 250 h=55 mm
K3-1022 P	480 x 250 h=75 mm
K3-1023 P	480 x 250 h=105 mm
K3-1024 P	ONLY LID, for baskets


BASKET MADE FROM STAINLESS STEEL SHEET

BASKET *(with stand)*




	code	outside dimension
Box and Lid	K3-720	540 x 253 h=43 mm
	K3-721	540 x 253 h=63 mm
	K3-722	540 x 253 h=83 mm
	K3-723	540 x 253 h=113 mm
Box	K3-740	540 x 253 h=40 mm
	K3-741	540 x 253 h=60 mm
	K3-742	540 x 253 h=80 mm
	K3-743	540 x 253 h=110 mm
Lid	K3-760	ONLY LID, for baskets






BASKET *(with stand)*



	code	outside dimension
Box and Lid	K3-724	485 x 253 h=43 mm
	K3-725	485 x 253 h=63 mm
	K3-726	485 x 253 h=83 mm
	K3-727	485 x 253 h=113 mm
Box	K3-744	485 x 253 h=40 mm
	K3-745	485 x 253 h=60 mm
	K3-746	485 x 253 h=80 mm
	K3-747	485 x 253 h=110 mm
Lid	K3-761	ONLY LID, for baskets



STAND



code	height
K3-767	20 mm



STAND



code	height
K3-768	10 mm



IDENTIFICATION *(aluminium)*

LABEL HOLDER



code	color
K2-560	
K2-561	
K2-562	
K2-563	
K2-564	
K2-565	

LABELS



code	color
K2-570	
K2-571	
K2-572	
K2-573	
K2-574	
K2-575	

Coloured identification labels
Engraved to your specification





Grey coloured recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

DIVIDERS



K2-428
540 x 250 x 130 mm

K2-429
540 x 250 x 180 mm

WIRE BASE



K2-440
545 x 255 x 30 mm

DIVIDERS



K2-425
540 x 250 x 130 mm


K2-426
540 x 250 x 180 mm

RACK *(for endoscopy)*



K3-1090
510 x 240 x 130 mm
- Holds 10 endoscopic instruments
- Fits into a 1/1 size 20 cm deep container
- Wire basket 1/1 50 mm
- Container 1/1 200 mm
- Silicone mat 520 x 230 mm

DRAPE RETAINER



K2-420
545 x 255 x 30 mm

DRAPE RETAINER



K2-400
545 x 255 mm

ALUMINIUM BASKET *(with lid)*



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET *(with lid)*




K3-1120
245 x 130 x 70 mm

ALUMINIUM BASKET *(with lid)*



K3-1121
245 x 130 x 105 mm


SILICONE MAT



K2-526
520 x 230 mm

K2-528
470 x 230 mm

SILICONE MESH MAT



K2-531
480 x 250 mm

SILICONE HANDLE



K2-710
K2-711
K2-712
K2-713
K2-714
K2-715

PAPER FILTER




K2-740
Single use 100 pcs
with indicator. Aygun mark.
• Diameter: 185 mm

TEFLON FILTER



K2-742
Number of sterilization
cycle > 2000
• Diameter: 194 mm

FILTER DISPENSER



K2-730

IDENTIFICATION LABELS *(aluminium)*



K2-700
K2-701
K2-702
K2-703
K2-704
K2-705


LABELS *(paper)*



K2-673
100 pcs. With indicator.

For small size and
special containers

LABELS *(paper)*



K2-672
100 pcs. With indicator.

For full and
Half size containers

(-)



AUTO LOCK MECHANISM

K1-900
(2 Pcs)

EMULATING INDICATOR CARD *(class 6)*



K2-674
Paper 250 Pcs.



SECURITY SEAL *(blue)*

K2-663
100 pcs. with indicator.
made of plastic



SECURITY SEAL *(blue)*

K2-664
100 pcs. made of plastic



SECURITY SEAL *(blue)*

K2-661
100 pcs. with number.
made of plastic



SECURITY SEAL *(red)*

K2-662
100 pcs. with indicator.
made of plastic



SECURITY SEAL *(red)*

K2-660
100 pcs. made of plastic



SECURITY SEAL *(red)*

K2-665
100 pcs. with number.
made of plastic



DISPOSAL STAMP

K2-717
40 x 35 x 9 mm
Requested number or
letter must be informed
during the order.



LABEL HOLDER

K2-716
50 x 35 x 13 mm
Holder for identification
labels

(-)

AYGUN®
SURGICAL INSTRUMENTS CO., INC.


STERILE CONTAINER SYSTEMS




Standard Model




» *3/4 Quarter Size*

3/4 STANDARD MODEL









Sizes / Specifications	Lid (Perforated)	Lid (Perforated)	Safety Lid	Safety Lid
	Box (Non Perforated)	Box (Perforated)	Box (Non Perforated)	Box (Perforated)
h=100 mm 	K6-240	K6-260	K6-350	K6-370
	K6-241	K6-261	K6-351	K6-371
	K6-242	K6-262	K6-352	K6-372
	K6-243	K6-263	K6-353	K6-373
	K6-244	K6-264	K6-354	K6-374
	K6-245	K6-265	K6-355	K6-375
h=135 mm 	K6-246	K6-266	K6-356	K6-376
	K6-247	K6-267	K6-357	K6-377
	K6-248	K6-268	K6-358	K6-378
	K6-249	K6-269	K6-359	K6-379
	K6-250	K6-270	K6-360	K6-380
	K6-251	K6-271	K6-361	K6-381
h=150 mm 	K6-252	K6-272	K6-362	K6-382
	K6-253	K6-273	K6-363	K6-383
	K6-254	K6-274	K6-364	K6-384
	K6-255	K6-275	K6-365	K6-385
	K6-256	K6-276	K6-366	K6-386
	K6-257	K6-277	K6-367	K6-387


Ps: All container measurements cover the outer size of the lids.

BOX *(perforated)*












code	outside dimension	inside dimension	weight
K6-300	485 x 272 h=100 mm	422 x 258 h=83 mm	2.00 kg
K6-301	485 x 272 h=116 mm	422 x 258 h=101 mm	2.16 kg
K6-302	485 x 272 h=138 mm	422 x 258 h=122 mm	2.26 kg

BOX *(non perforated)*









code	outside dimension	inside dimension	weight
K6-305	485 x 272 h=100 mm	422 x 258 h=94 mm	1.64 kg
K6-306	485 x 272 h=116 mm	422 x 258 h=112 mm	1.78 kg
K6-307	485 x 272 h=138 mm	422 x 258 h=133 mm	1.90 kg

PERFORATED LIDS



code	color	weight
K6-340		1.05 kg
K6-341		
K6-342		
K6-343		
K6-344		
K6-345		

Dimension= 477 x 285 mm

REMOVAL LIDS *(non perforated)*



code	color	weight
K6-320		0.90 kg
K6-321		
K6-322		
K6-323		
K6-324		
K6-325		

Dimension= 477 x 285 mm


SAFETY LIDS




code	color	weight
K6-410		0.90 kg
K6-411		
K6-412		
K6-413		
K6-414		
K6-415		

BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET








code	outside dimension
K2-1500	405 x 250 x h=30 mm
K2-1501	405 x 250 x h=50 mm
K2-1502	405 x 250 x h=70 mm
K2-1503	405 x 250 x h=100 mm

WIRE BASKET WITH LID










code	outside dimension
K3-1030	405 x 250 h=35 mm
K3-1031	405 x 250 h=55 mm
K3-1032	405 x 250 h=75 mm
K3-1033	405 x 250 h=105 mm
K3-1034	ONLY LID, for baskets

WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET







code	outside dimension
K2-1501 P	405 x 250 x h=50 mm
K2-1502 P	405 x 250 x h=70 mm
K2-1503 P	405 x 250 x h=100 mm

WIRE BASKET WITH LID











code	outside dimension
K3-1031 P	405 x 250 x h=55 mm
K3-1032 P	405 x 250 x h=75 mm
K3-1033 P	405 x 250 x h=105 mm
K3-1034 P	ONLY LID, for baskets


BASKET MADE FROM STAINLESS STEEL SHEET

BASKET *(with stand)*



	code	outside dimension
Box and Lid 	K3-728	405 x 253 h=43 mm
	K3-729	405 x 253 h=63 mm
	K3-730	405 x 253 h=83 mm
	K3-731	405 x 253 h=113 mm
Box 	K3-748	405 x 253 h=40 mm
	K3-749	405 x 253 h=60 mm
	K3-750	405 x 253 h=80 mm
	K3-751	405 x 253 h=110 mm
Lid 	K3-762	ONLY LID, for baskets







STAND



code	height
K3-767	20 mm



STAND



code	height
K3-768	10 mm



IDENTIFICATION *(aluminium)*

LABEL HOLDER



code	color
K2-560	
K2-561	
K2-562	
K2-563	
K2-564	
K2-565	

LABELS



code	color
K2-570	
K2-571	
K2-572	
K2-573	
K2-574	
K2-575	

Coloured identification labels
Engraved to your specification





Grey coloured recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

DIVIDERS



K2-1540
405 x 250 x 80 mm

K2-1541
405 x 250 x 110 mm

K2-1542
405 x 250 x 130 mm

WIRE BASE



K2-1522
405 x 255 x 30 mm

DIVIDERS



K2-1530
405 x 250 x 80 mm

K2-1531
405 x 250 x 110 mm

K2-1532
405 x 250 x 130 mm

(-)

DRAPE RETAINER



K2-1521
405 x 255 x 30 mm

DRAPE RETAINER



K2-1520
405 x 255 mm

ALUMINIUM BASKET *(with lid)*



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET *(with lid)*




K3-1120
245 x 130 x 70 mm

ALUMINIUM BASKET *(with lid)*



K3-1121
245 x 130 x 105 mm


SILICONE MAT



K2-524
380 x 230 mm

K2-525
440 x 230 mm

SILICONE MESH MAT



K2-531
480 x 250 mm

SILICONE HANDLE



K2-710
K2-711
K2-712
K2-713
K2-714
K2-715

PAPER FILTER




K2-740
Single use 100 pcs
with indicator. Aygun mark.
• Diameter: 185 mm

TEFLON FILTER



K2-742
Number of sterilization
cycle > 2000
• Diameter: 194 mm

FILTER DISPENSER



K2-730

IDENTIFICATION LABELS *(aluminium)*



K2-700
K2-701
K2-702
K2-703
K2-704
K2-705


LABELS *(paper)*



K2-673
100 pcs. With indicator.

For small size and
special containers

LABELS *(paper)*



K2-672
100 pcs. With indicator.

For full and
Half size containers

(-)



AUTO LOCK MECHANISM

K1-900
(2 Pcs)

EMULATING INDICATOR CARD *(class 6)*



K2-674
Paper 250 Pcs.



SECURITY SEAL *(blue)*

K2-663
100 pcs. with indicator.
made of plastic



SECURITY SEAL *(blue)*

K2-664
100 pcs. made of plastic



SECURITY SEAL *(blue)*

K2-661
100 pcs. with number.
made of plastic



SECURITY SEAL *(red)*

K2-662
100 pcs. with indicator.
made of plastic



SECURITY SEAL *(red)*

K2-660
100 pcs. made of plastic



SECURITY SEAL *(red)*

K2-665
100 pcs. with number.
made of plastic



DISPOSAL STAMP

K2-717
40 x 35 x 9 mm
Requested number or
letter must be informed
during the order.



LABEL HOLDER

K2-716
50 x 35 x 13 mm
Holder for identification
labels

(-)

AYGUN®
SURGICAL INSTRUMENTS CO., INC.


STERILE CONTAINER SYSTEMS




Standard Model

» *1/2 Half Size*

1/2 STANDARD MODEL








Sizes / Specifications	Lid (Perforated)	Lid (Perforated)	Safety Lid	Safety Lid
	Box (Non Perforated)	Box (Perforated)	Box (Non Perforated)	Box (Perforated)
h=100 mm	K6-500	K6-530	K6-640	K6-670
	K6-501	K6-531	K6-641	K6-671
	K6-502	K6-532	K6-642	K6-672
	K6-503	K6-533	K6-643	K6-673
	K6-504	K6-534	K6-644	K6-674
	K6-505	K6-535	K6-645	K6-675
h=135 mm	K6-506	K6-536	K6-646	K6-676
	K6-507	K6-537	K6-647	K6-677
	K6-508	K6-538	K6-648	K6-678
	K6-509	K6-539	K6-649	K6-679
	K6-510	K6-540	K6-650	K6-680
	K6-511	K6-541	K6-651	K6-681
h=150 mm	K6-512	K6-542	K6-652	K6-682
	K6-513	K6-543	K6-653	K6-683
	K6-514	K6-544	K6-654	K6-684
	K6-515	K6-545	K6-655	K6-685
	K6-516	K6-546	K6-656	K6-686
	K6-517	K6-547	K6-657	K6-687
h=200 mm	K6-518	K6-548	K6-658	K6-688
	K6-519	K6-549	K6-659	K6-689
	K6-520	K6-550	K6-660	K6-690
	K6-521	K6-551	K6-661	K6-691
	K6-522	K6-552	K6-662	K6-692
	K6-523	K6-553	K6-663	K6-693
h=260 mm	K6-524	K6-554	K6-664	K6-694
	K6-525	K6-555	K6-665	K6-695
	K6-526	K6-556	K6-666	K6-696
	K6-527	K6-557	K6-667	K6-697
	K6-528	K6-558	K6-668	K6-698
	K6-529	K6-559	K6-669	K6-699

Ps: All container measurements cover the outer size of the lids.

BOX *(perforated)*






code	outside dimension	inside dimension	weight
K6-600	305 x 272 h=100 mm	253 x 258 h=83 mm	1.58 kg
K6-601	305 x 272 h=116 mm	253 x 258 h=101 mm	1.74 kg
K6-602	305 x 272 h=138 mm	253 x 258 h=122 mm	1.85 kg
K6-603	305 x 272 h=190 mm	253 x 258 h=173 mm	2.02 kg
K6-604	305 x 272 h=235 mm	253 x 258 h=218 mm	2.30 kg

BOX *(non perforated)*





code	outside dimension	inside dimension	weight
K6-605	305 x 272 h=100 mm	253 x 258 h=94 mm	1.22 kg
K6-606	305 x 272 h=116 mm	253 x 258 h=112 mm	1.38 kg
K6-607	305 x 272 h=138 mm	253 x 258 h=133 mm	1.49 kg
K6-608	305 x 272 h=190 mm	253 x 258 h=184 mm	1.67 kg
K6-609	305 x 272 h=235 mm	253 x 258 h=230 mm	1.94 kg

PERFORATED LIDS



code	color	weight
K6-630		0.75 kg
K6-631		
K6-632		
K6-633		
K6-634		
K6-635		

Dimension= 308 x 285 mm

REMOVAL LIDS *(non perforated)*



code	color	weight
K6-620		0.62 kg
K6-621		
K6-622		
K6-623		
K6-624		
K6-625		

Dimension= 308 x 285 mm

SAFETY LIDS



code	color	weight
K6-700		0.60 kg
K6-701		
K6-702		
K6-703		
K6-704		
K6-705		

STANDARD MODEL 1
BIO-BARRIER MODEL 33
Polymers PPSU Lids 65
WINDOW MODEL 85
B3arrier MODEL 103
for STERRAD 135
Dental, Mini, Special 145
BASKETS 163
Autolock Machanism Emulating Indicator 183
ACCESSORIES 191


BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET











code	outside dimension
K2-490	255 x 250 x h=30 mm
K2-491	255 x 250 x h=50 mm
K2-492	255 x 250 x h=70 mm
K2-493	255 x 250 x h=100 mm

WIRE BASKET WITH LID









code	outside dimension
K3-1040	255 x 250 h=35 mm
K3-1041	255 x 250 h=55 mm
K3-1042	255 x 250 h=75 mm
K3-1043	255 x 250 h=105 mm
K3-1045	ONLY LID, for baskets

WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET









code	outside dimension
K2-491 P	255 x 250 x h=50 mm
K2-492 P	255 x 250 x h=70 mm
K2-493 P	255 x 250 x h=100 mm

WIRE BASKET WITH LID











code	outside dimension
K3-1041 P	255 x 250 x h=55 mm
K3-1042 P	255 x 250 x h=75 mm
K3-1043 P	255 x 250 x h=105 mm
K3-1045 P	ONLY LID, for baskets


BASKET MADE FROM STAINLESS STEEL SHEET

BASKET *(with stand)*



	code	outside dimension
Box and Lid 	K3-732	244 x 253 h=43 mm
	K3-733	244 x 253 h=63 mm
	K3-734	244 x 253 h=83 mm
	K3-735	244 x 253 h=113 mm
Box 	K3-752	244 x 253 h=40 mm
	K3-753	244 x 253 h=60 mm
	K3-754	244 x 253 h=80 mm
	K3-755	244 x 253 h=110 mm
Lid 	K3-763	ONLY LID, for baskets







STAND



code	height
K3-767	20 mm



STAND



code	height
K3-768	10 mm



IDENTIFICATION *(aluminium)*

LABEL HOLDER



code	color
K2-560	
K2-561	
K2-562	
K2-563	
K2-564	
K2-565	

LABELS



code	color
K2-570	
K2-571	
K2-572	
K2-573	
K2-574	
K2-575	

Coloured identification labels
Engraved to your specification





Grey coloured recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

DIVIDERS



K2-483
255 x 245 x 130 mm

K2-484
255 x 245 x 180 mm

WIRE BASE



K2-482
255 x 255 x 30 mm

(-)

RACK *(for kerrison)*



K3-1094
225 x 245 x 160 mm
- Holds 10 kerrison punches
- Fits into a 1/2 and 1/1 size
- 20 cm deep container
- Wire basket 1/2 50 mm
- Wire basket 1/1 50 mm
- Container 1/2 200 mm
- Container 1/1 200 mm

DRAPE RETAINER



K3-481
255 x 255 x 30 mm

DRAPE RETAINER



K2-480
255 x 255 mm

ALUMINIUM BASKET *(with lid)*



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET *(with lid)*



K3-1120
245 x 130 x 70 mm

ALUMINIUM BASKET *(with lid)*




K3-1121
245 x 130 x 105 mm

SILICONE MAT



K2-521
250 x 235 mm

SILICONE MESH MAT



K2-530
250 x 250 mm

SILICONE HANDLE



K2-710
K2-711
K2-712
K2-713
K2-714
K2-715

PAPER FILTER




K2-740
Single use 100 pcs
with indicator. Aygun mark.
• Diameter: 185 mm

TEFLON FILTER



K2-742
Number of sterilization
cycle > 2000
• Diameter: 194 mm

FILTER DISPENSER



K2-730

IDENTIFICATION LABELS *(aluminium)*



K2-700
K2-701
K2-702
K2-703
K2-704
K2-705


LABELS *(paper)*



K2-673
100 pcs. With indicator.

For small size and
special containers

LABELS *(paper)*



K2-672
100 pcs. With indicator.

For full and
Half size containers

(-)



AUTO LOCK MECHANISM

K1-900
(2 Pcs)

EMULATING INDICATOR CARD *(class 6)*



K2-674
Paper 250 Pcs.



SECURITY SEAL *(blue)*

K2-663
100 pcs. with indicator.
made of plastic



SECURITY SEAL *(blue)*

K2-664
100 pcs. made of plastic



SECURITY SEAL *(blue)*

K2-661
100 pcs. with number.
made of plastic



SECURITY SEAL *(red)*

K2-662
100 pcs. with indicator.
made of plastic



SECURITY SEAL *(red)*

K2-660
100 pcs. made of plastic



SECURITY SEAL *(red)*

K2-665
100 pcs. with number.
made of plastic



DISPOSAL STAMP

K2-717
40 x 35 x 9 mm
Requested number or
letter must be informed
during the order.



LABEL HOLDER

K2-716
50 x 35 x 13 mm
Holder for identification
labels

(-)

AYGUN®
SURGICAL INSTRUMENTS CO., INC.

STERILE CONTAINER SYSTEMS






Standard Model

» *Extra Large Size*

EXTRA LARGE SIZE






Sizes / Specifications		Lid (Perforated)	Lid (Perforated)
		Box (Non Perforated)	Box (Perforated)
h=120 mm		K6-136	K6-210
		K6-137	K6-211
		K6-138	K6-212
		K6-139	K6-213
		K6-140	K6-214
		K6-141	K6-215
h=180 mm		K6-142	K6-216
		K6-143	K6-217
		K6-144	K6-218
		K6-145	K6-219
		K6-146	K6-220
		K6-147	K6-221

Ps: All container measurements cover the outer size of the lids.


BOX *(perforated)*





code	outside dimension	inside dimension	weight
K6-400	610 x 365 h=105 mm	543 x 350 h=85 mm	2.63 kg
K6-401	610 x 365 h=167 mm	543 x 350 h=145 mm	2.96 kg

BOX *(non perforated)*





code	outside dimension	inside dimension	weight
K6-402	610 x 365 h=105 mm	543 x 350 h=100 mm	2.39 kg
K6-403	610 x 365 h=167 mm	543 x 350 h=162 mm	2.75 kg

PERFORATED LIDS



Dimension= 602 x 370 mm

code	color	weight
K6-326		1.68 kg
K6-327		
K6-328		
K6-329		
K6-330		
K6-331		

BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET





code	outside dimension
K2-1701	533 x 337 h=50 mm
K2-1702	533 x 337 h=70 mm
K2-1703	533 x 337 h=100 mm



WIRE BASKET WITH LID





code	outside dimension
K3-1704	533 x 337 h=55 mm
K3-1705	533 x 337 h=75 mm
K3-1706	533 x 337 h=105 mm
K3-1707	ONLY LID, for baskets



IDENTIFICATION *(aluminium)*

LABEL HOLDER



code	color
K2-560	
K2-561	
K2-562	
K2-563	
K2-564	
K2-565	

LABELS



code	color
K2-570	
K2-571	
K2-572	
K2-573	
K2-574	
K2-575	

Coloured identification labels
Engraved to your specification






Grey coloured recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.


BASKET MADE FROM STAINLESS STEEL SHEET

BASKET *(with stand)*



	code	outside dimension
Box and Lid 	K3-701	533 x 340 h=43 mm
	K3-702	533 x 340 h=63 mm
	K3-703	533 x 340 h=83 mm
	K3-704	533 x 340 h=113 mm
Box 	K3-705	533 x 340 h=40 mm
	K3-706	533 x 340 h=60 mm
	K3-707	533 x 340 h=80 mm
	K3-708	533 x 340 h=110 mm
Lid 	K3-709	ONLY LID, for baskets







STAND



code	height
K3-767	20 mm



STAND



code	height
K3-768	10 mm



DIVIDERS



K2-1731
533 x 337 x 70 mm

K2-1732
533 x 337 x 120 mm

(-)

DIVIDERS




K2-1721
533 x 337 x 70 mm

K2-1722
533 x 337 x 120 mm

(-)

DRAPE RETAINER



K2-1712
533 x 337 x 30 mm

DRAPE RETAINER



K2-1711
533 x 337 mm

(-)

(-)

SILICONE HANDLE



K2-710
K2-711
K2-712
K2-713
K2-714
K2-715

ALUMINIUM BASKET *(with lid)*



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET *(with lid)*



K3-1120
245 x 130 x 70 mm

ALUMINIUM BASKET *(with lid)*



K3-1121
245 x 130 x 105 mm

PAPER FILTER




K2-740
Single use 100 pcs
with indicator. Aygun mark.
• Diameter: 185 mm

TEFLON FILTER



K2-742
Number of sterilization
cycle > 2000
• Diameter: 194 mm

FILTER DISPENSER




K2-730

IDENTIFICATION LABELS *(aluminium)*



K2-700
K2-701
K2-702
K2-703
K2-704
K2-705


LABELS *(paper)*



K2-673
100 pcs. With indicator.

For small size and
special containers

LABELS *(paper)*



K2-672
100 pcs. With indicator.

For full and
Half size containers


(-)



AUTO LOCK MECHANISM

K1-900
(2 Pcs)

EMULATING INDICATOR CARD *(class 6)*



K2-674
Paper 250 Pcs.



SECURITY SEAL *(blue)*

K2-663
100 pcs. with indicator.
made of plastic



SECURITY SEAL *(blue)*

K2-664
100 pcs. made of plastic



SECURITY SEAL *(blue)*

K2-661
100 pcs. with number.
made of plastic



SECURITY SEAL *(red)*

K2-662
100 pcs. with indicator.
made of plastic



SECURITY SEAL *(red)*

K2-660
100 pcs. made of plastic



SECURITY SEAL *(red)*

K2-665
100 pcs. with number.
made of plastic



DISPOSAL STAMP

K2-717
40 x 35 x 9 mm
Requested number or
letter must be informed
during the order.



LABEL HOLDER

K2-716
50 x 35 x 13 mm
Holder for identification
labels

(-)

AYGÜN®
SURGICAL INSTRUMENTS CO., INC.

STERILE CONTAINER SYSTEMS






Standard Model

» *Extra Long Size*

EXTRA LONG SIZE






Sizes \ Specifications	Lid (Perforated)  Box (Non Perforated)	Lid (Perforated)  Box (Perforated)
h=120 mm 	K6-2010	K6-2040
	K6-2011	K6-2041
	K6-2012	K6-2042
	K6-2013	K6-2043
	K6-2014	K6-2044
	K6-2015	K6-2045
h=180 mm 	K6-2016	K6-2046
	K6-2017	K6-2047
	K6-2018	K6-2048
	K6-2019	K6-2049
	K6-2020	K6-2050
	K6-2021	K6-2051

Ps: All container measurements cover the outer size of the lids.

BOX *(perforated)*






code	outside dimension	inside dimension	weight
K6-2000	730 x 272 h=110 mm	687 x 258 h=85 mm	
K6-2001	730 x 272 h=165 mm	687 x 258 h=145 mm	

BOX *(non perforated)*





code	outside dimension	inside dimension	weight
K6-2005	730 x 272 h=110 mm	687 x 258 h=105 mm	
K6-2006	730 x 272 h=165 mm	687 x 258 h=160 mm	

PERFORATED LIDS



Dimension= 728 x 285 mm

code	color	weight
K6-2120		
K6-2121		
K6-2122		
K6-2123		
K6-2124		
K6-2125		

BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET





code	outside dimension
K2-1801	665 x 250 h=50 mm
K2-1802	665 x 250 h=70 mm
K2-1803	665 x 250 h=100 mm






WIRE BASKET WITH LID





code	outside dimension
K3-1804	665 x 250 h=55 mm
K3-1805	665 x 250 h=75 mm
K3-1806	665 x 250 h=105 mm
K3-1807	ONLY LID, for baskets





IDENTIFICATION *(aluminium)*

LABEL HOLDER



code	color
K2-560	
K2-561	
K2-562	
K2-563	
K2-564	
K2-565	

LABELS



code	color
K2-570	
K2-571	
K2-572	
K2-573	
K2-574	
K2-575	

Coloured identification labels
Engraved to your specification







Grey coloured recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.


BASKET MADE FROM STAINLESS STEEL SHEET

BASKET *(with stand)*



	code	outside dimension
Box and Lid 	K3-715	665 x 253 h=43 mm
	K3-716	665 x 253 h=63 mm
	K3-717	665 x 253 h=83 mm
	K3-718	665 x 253 h=113 mm
Box 	K3-711	665 x 253 h=40 mm
	K3-712	665 x 253 h=60 mm
	K3-713	665 x 253 h=80 mm
	K3-714	665 x 253 h=110 mm
Lid 	K3-710	ONLY LID, for baskets







STAND



code	height
K3-767	20 mm




STAND



code	height
K3-768	10 mm



RACK *(for endoscopy)*



K3-1093
550 x 240 x 130 mm
(1 pcs)

- Holds 10 endoscopic instruments
- Fits into a Extra Long size 18 cm deep container
- Wire basket Extra Long 50 mm
- Container Extra Long 180 mm
- Silicone mat 340x230 (2pcs)

RACK *(for kerrison)*



K3-1094
225 x 245 x 160 mm
(2 pcs)

- Holds 10 kerrison punches
- Fits into a 1/2, 1/1 20 cm and Extra Long size 18 cm deep container
- Wire basket 1/2 50 mm
- Wire basket 1/1 50 mm
- Container 1/2 200 mm
- Container 1/1 200 mm
- Wire basket Extra long 50 mm
- Container Extra long 180 mm

DIVIDERS



K2-428
540 x 250 x 130 mm

K2-429
540 x 250 x 180 mm

WIRE BASE



K2-440
545 x 255 x 30 mm

DIVIDERS



K2-425
540 x 250 x 130 mm

K2-426
540 x 250 x 180 mm

ALUMINIUM BASKET *(with lid)*



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET *(with lid)*




K3-1120
245 x 130 x 70 mm

ALUMINIUM BASKET *(with lid)*



K3-1121
245 x 130 x 105 mm

SILICONE MAT



K2-522
340 x 230 mm
(2 pcs)

(-)

SILICONE HANDLE



K2-710
K2-711
K2-712
K2-713
K2-714
K2-715

PAPER FILTER




K2-740
Single use 100 pcs
with indicator. Aygun mark.
• Diameter: 185 mm

TEFLON FILTER



K2-742
Number of sterilization
cycle > 2000
• Diameter: 194 mm

FILTER DISPENSER




K2-730

IDENTIFICATION LABELS *(aluminium)*



K2-700
K2-701
K2-702
K2-703
K2-704
K2-705


LABELS *(paper)*



K2-673
100 pcs. With indicator.

For small size and
special containers

LABELS *(paper)*



K2-672
100 pcs. With indicator.

For full and
Half size containers

(-)



AUTO LOCK MECHANISM

K1-900
(2 Pcs)

EMULATING INDICATOR CARD *(class 6)*



K2-674
Paper 250 Pcs.



SECURITY SEAL *(blue)*

K2-663
100 pcs. with indicator.
made of plastic



SECURITY SEAL *(blue)*

K2-664
100 pcs. made of plastic



SECURITY SEAL *(blue)*

K2-661
100 pcs. with number.
made of plastic



SECURITY SEAL *(red)*

K2-662
100 pcs. with indicator.
made of plastic



SECURITY SEAL *(red)*

K2-660
100 pcs. made of plastic



SECURITY SEAL *(red)*

K2-665
100 pcs. with number.
made of plastic



DISPOSAL STAMP

K2-717
40 x 35 x 9 mm
Requested number or
letter must be informed
during the order.



LABEL HOLDER

K2-716
50 x 35 x 13 mm
Holder for identification
labels

(-)



STANDARD MODEL 1
BIO-BARRIER MODEL 33
Polymers PPSU Lids 65
WINDOW MODEL 85
B3arrier MODEL 103
for STERRAD 135
Dental, Mini, Special 145
BASKETS 163
Autolock Machanism Emulating Indicator 183
ACCESSORIES 191

Assembly and disassembly method of safety lid for safe model containers.













AYGUN®
SURGICAL INSTRUMENTS CO., INC.


STERILE CONTAINER SYSTEMS







Bio-Barrier Model

» *1/1 Full Size*

1/1 BIO-BARRIER MODEL






Specifications	Lid (with barrier)	Lid (with barrier)	Safety Lid Lid (with barrier)	Safety Lid Lid (with barrier)
	Box (Non Perforated)	Box (with barrier)	Box (Non Perforated)	Box (with barrier)
	K7-010 K7-011 K7-012 K7-013 K7-014 K7-015 — h=105 mm	K7-040 K7-041 K7-042 K7-043 K7-044 K7-045 — h1=117 mm	K7-150 K7-151 K7-152 K7-153 K7-154 K7-155 — h=110 mm	K7-180 K7-181 K7-182 K7-183 K7-184 K7-185 — h1=122 mm
	K7-016 K7-017 K7-018 K7-019 K7-020 K7-021 — h=140 mm	K7-046 K7-047 K7-048 K7-049 K7-050 K7-051 — h1=152 mm	K7-156 K7-157 K7-158 K7-159 K7-160 K7-161 — h=145 mm	K7-186 K7-187 K7-188 K7-189 K7-190 K7-191 — h1=157 mm
	K7-022 K7-023 K7-024 K7-025 K7-026 K7-027 — h=155 mm	K7-052 K7-053 K7-054 K7-055 K7-056 K7-057 — h1=167 mm	K7-162 K7-163 K7-164 K7-165 K7-166 K7-167 — h=160 mm	K7-192 K7-193 K7-194 K7-195 K7-196 K7-197 — h1=172 mm
	K7-028 K7-029 K7-030 K7-031 K7-032 K7-033 — h=205 mm	K7-058 K7-059 K7-060 K7-061 K7-062 K7-063 — h1=217 mm	K7-168 K7-169 K7-170 K7-171 K7-172 K7-173 — h=210 mm	K7-198 K7-199 K7-200 K7-201 K7-202 K7-203 — h1=222 mm
	K7-034 K7-035 K7-036 K7-037 K7-038 K7-039 — h=265 mm	K7-064 K7-065 K7-066 K7-067 K7-068 K7-069 — h1=277 mm	K7-174 K7-175 K7-176 K7-177 K7-178 K7-179 — h=270 mm	K7-204 K7-205 K7-206 K7-207 K7-208 K7-209 — h1=282 mm

Ps: All container measurements cover the outer size of the lids.

BOX *(with barrier)*






code	outside dimension	inside dimension	weight
K7-100	600 x 272 h=112 mm	543 x 258 h=72 mm	2.73 kg
K7-101	600 x 272 h=128 mm	543 x 258 h=90 mm	2.74 kg
K7-102	600 x 272 h=150 mm	543 x 258 h=110 mm	3.04 kg
K7-103	600 x 272 h=202 mm	543 x 258 h=162 mm	3.38 kg
K7-104	600 x 272 h=247 mm	543 x 258 h=208 mm	3.80 kg

BOX *(non perforated)*





code	outside dimension	inside dimension	weight
K6-105	600 x 272 h=100 mm	543 x 258 h=94 mm	2.00 kg
K6-106	600 x 272 h=116 mm	543 x 258 h=112 mm	2.10 kg
K6-107	600 x 272 h=138 mm	543 x 258 h=130 mm	2.32 kg
K6-108	600 x 272 h=190 mm	543 x 258 h=180 mm	2.66 kg
K6-109	600 x 272 h=235 mm	543 x 258 h=228 mm	3.10 kg

LID-BARRIER SYSTEM



code	color	weight
K7-120		1.85 kg
K7-121		
K7-122		
K7-123		
K7-124		
K7-125		

Dimension= 602 x 285 mm


SAFETY LIDS




code	color	weight
K7-400		1.17 kg
K7-401		
K7-402		
K7-403		
K7-404		
K7-405		

BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET









code	outside dimension
K2-460	540 x 250 h=30 mm
K2-461	540 x 250 h=50 mm
K2-462	540 x 250 h=70 mm
K2-463	540 x 250 h=100 mm
K2-450	480 x 250 h=30 mm
K2-451	480 x 250 h=50 mm
K2-452	480 x 250 h=70 mm
K2-453	480 x 250 h=100 mm

WIRE BASKET WITH LID








code	outside dimension
K3-1010	540 x 250 h=35 mm
K3-1011	540 x 250 h=55 mm
K3-1012	540 x 250 h=75 mm
K3-1013	540 x 250 h=105 mm
K3-1014	ONLY LID, for baskets
K3-1020	480 x 250 h=35 mm
K3-1021	480 x 250 h=55 mm
K3-1022	480 x 250 h=75 mm
K3-1023	480 x 250 h=105 mm
K3-1024	ONLY LID, for baskets

WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET







code	outside dimension
K2-461 P	540 x 250 h=50 mm
K2-462 P	540 x 250 h=70 mm
K2-463 P	540 x 250 h=100 mm
K2-451 P	480 x 250 h=50 mm
K2-452 P	480 x 250 h=70 mm
K2-453 P	480 x 250 h=100 mm

WIRE BASKET WITH LID








code	outside dimension
K3-1011 P	540 x 250 h=55 mm
K3-1012 P	540 x 250 h=75 mm
K3-1013 P	540 x 250 h=105 mm
K3-1014 P	ONLY LID, for baskets
K3-1021 P	480 x 250 h=55 mm
K3-1022 P	480 x 250 h=75 mm
K3-1023 P	480 x 250 h=105 mm
K3-1024 P	ONLY LID, for baskets


BASKET MADE FROM STAINLESS STEEL SHEET

BASKET *(with stand)*




	code	outside dimension
Box and Lid	K3-720	540 x 253 h=43 mm
	K3-721	540 x 253 h=63 mm
	K3-722	540 x 253 h=83 mm
	K3-723	540 x 253 h=113 mm
Box	K3-740	540 x 253 h=40 mm
	K3-741	540 x 253 h=60 mm
	K3-742	540 x 253 h=80 mm
	K3-743	540 x 253 h=110 mm
Lid	K3-760	ONLY LID, for baskets






BASKET *(with stand)*



	code	outside dimension
Box and Lid	K3-724	485 x 253 h=43 mm
	K3-725	485 x 253 h=63 mm
	K3-726	485 x 253 h=83 mm
	K3-727	485 x 253 h=113 mm
Box	K3-744	485 x 253 h=40 mm
	K3-745	485 x 253 h=60 mm
	K3-746	485 x 253 h=80 mm
	K3-747	485 x 253 h=110 mm
Lid	K3-761	ONLY LID, for baskets



STAND



code	height
K3-767	20 mm



STAND



code	height
K3-768	10 mm



IDENTIFICATION *(aluminium)*

LABEL HOLDER



code	color
K2-560	
K2-561	
K2-562	
K2-563	
K2-564	
K2-565	

LABELS



code	color
K2-570	
K2-571	
K2-572	
K2-573	
K2-574	
K2-575	

Coloured identification labels
Engraved to your specification





Grey coloured recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

DIVIDERS



K2-428
540 x 250 x 130 mm

K2-429
540 x 250 x 180 mm

WIRE BASE



K2-440
545 x 255 x 30 mm

DIVIDERS



K2-425
540 x 250 x 130 mm


K2-426
540 x 250 x 180 mm

RACK *(for endoscopy)*



K3-1090
510 x 240 x 130 mm
- Holds 10 endoscopic instruments
- Fits into a 1/1 size 20 cm deep container
- Wire basket 1/1 50 mm
- Container 1/1 200 mm
- Silicone mat 520 x 230 mm

DRAPE RETAINER



K2-420
545 x 255 x 30 mm

DRAPE RETAINER



K2-400
545 x 255 mm

ALUMINIUM BASKET *(with lid)*



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET *(with lid)*




K3-1120
245 x 130 x 70 mm

ALUMINIUM BASKET *(with lid)*



K3-1121
245 x 130 x 105 mm


SILICONE MAT



K2-526
520 x 230 mm

K2-528
470 x 230 mm

SILICONE MESH MAT



K2-531
480 x 250 mm

SILICONE HANDLE



K2-710	
K2-711	
K2-712	
K2-713	
K2-714	
K2-715	

IDENTIFICATION LABELS *(aluminium)*



K2-700	
K2-701	
K2-702	
K2-703	
K2-704	
K2-705	


LABELS *(paper)*



K2-673
100 pcs. With indicator.

For small size and special containers

LABELS *(paper)*



K2-672
100 pcs. With indicator.

For full and Half size containers

(-)



AUTO LOCK MECHANISM

K1-900
(2 Pcs)

EMULATING INDICATOR CARD *(class 6)*



K2-674
Paper 250 Pcs.



SECURITY SEAL *(blue)*

K2-663
100 pcs. with indicator.
made of plastic



SECURITY SEAL *(blue)*

K2-664
100 pcs. made of plastic



SECURITY SEAL *(blue)*

K2-661
100 pcs. with number.
made of plastic



SECURITY SEAL *(red)*

K2-662
100 pcs. with indicator.
made of plastic



SECURITY SEAL *(red)*

K2-660
100 pcs. made of plastic



SECURITY SEAL *(red)*

K2-665
100 pcs. with number.
made of plastic



DISPOSAL STAMP

K2-717
40 x 35 x 9 mm
Requested number or letter must be informed during the order.



LABEL HOLDER

K2-716
50 x 35 x 13 mm
Holder for identification labels

(-)

AYGÜN®
SURGICAL INSTRUMENTS CO., INC.

STERILE CONTAINER SYSTEMS







Bio-Barrier Model

» *3/4 Quarter Size*

3/4 BIO-BARRIER MODEL






Specifications	Lid (with barrier)		Lid (with barrier)		Safety Lid Lid (with barrier)		Safety Lid Lid (with barrier)	
	Box (Non Perforated)		Box (with barrier)		Box (Non Perforated)		Box (with barrier)	
	K7-240	h=105 mm	K7-260	h1=117 mm	K7-350	h=110 mm	K7-370	h1=122 mm
	K7-241		K7-261		K7-351		K7-371	
	K7-242		K7-262		K7-352		K7-372	
	K7-243		K7-263		K7-353		K7-373	
	K7-244		K7-264		K7-354		K7-374	
	K7-245		K7-265		K7-355		K7-375	
	K7-246	h=140 mm	K7-266	h1=152 mm	K7-356	h=145 mm	K7-376	h1=157 mm
	K7-247		K7-267		K7-357		K7-377	
	K7-248		K7-268		K7-358		K7-378	
	K7-249		K7-269		K7-359		K7-379	
	K7-250		K7-270		K7-360		K7-380	
	K7-251		K7-271		K7-361		K7-381	
	K7-252	h=155 mm	K7-272	h1=167 mm	K7-362	h=160 mm	K7-382	h1=172 mm
	K7-253		K7-273		K7-363		K7-383	
	K7-254		K7-274		K7-364		K7-384	
	K7-255		K7-275		K7-365		K7-385	
	K7-256		K7-276		K7-366		K7-386	
	K7-257		K7-277		K7-367		K7-387	

Ps: All container measurements cover the outer size of the lids.

BOX *(with barrier)*






code	outside dimension	inside dimension	weight
K7-300	485 x 272 h=112 mm	422 x 258 h=72 mm	2.06 kg
K7-301	485 x 272 h=128 mm	422 x 258 h=90 mm	2.20 kg
K7-302	485 x 272 h=150 mm	422 x 258 h=110 mm	2.32 kg

BOX *(non perforated)*





code	outside dimension	inside dimension	weight
K6-305	485 x 272 h=100 mm	422 x 258 h=94 mm	1.64 kg
K6-306	485 x 272 h=116 mm	422 x 258 h=112 mm	1.78 kg
K6-307	485 x 272 h=138 mm	422 x 258 h=133 mm	1.90 kg

LID-BARRIER SYSTEM

Dimension= 477 x 285 mm



code	color	weight
K7-340		1.17 kg
K7-341		
K7-342		
K7-343		
K7-344		
K7-345		

SAFETY LIDS





code	color	weight
K7-406		0.93 kg
K7-407		
K7-408		
K7-409		
K7-410		
K7-411		

STANDARD MODEL 1
BIO-BARRIER MODEL 33
Polymers PPSU Lids 65
WINDOW MODEL 85
B3 Barrier MODEL 103
for STERRAD 135
Dental, Mini, Special 145
BASKETS 163
Autolock Machanism Emulating Indicator 183
ACCESSORIES 191

BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET





code	outside dimension
K2-1500	405 x 250 x h=30 mm
K2-1501	405 x 250 x h=50 mm
K2-1502	405 x 250 x h=70 mm
K2-1503	405 x 250 x h=100 mm

WIRE BASKET WITH LID







code	outside dimension
K3-1030	405 x 250 h=35 mm
K3-1031	405 x 250 h=55 mm
K3-1032	405 x 250 h=75 mm
K3-1033	405 x 250 h=105 mm
K3-1034	ONLY LID, for baskets

WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET





code	outside dimension
K2-1501 P	405 x 250 x h=50 mm
K2-1502 P	405 x 250 x h=70 mm
K2-1503 P	405 x 250 x h=100 mm

WIRE BASKET WITH LID







code	outside dimension
K3-1031 P	405 x 250 x h=55 mm
K3-1032 P	405 x 250 x h=75 mm
K3-1033 P	405 x 250 x h=105 mm
K3-1034 P	ONLY LID, for baskets


BASKET MADE FROM STAINLESS STEEL SHEET

BASKET *(with stand)*



	code	outside dimension
Box and Lid 	K3-728	405 x 253 h=43 mm
	K3-729	405 x 253 h=63 mm
	K3-730	405 x 253 h=83 mm
	K3-731	405 x 253 h=113 mm
Box 	K3-748	405 x 253 h=40 mm
	K3-749	405 x 253 h=60 mm
	K3-750	405 x 253 h=80 mm
	K3-751	405 x 253 h=110 mm
Lid 	K3-762	ONLY LID, for baskets







STAND



code	height
K3-767	20 mm



STAND



code	height
K3-768	10 mm



IDENTIFICATION *(aluminium)*

LABEL HOLDER



code	color
K2-560	
K2-561	
K2-562	
K2-563	
K2-564	
K2-565	

LABELS



code	color
K2-570	
K2-571	
K2-572	
K2-573	
K2-574	
K2-575	

Coloured identification labels
Engraved to your specification





Grey coloured recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

DIVIDERS



K2-1540
405 x 250 x 80 mm

K2-1541
405 x 250 x 110 mm

K2-1542
405 x 250 x 130 mm

WIRE BASE



K2-1522
405 x 255 x 30 mm

DIVIDERS



K2-1530
405 x 250 x 80 mm

K2-1531
405 x 250 x 110 mm

K2-1532
405 x 250 x 130 mm

(-)

DRAPE RETAINER



K2-1521
405 x 255 x 30 mm

DRAPE RETAINER



K2-1520
405 x 255 mm

ALUMINIUM BASKET *(with lid)*



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET *(with lid)*




K3-1120
245 x 130 x 70 mm

ALUMINIUM BASKET *(with lid)*



K3-1121
245 x 130 x 105 mm


SILICONE MAT



K2-524
380 x 230 mm

K2-525
440 x 230 mm

SILICONE MESH MAT



K2-531
480 x 250 mm

SILICONE HANDLE



K2-710
K2-711
K2-712
K2-713
K2-714
K2-715

IDENTIFICATION LABELS *(aluminium)*



K2-700
K2-701
K2-702
K2-703
K2-704
K2-705


LABELS *(paper)*



K2-673
100 pcs. With indicator.

For small size and
special containers

LABELS *(paper)*



K2-672
100 pcs. With indicator.

For full and
Half size containers

(-)



AUTO LOCK MECHANISM

K1-900
(2 Pcs)

EMULATING INDICATOR CARD *(class 6)*



K2-674
Paper 250 Pcs.



SECURITY SEAL *(blue)*

K2-663
100 pcs. with indicator.
made of plastic



SECURITY SEAL *(blue)*

K2-664
100 pcs. made of plastic



SECURITY SEAL *(blue)*

K2-661
100 pcs. with number.
made of plastic



SECURITY SEAL *(red)*

K2-662
100 pcs. with indicator.
made of plastic



SECURITY SEAL *(red)*

K2-660
100 pcs. made of plastic



SECURITY SEAL *(red)*

K2-665
100 pcs. with number.
made of plastic



DISPOSAL STAMP

K2-717
40 x 35 x 9 mm
Requested number or
letter must be informed
during the order.



LABEL HOLDER

K2-716
50 x 35 x 13 mm
Holder for identification
labels

(-)

AYGUN®
SURGICAL INSTRUMENTS CO., INC.


STERILE CONTAINER SYSTEMS



Bio-Barrier Model

» *1/2 Half Size*

1/2 BIO-BARRIER MODEL






Specificiations	Lid (with barrier)		Lid (with barrier)		Safety Lid Lid (with barrier)		Safety Lid Lid (with barrier)	
	Box (Non Perforated)		Box (with barrier)		Box (Non Perforated)		Box (with barrier)	
	K7-500	h=105 mm	K7-530	h1=117 mm	K7-640	h=110 mm	K7-670	h1=122 mm
	K7-501		K7-531		K7-641		K7-671	
	K7-502		K7-532		K7-642		K7-672	
	K7-503		K7-533		K7-643		K7-673	
	K7-504		K7-534		K7-644		K7-674	
	K7-505		K7-535		K7-645		K7-675	
	K7-506	h=140 mm	K7-536	h1=152 mm	K7-646	h=145 mm	K7-676	h1=157 mm
	K7-507		K7-537		K7-647		K7-677	
	K7-508		K7-538		K7-648		K7-678	
	K7-509		K7-539		K7-649		K7-679	
	K7-510		K7-540		K7-650		K7-680	
	K7-511		K7-541		K7-651		K7-681	
	K7-512	h=155 mm	K7-542	h1=167 mm	K7-652	h=160 mm	K7-682	h1=172 mm
	K7-513		K7-543		K7-653		K7-683	
	K7-514		K7-544		K7-654		K7-684	
	K7-515		K7-545		K7-655		K7-685	
	K7-516		K7-546		K7-656		K7-686	
	K7-517		K7-547		K7-657		K7-687	
	K7-518	h=205 mm	K7-548	h1=217 mm	K7-658	h=210 mm	K7-688	h1=222 mm
	K7-519		K7-549		K7-659		K7-689	
	K7-520		K7-550		K7-660		K7-690	
	K7-521		K7-551		K7-661		K7-691	
	K7-522		K7-552		K7-662		K7-692	
	K7-523		K7-553		K7-663		K7-693	
	K7-524	h=265 mm	K7-554	h1=277 mm	K7-664	h=270 mm	K7-694	h1=282 mm
	K7-525		K7-555		K7-665		K7-695	
	K7-526		K7-556		K7-666		K7-696	
	K7-527		K7-557		K7-667		K7-697	
	K7-528		K7-558		K7-668		K7-698	
	K7-529		K7-559		K7-669		K7-699	

Ps: All container measurements cover the outer size of the lids.

BOX *(with barrier)*






code	outside dimension	inside dimension	weight
K7-600	305 x 272 h=112 mm	253 x 258 h=72 mm	1.64 kg
K7-601	305 x 272 h=128 mm	253 x 258 h=90 mm	1.79 kg
K7-602	305 x 272 h=150 mm	253 x 258 h=111 mm	1.90 kg
K7-603	305 x 272 h=202 mm	253 x 258 h=162 mm	2.08 kg
K7-604	305 x 272 h=247 mm	253 x 258 h=208 mm	2.35 kg

BOX *(non perforated)*





code	outside dimension	inside dimension	weight
K6-605	305 x 272 h=100 mm	253 x 258 h=94 mm	1.22 kg
K6-606	305 x 272 h=116 mm	253 x 258 h=112 mm	1.38 kg
K6-607	305 x 272 h=138 mm	253 x 258 h=133 mm	1.49 kg
K6-608	305 x 272 h=190 mm	253 x 258 h=184 mm	1.67 kg
K6-609	305 x 272 h=235 mm	253 x 258 h=230 mm	1.94 kg

LID-BARRIER SYSTEM

Dimension= 308 x 285 mm



code	color	weight
K7-630		0.98 kg
K7-631		
K7-632		
K7-633		
K7-634		
K7-635		

SAFETY LIDS



code	color	weight
K7-412		0.67 kg
K7-413		
K7-414		
K7-415		
K7-416		
K7-417		


BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET











code	outside dimension
K2-490	255 x 250 x h=30 mm
K2-491	255 x 250 x h=50 mm
K2-492	255 x 250 x h=70 mm
K2-493	255 x 250 x h=100 mm

WIRE BASKET WITH LID









code	outside dimension
K3-1040	255 x 250 h=35 mm
K3-1041	255 x 250 h=55 mm
K3-1042	255 x 250 h=75 mm
K3-1043	255 x 250 h=105 mm
K3-1045	ONLY LID, for baskets

WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET









code	outside dimension
K2-491 P	255 x 250 x h=50 mm
K2-492 P	255 x 250 x h=70 mm
K2-493 P	255 x 250 x h=100 mm

WIRE BASKET WITH LID











code	outside dimension
K3-1041 P	255 x 250 x h=55 mm
K3-1042 P	255 x 250 x h=75 mm
K3-1043 P	255 x 250 x h=105 mm
K3-1045 P	ONLY LID, for baskets


BASKET MADE FROM STAINLESS STEEL SHEET

BASKET *(with stand)*



	code	outside dimension
Box and Lid 	K3-732	244 x 253 h=43 mm
	K3-733	244 x 253 h=63 mm
	K3-734	244 x 253 h=83 mm
	K3-735	244 x 253 h=113 mm
Box 	K3-752	244 x 253 h=40 mm
	K3-753	244 x 253 h=60 mm
	K3-754	244 x 253 h=80 mm
	K3-755	244 x 253 h=110 mm
Lid 	K3-763	ONLY LID, for baskets







STAND



code	height
K3-767	20 mm



STAND



code	height
K3-768	10 mm



IDENTIFICATION *(aluminium)*

LABEL HOLDER



code	color
K2-560	
K2-561	
K2-562	
K2-563	
K2-564	
K2-565	

LABELS



code	color
K2-570	
K2-571	
K2-572	
K2-573	
K2-574	
K2-575	

Coloured identification labels
Engraved to your specification





Grey coloured recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

DIVIDERS



K2-483
255 x 245 x 130 mm

K2-484
255 x 245 x 180 mm

WIRE BASE



K2-482
255 x 255 x 30 mm

(-)

RACK *(for kerrison)*



K3-1094
225 x 245 x 160 mm
- Holds 10 kerrison punches
- Fits into a 1/2 and 1/1 size
- 20 cm deep container
- Wire basket 1/2 50 mm
- Wire basket 1/1 50 mm
- Container 1/2 200 mm
- Container 1/1 200 mm

DRAPE RETAINER



K3-481
255 x 255 x 30 mm

DRAPE RETAINER



K2-480
255 x 255 mm

ALUMINIUM BASKET *(with lid)*



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET *(with lid)*



K3-1120
245 x 130 x 70 mm

ALUMINIUM BASKET *(with lid)*




K3-1121
245 x 130 x 105 mm

SILICONE MAT



K2-521
250 x 235 mm

SILICONE MESH MAT



K2-530
250 x 250 mm

SILICONE HANDLE



K2-710
K2-711
K2-712
K2-713
K2-714
K2-715

IDENTIFICATION LABELS *(aluminium)*



K2-700
K2-701
K2-702
K2-703
K2-704
K2-705


LABELS *(paper)*



K2-673
100 pcs. With indicator.

For small size and
special containers

LABELS *(paper)*



K2-672
100 pcs. With indicator.

For full and
Half size containers

(-)



AUTO LOCK MECHANISM

K1-900
(2 Pcs)

EMULATING INDICATOR CARD *(class 6)*



K2-674
Paper 250 Pcs.

SECURITY SEAL *(blue)*



K2-663
100 pcs. with indicator.
made of plastic

SECURITY SEAL *(blue)*



K2-664
100 pcs. made of plastic

SECURITY SEAL *(blue)*



K2-661
100 pcs. with number.
made of plastic

SECURITY SEAL *(red)*



K2-662
100 pcs. with indicator.
made of plastic

SECURITY SEAL *(red)*



K2-660
100 pcs. made of plastic

SECURITY SEAL *(red)*



K2-665
100 pcs. with number.
made of plastic

DISPOSAL STAMP



K2-717
40 x 35 x 9 mm
Requested number or
letter must be informed
during the order.

LABEL HOLDER



K2-716
50 x 35 x 13 mm
Holder for identification
labels

(-)

AYGUN®
SURGICAL INSTRUMENTS CO., INC.

STERILE CONTAINER SYSTEMS






Bio-Barrier Model

» *Extra Large Size*

EXTRA LARGE SIZE






Specificiations	Lid (with barrier)		Lid (with barrier)	
	Box (Non Perforated)		Box (with barrier)	
	K7-136	h=125 mm	K7-210	h¹=137 mm
	K7-137		K7-211	
	K7-138		K7-212	
	K7-139		K7-213	
	K7-140		K7-214	
	K7-141		K7-215	
	K7-142	h=185 mm	K7-216	h¹=197 mm
	K7-143		K7-217	
	K7-144		K7-218	
	K7-145		K7-219	
	K7-146		K7-220	
	K7-147		K7-221	

Ps: All container measurements cover the outer size of the lids.

BOX *(with barrier)*






code	outside dimension	inside dimension	weight
K7-700	610 x 365 h=118 mm	543 x 350 h=78 mm	3.11 kg
K7-701	610 x 365 h=180 mm	543 x 350 h=140 mm	3.47 kg

BOX *(non perforated)*





code	outside dimension	inside dimension	weight
K6-402	610 x 365 h=105 mm	543 x 350 h=100 mm	2.39 kg
K6-403	610 x 365 h=167 mm	543 x 350 h=162 mm	2.75 kg

LID BARRIER SYSTEM



Dimension= 602 x 370 mm

code	color	weight
K7-326		1.98 kg
K7-327		
K7-328		
K7-329		
K7-330		
K7-331		

BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET





code	outside dimension
K2-1701	533 x 337 h=50 mm
K2-1702	533 x 337 h=70 mm
K2-1703	533 x 337 h=100 mm



WIRE BASKET WITH LID





code	outside dimension
K3-1704	533 x 337 h=55 mm
K3-1705	533 x 337 h=75 mm
K3-1706	533 x 337 h=105 mm
K3-1707	ONLY LID, for baskets



IDENTIFICATION *(aluminium)*

LABEL HOLDER



code	color
K2-560	
K2-561	
K2-562	
K2-563	
K2-564	
K2-565	

LABELS



code	color
K2-570	
K2-571	
K2-572	
K2-573	
K2-574	
K2-575	

Coloured identification labels
Engraved to your specification






Grey coloured recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.


BASKET MADE FROM STAINLESS STEEL SHEET

BASKET *(with stand)*



	code	outside dimension
Box and Lid 	K3-701	533 x 340 h=43 mm
	K3-702	533 x 340 h=63 mm
	K3-703	533 x 340 h=83 mm
	K3-704	533 x 340 h=113 mm
Box 	K3-705	533 x 340 h=40 mm
	K3-706	533 x 340 h=60 mm
	K3-707	533 x 340 h=80 mm
	K3-708	533 x 340 h=110 mm
Lid 	K3-709	ONLY LID, for baskets







STAND



code	height
K3-767	20 mm



STAND



code	height
K3-768	10 mm



DIVIDERS



K2-1731
533 x 337 x 70 mm

K2-1732
533 x 337 x 120 mm

(-)

DIVIDERS




K2-1721
533 x 337 x 70 mm

K2-1722
533 x 337 x 120 mm

(-)

DRAPE RETAINER



K2-1712
533 x 337 x 30 mm

DRAPE RETAINER



K2-1711
533 x 337 mm

(-)

(-)

SILICONE HANDLE



K2-710
K2-711
K2-712
K2-713
K2-714
K2-715

ALUMINIUM BASKET *(with lid)*



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET *(with lid)*



K3-1120
245 x 130 x 70 mm

ALUMINIUM BASKET *(with lid)*



K3-1121
245 x 130 x 105 mm

IDENTIFICATION LABELS *(aluminium)*



K2-700
K2-701
K2-702
K2-703
K2-704
K2-705


LABELS *(paper)*



K2-673
100 pcs. With indicator.

For small size and
special containers

LABELS *(paper)*



K2-672
100 pcs. With indicator.

For full and
Half size containers

(-)



AUTO LOCK MECHANISM

K1-900
(2 Pcs)

EMULATING INDICATOR CARD *(class 6)*



K2-674
Paper 250 Pcs.



SECURITY SEAL *(blue)*

K2-663
100 pcs. with indicator.
made of plastic



SECURITY SEAL *(blue)*

K2-664
100 pcs. made of plastic



SECURITY SEAL *(blue)*

K2-661
100 pcs. with number.
made of plastic



SECURITY SEAL *(red)*

K2-662
100 pcs. with indicator.
made of plastic



SECURITY SEAL *(red)*

K2-660
100 pcs. made of plastic



SECURITY SEAL *(red)*

K2-665
100 pcs. with number.
made of plastic



DISPOSAL STAMP

K2-717
40 x 35 x 9 mm
Requested number or
letter must be informed
during the order.



LABEL HOLDER

K2-716
50 x 35 x 13 mm
Holder for identification
labels

(-)

AYGÜN®
SURGICAL INSTRUMENTS CO., INC.

STERILE CONTAINER SYSTEMS






Bio-Barrier Model

» *Extra Long Size*

EXTRA LONG SIZE






Specifications	Lid (with barrier)		Lid (with barrier)	
				
	Box (Non Perforated)		Box (with barrier)	
	K7-2010	h=125 mm	K7-2040	h1=137 mm
	K7-2011		K7-2041	
	K7-2012		K7-2042	
	K7-2013		K7-2043	
	K7-2014		K7-2044	
	K7-2015		K7-2045	
	K7-2016	h=185 mm	K7-2046	h1=197 mm
	K7-2017		K7-2047	
	K7-2018		K7-2048	
	K7-2019		K7-2049	
	K7-2020		K7-2050	
	K7-2021		K7-2051	

Ps: All container measurements cover the outer size of the lids.

BOX *(perforated)*






code	outside dimension	inside dimension	weight
K7-2000	730 x 272 h=118 mm	687 x 258 h=78 mm	
K7-2001	730 x 272 h=180 mm	687 x 258 h=140 mm	

BOX *(non perforated)*





code	outside dimension	inside dimension	weight
K6-2005	730 x 272 h=110 mm	687 x 258 h=105 mm	
K6-2006	730 x 272 h=165 mm	687 x 258 h=160 mm	

PERFORATED LIDS



Dimension= 728 x 285 mm

code	color	weight
K7-2120		
K7-2121		
K7-2122		
K7-2123		
K7-2124		
K7-2125		

BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET





code	outside dimension
K2-1801	665 x 250 h=50 mm
K2-1802	665 x 250 h=70 mm
K2-1803	665 x 250 h=100 mm






WIRE BASKET WITH LID





code	outside dimension
K3-1804	665 x 250 h=55 mm
K3-1805	665 x 250 h=75 mm
K3-1806	665 x 250 h=105 mm
K3-1807	ONLY LID, for baskets





IDENTIFICATION *(aluminium)*

LABEL HOLDER



code	color
K2-560	
K2-561	
K2-562	
K2-563	
K2-564	
K2-565	

LABELS



code	color
K2-570	
K2-571	
K2-572	
K2-573	
K2-574	
K2-575	

Coloured identification labels
Engraved to your specification







Grey coloured recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.


BASKET MADE FROM STAINLESS STEEL SHEET

BASKET *(with stand)*



	code	outside dimension
Box and Lid 	K3-715	665 x 253 h=43 mm
	K3-716	665 x 253 h=63 mm
	K3-717	665 x 253 h=83 mm
	K3-718	665 x 253 h=113 mm
Box 	K3-711	665 x 253 h=40 mm
	K3-712	665 x 253 h=60 mm
	K3-713	665 x 253 h=80 mm
	K3-714	665 x 253 h=110 mm
Lid 	K3-710	ONLY LID, for baskets







STAND



code	height
K3-767	20 mm




STAND



code	height
K3-768	10 mm



RACK *(for endoscopy)*



K3-1093
550 x 240 x 130 mm
(1 pcs)

- Holds 10 endoscopic instruments
- Fits into a Extra Long size 18 cm deep container
- Wire basket Extra Long 50 mm
- Container Extra Long 180 mm
- Silicone mat 340x230 (2pcs)

RACK *(for kerrison)*



K3-1094
225 x 245 x 160 mm
(2 pcs)

- Holds 10 kerrison punches
- Fits into a 1/2, 1/1 20 cm and Extra Long size 18 cm deep container
- Wire basket 1/2 50 mm
- Wire basket 1/1 50 mm
- Container 1/2 200 mm
- Container 1/1 200 mm
- Wire basket Extra long 50 mm
- Container Extra long 180 mm

DIVIDERS



K2-428
540 x 250 x 130 mm

K2-429
540 x 250 x 180 mm

WIRE BASE



K2-440
545 x 255 x 30 mm

DIVIDERS



K2-425
540 x 250 x 130 mm

K2-426
540 x 250 x 180 mm

ALUMINIUM BASKET *(with lid)*



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET *(with lid)*




K3-1120
245 x 130 x 70 mm

ALUMINIUM BASKET *(with lid)*



K3-1121
245 x 130 x 105 mm

SILICONE MAT



K2-522
340 x 230 mm
(2 pcs)

(-)

SILICONE HANDLE



K2-710
K2-711
K2-712
K2-713
K2-714
K2-715

IDENTIFICATION LABELS *(aluminium)*



K2-700
K2-701
K2-702
K2-703
K2-704
K2-705


LABELS *(paper)*



K2-673
100 pcs. With indicator.

For small size and
special containers

LABELS *(paper)*



K2-672
100 pcs. With indicator.

For full and
Half size containers

(-)



AUTO LOCK MECHANISM

K1-900
(2 Pcs)

EMULATING INDICATOR CARD *(class 6)*



K2-674
Paper 250 Pcs.

SECURITY SEAL *(blue)*



K2-663
100 pcs. with indicator.
made of plastic

SECURITY SEAL *(blue)*



K2-664
100 pcs. made of plastic

SECURITY SEAL *(blue)*



K2-661
100 pcs. with number.
made of plastic

SECURITY SEAL *(red)*



K2-662
100 pcs. with indicator.
made of plastic

SECURITY SEAL *(red)*



K2-660
100 pcs. made of plastic

SECURITY SEAL *(red)*



K2-665
100 pcs. with number.
made of plastic

DISPOSAL STAMP



K2-717
40 x 35 x 9 mm
Requested number or
letter must be informed
during the order.

LABEL HOLDER



K2-716
50 x 35 x 13 mm
Holder for identification
labels

(-)




STANDARD MODEL 1
BIO-BARRIER MODEL 33
Polymers PPSU Lids 65
WINDOW MODEL 85
B3arrier MODEL 103
for STERRAD 135
Dental, Mini, Special 145
BASKETS 163
Autolock Machanism Emulating Indicator 183
ACCESSORIES 191






The Barrier Model is a mechanical filtering systems. The valves of Barrier Model Systems have three different positions during sterilization cycles such as relax position, before sterilization and after sterilization position. It can be used at least 5000 sterilization cycle.


1. Before sterilization cycle the valves of the Barrier Model Container are closed and in relax position.




2. At the beggining of the sterilization cycle, by the effect of vacuum the valves are opened completely and dry air goes out of the container.




3. During the sterilization cycle the valves are opened with effect of pressure in the reverse way totally opposite of the way moved by the effect of vacuum.



4. At the end of the sterilization cycle the autoclave (sterilizator) equates the pressure level and the valves opened the way by effect of vacuum.



5. After sterilization cycle the valves of the Barrier Model Container are closed and in relax position.



AYGUN®
SURGICAL INSTRUMENTS CO., INC.

STERILE CONTAINER SYSTEMS















High Performance Polymers PPSU Lids

» *1/1 Full Size*

1/1 POLYMER PPSU LID MODEL






Specifications	Lid (Perforated)	Lid (Perforated)	Lid (with barrier)	Lid (with barrier)
	Box (Non Perforated)	Box (Perforated)	Box (Non Perforated)	Box (with barrier)
	KP6-010	KP6-040	KP7-010	KP7-040
	KP6-011	KP6-041	KP7-011	KP7-041
	KP6-012	KP6-042	KP7-012	KP7-042
	KP6-013	KP6-043	KP7-013	KP7-043
	KP6-014	KP6-044	KP7-014	KP7-044
	KP6-015	KP6-045	KP7-015	KP7-045
	KT6-010 Transparent	KT6-040 Transparent	KT7-010 Transparent	KT7-040 Transparent
	h=100 mm	h=100 mm	h=105 mm	h²=125 mm
	KP6-016	KP6-046	KP7-016	KP7-046
	KP6-017	KP6-047	KP7-017	KP7-047
	KP6-018	KP6-048	KP7-018	KP7-048
	KP6-019	KP6-049	KP7-019	KP7-049
	KP6-020	KP6-050	KP7-020	KP7-050
	KP6-021	KP6-051	KP7-021	KP7-051
	KT6-016 Transparent	KT6-046 Transparent	KT7-016 Transparent	KT7-046 Transparent
	h=135 mm	h=135 mm	h=140 mm	h²=160 mm
	KP6-022	KP6-052	KP7-022	KP7-052
	KP6-023	KP6-053	KP7-023	KP7-053
	KP6-024	KP6-054	KP7-024	KP7-054
	KP6-025	KP6-055	KP7-025	KP7-055
	KP6-026	KP6-056	KP7-026	KP7-056
	KP6-027	KP6-057	KP7-027	KP7-057
	KT6-022 Transparent	KT6-052 Transparent	KT7-022 Transparent	KT7-052 Transparent
	h=150 mm	h=150 mm	h=155 mm	h²=175 mm
	KP6-028	KP6-058	KP7-028	KP7-058
	KP6-029	KP6-059	KP7-029	KP7-059
	KP6-030	KP6-060	KP7-030	KP7-060
	KP6-031	KP6-061	KP7-031	KP7-061
	KP6-032	KP6-062	KP7-032	KP7-062
	KP6-033	KP6-063	KP7-033	KP7-063
	KT6-028 Transparent	KT6-058 Transparent	KT7-028 Transparent	KT7-058 Transparent
	h=200 mm	h=200 mm	h=205 mm	h²=225 mm
	KP6-034	KP6-064	KP7-034	KP7-064
	KP6-035	KP6-065	KP7-035	KP7-065
	KP6-036	KP6-066	KP7-036	KP7-066
	KP6-037	KP6-067	KP7-037	KP7-067
	KP6-038	KP6-068	KP7-038	KP7-068
	KP6-039	KP6-069	KP7-039	KP7-069
	KT6-034 Transparent	KT6-064 Transparent	KT7-034 Transparent	KT7-064 Transparent
	h=260 mm	h=260 mm	h=265 mm	h²=285 mm

Ps: All container measurements cover the outer size of the lids.

BOX *(perforated)*






code	outside dimension	inside dimension	weight
K6-100	600 x 272 h=100 mm	543 x 258 h=83 mm	2.24 kg
K6-101	600 x 272 h=116 mm	543 x 258 h=101 mm	2.25 kg
K6-102	600 x 272 h=138 mm	543 x 258 h=122 mm	2.55 kg
K6-103	600 x 272 h=190 mm	543 x 258 h=173 mm	2.90 kg
K6-104	600 x 272 h=235 mm	543 x 258 h=218 mm	3.32 kg

BOX *(non perforated)*





code	outside dimension	inside dimension	weight
K6-105	600 x 272 h=100 mm	543 x 258 h=94 mm	2.00 kg
K6-106	600 x 272 h=116 mm	543 x 258 h=112 mm	2.10 kg
K6-107	600 x 272 h=138 mm	543 x 258 h=130 mm	2.32 kg
K6-108	600 x 272 h=190 mm	543 x 258 h=180 mm	2.66 kg
K6-109	600 x 272 h=235 mm	543 x 258 h=228 mm	3.10 kg

PERFORATED LIDS

Dimension= 602 x 285 mm



- KP6-120 Grey
- KP6-121 Yellow
- KP6-122 Green
- KP6-123 Blue
- KP6-124 Red
- KP6-125 Black
- KT6-120 Transparent

Weight= 1.45 Kg

BIO-BARRIER LIDS

Dimension= 602 x 285 mm




- KP7-120 Grey
- KP7-121 Yellow
- KP7-122 Green
- KP7-123 Blue
- KP7-124 Red
- KP7-125 Black
- KT7-120 Transparent

Weight= 1.80 Kg


BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET










code	outside dimension
K2-460	540 x 250 h=30 mm
K2-461	540 x 250 h=50 mm
K2-462	540 x 250 h=70 mm
K2-463	540 x 250 h=100 mm
K2-450	480 x 250 h=30 mm
K2-451	480 x 250 h=50 mm
K2-452	480 x 250 h=70 mm
K2-453	480 x 250 h=100 mm

WIRE BASKET WITH LID










code	outside dimension
K3-1010	540 x 250 h=35 mm
K3-1011	540 x 250 h=55 mm
K3-1012	540 x 250 h=75 mm
K3-1013	540 x 250 h=105 mm
K3-1014	ONLY LID, for baskets
K3-1020	480 x 250 h=35 mm
K3-1021	480 x 250 h=55 mm
K3-1022	480 x 250 h=75 mm
K3-1023	480 x 250 h=105 mm
K3-1024	ONLY LID, for baskets

WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET









code	outside dimension
K2-461 P	540 x 250 h=50 mm
K2-462 P	540 x 250 h=70 mm
K2-463 P	540 x 250 h=100 mm
K2-451 P	480 x 250 h=50 mm
K2-452 P	480 x 250 h=70 mm
K2-453 P	480 x 250 h=100 mm

WIRE BASKET WITH LID










code	outside dimension
K3-1011 P	540 x 250 h=55 mm
K3-1012 P	540 x 250 h=75 mm
K3-1013 P	540 x 250 h=105 mm
K3-1014 P	ONLY LID, for baskets
K3-1021 P	480 x 250 h=55 mm
K3-1022 P	480 x 250 h=75 mm
K3-1023 P	480 x 250 h=105 mm
K3-1024 P	ONLY LID, for baskets


BASKET MADE FROM STAINLESS STEEL SHEET

BASKET *(with stand)*




	code	outside dimension
Box and Lid	K3-720	540 x 253 h=43 mm
	K3-721	540 x 253 h=63 mm
	K3-722	540 x 253 h=83 mm
	K3-723	540 x 253 h=113 mm
Box	K3-740	540 x 253 h=40 mm
	K3-741	540 x 253 h=60 mm
	K3-742	540 x 253 h=80 mm
	K3-743	540 x 253 h=110 mm
Lid	K3-760	ONLY LID, for baskets





BASKET *(with stand)*



	code	outside dimension
Box and Lid	K3-724	485 x 253 h=43 mm
	K3-725	485 x 253 h=63 mm
	K3-726	485 x 253 h=83 mm
	K3-727	485 x 253 h=113 mm
Box	K3-744	485 x 253 h=40 mm
	K3-745	485 x 253 h=60 mm
	K3-746	485 x 253 h=80 mm
	K3-747	485 x 253 h=110 mm
Lid	K3-761	ONLY LID, for baskets



STAND



code	height
K3-767	20 mm



STAND



code	height
K3-768	10 mm



IDENTIFICATION *(aluminium)*

LABEL HOLDER



code	color
K2-560	
K2-561	
K2-562	
K2-563	
K2-564	
K2-565	

LABELS



code	color
K2-570	
K2-571	
K2-572	
K2-573	
K2-574	
K2-575	

Coloured identification labels
Engraved to your specification





Grey coloured recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

DIVIDERS



K2-428
540 x 250 x 130 mm

K2-429
540 x 250 x 180 mm

WIRE BASE



K2-440
545 x 255 x 30 mm

DIVIDERS



K2-425
540 x 250 x 130 mm


K2-426
540 x 250 x 180 mm

RACK *(for endoscopy)*



K3-1090
510 x 240 x 130 mm
- Holds 10 endoscopic instruments
- Fits into a 1/1 size 20 cm deep container
- Wire basket 1/1 50 mm
- Container 1/1 200 mm
- Silicone mat 520 x 230 mm

DRAPE RETAINER



K2-420
545 x 255 x 30 mm

DRAPE RETAINER



K2-400
545 x 255 mm

ALUMINIUM BASKET *(with lid)*



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET *(with lid)*




K3-1120
245 x 130 x 70 mm

ALUMINIUM BASKET *(with lid)*



K3-1121
245 x 130 x 105 mm


SILICONE MAT



K2-526
520 x 230 mm

K2-528
470 x 230 mm

SILICONE MESH MAT



K2-531
480 x 250 mm

SILICONE HANDLE



K2-710
K2-711
K2-712
K2-713
K2-714
K2-715

PAPER FILTER




K2-740
Single use 100 pcs
with indicator. Aygun mark.
• Diameter: 185 mm

TEFLON FILTER



K2-742
Number of sterilization
cycle > 2000
• Diameter: 194 mm

FILTER DISPENSER



K2-730

IDENTIFICATION LABELS *(aluminium)*



K2-700
K2-701
K2-702
K2-703
K2-704
K2-705


LABELS *(paper)*



K2-673
100 pcs. With indicator.

For small size and
special containers

LABELS *(paper)*



K2-672
100 pcs. With indicator.

For full and
Half size containers

(-)



AUTO LOCK MECHANISM

K1-900
(2 Pcs)

EMULATING INDICATOR CARD *(class 6)*



K2-674
Paper 250 Pcs.



SECURITY SEAL *(blue)*

K2-663
100 pcs. with indicator.
made of plastic



SECURITY SEAL *(blue)*

K2-664
100 pcs. made of plastic



SECURITY SEAL *(blue)*

K2-661
100 pcs. with number.
made of plastic



SECURITY SEAL *(red)*

K2-662
100 pcs. with indicator.
made of plastic



SECURITY SEAL *(red)*

K2-660
100 pcs. made of plastic



SECURITY SEAL *(red)*

K2-665
100 pcs. with number.
made of plastic



DISPOSAL STAMP

K2-717
40 x 35 x 9 mm
Requested number or
letter must be informed
during the order.



LABEL HOLDER

K2-716
50 x 35 x 13 mm
Holder for identification
labels

(-)

AYGUN®
SURGICAL INSTRUMENTS CO., INC.

STERILE CONTAINER SYSTEMS






High Performance Polymers PPSU Lids

» 3/4 Quarter Size

3/4 POLYMER PPSU LID MODEL






Specifications	Lid (Perforated)	Lid (Perforated)	Lid (with barrier)	Lid (with barrier)
	Box (Non Perforated)	Box (Perforated)	Box (Non Perforated)	Box (with barrier)
	KP6-240	KP6-260	KP7-240	KP7-260
	KP6-241	KP6-261	KP7-241	KP7-261
	KP6-242	KP6-262	KP7-242	KP7-262
	KP6-243	KP6-263	KP7-243	KP7-263
	KP6-244	KP6-264	KP7-244	KP7-264
	KP6-245	KP6-265	KP7-245	KP7-265
	KT6-240 Transparent	KT6-260 Transparent	KT7-240 Transparent	KT7-260 Transparent
	h=100 mm	h=100 mm	h=105 mm	h²=125 mm
	KP6-246	KP6-266	KP7-246	KP7-266
	KP6-247	KP6-267	KP7-247	KP7-267
	KP6-248	KP6-268	KP7-248	KP7-268
	KP6-249	KP6-269	KP7-249	KP7-269
	KP6-250	KP6-270	KP7-250	KP7-270
	KP6-251	KP6-271	KP7-251	KP7-271
	KT6-246 Transparent	KT6-266 Transparent	KT7-246 Transparent	KT7-266 Transparent
	h=135 mm	h=135 mm	h=140 mm	h²=160 mm
	KP6-252	KP6-272	KP7-252	KP7-272
	KP6-253	KP6-273	KP7-253	KP7-273
	KP6-254	KP6-274	KP7-254	KP7-274
	KP6-255	KP6-275	KP7-255	KP7-275
	KP6-256	KP6-276	KP7-256	KP7-276
	KP6-257	KP6-277	KP7-257	KP7-277
	KT6-252 Transparent	KT6-272 Transparent	KT7-252 Transparent	KT7-272 Transparent
	h=150 mm	h=150 mm	h=155 mm	h²=175 mm

Ps: All container measurements cover the outer size of the lids.

BOX *(perforated)*






code	outside dimension	inside dimension	weight
K6-300	485 x 272 h=100 mm	422 x 258 h=83 mm	2.00 kg
K6-301	485 x 272 h=116 mm	422 x 258 h=101 mm	2.16 kg
K6-302	485 x 272 h=138 mm	422 x 258 h=122 mm	2.26 kg

BOX *(non perforated)*





code	outside dimension	inside dimension	weight
K6-305	485 x 272 h=100 mm	422 x 258 h=94 mm	1.64 kg
K6-306	485 x 272 h=116 mm	422 x 258 h=112 mm	1.78 kg
K6-307	485 x 272 h=138 mm	422 x 258 h=133 mm	1.90 kg

PERFORATED LIDS

Dimension= 477 x 285 mm



- KP6-340 Grey
- KP6-341 Yellow
- KP6-342 Green
- KP6-343 Blue
- KP6-344 Red
- KP6-345 Black
- KT6-340 Transparent

Weight= 0.98 Kg

BIO-BARRIER LIDS

Dimension= 477 x 285 mm





- KP7-340 Grey
- KP7-341 Yellow
- KP7-342 Green
- KP7-343 Blue
- KP7-344 Red
- KP7-345 Black
- KT7-340 Transparent

Weight= 1.20 Kg

BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET






code	outside dimension
K2-1500	405 x 250 x h=30 mm
K2-1501	405 x 250 x h=50 mm
K2-1502	405 x 250 x h=70 mm
K2-1503	405 x 250 x h=100 mm

WIRE BASKET WITH LID






code	outside dimension
K3-1030	405 x 250 h=35 mm
K3-1031	405 x 250 h=55 mm
K3-1032	405 x 250 h=75 mm
K3-1033	405 x 250 h=105 mm
K3-1034	ONLY LID, for baskets

WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET





code	outside dimension
K2-1501 P	405 x 250 x h=50 mm
K2-1502 P	405 x 250 x h=70 mm
K2-1503 P	405 x 250 x h=100 mm

WIRE BASKET WITH LID







code	outside dimension
K3-1031 P	405 x 250 x h=55 mm
K3-1032 P	405 x 250 x h=75 mm
K3-1033 P	405 x 250 x h=105 mm
K3-1034 P	ONLY LID, for baskets


BASKET MADE FROM STAINLESS STEEL SHEET

BASKET *(with stand)*



	code	outside dimension
Box and Lid 	K3-728	405 x 253 h=43 mm
	K3-729	405 x 253 h=63 mm
	K3-730	405 x 253 h=83 mm
	K3-731	405 x 253 h=113 mm
Box 	K3-748	405 x 253 h=40 mm
	K3-749	405 x 253 h=60 mm
	K3-750	405 x 253 h=80 mm
	K3-751	405 x 253 h=110 mm
Lid 	K3-762	ONLY LID, for baskets







STAND



code	height
K3-767	20 mm



STAND



code	height
K3-768	10 mm



IDENTIFICATION *(aluminium)*

LABEL HOLDER



code	color
K2-560	
K2-561	
K2-562	
K2-563	
K2-564	
K2-565	

LABELS



code	color
K2-570	
K2-571	
K2-572	
K2-573	
K2-574	
K2-575	

Coloured identification labels
Engraved to your specification





Grey coloured recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

DIVIDERS



K2-1540
405 x 250 x 80 mm

K2-1541
405 x 250 x 110 mm

K2-1542
405 x 250 x 130 mm

WIRE BASE



K2-1522
405 x 255 x 30 mm

DIVIDERS



K2-1530
405 x 250 x 80 mm

K2-1531
405 x 250 x 110 mm

K2-1532
405 x 250 x 130 mm

(-)

DRAPE RETAINER



K2-1521
405 x 255 x 30 mm

DRAPE RETAINER



K2-1520
405 x 255 mm

ALUMINIUM BASKET *(with lid)*



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET *(with lid)*




K3-1120
245 x 130 x 70 mm

ALUMINIUM BASKET *(with lid)*



K3-1121
245 x 130 x 105 mm


SILICONE MAT



K2-524
380 x 230 mm

K2-525
440 x 230 mm

SILICONE MESH MAT



K2-531
480 x 250 mm

SILICONE HANDLE



K2-710
K2-711
K2-712
K2-713
K2-714
K2-715

PAPER FILTER




K2-740
Single use 100 pcs
with indicator. Aygun mark.
• Diameter: 185 mm

TEFLON FILTER



K2-742
Number of sterilization
cycle > 2000
• Diameter: 194 mm

FILTER DISPENSER



K2-730

IDENTIFICATION LABELS *(aluminium)*



K2-700
K2-701
K2-702
K2-703
K2-704
K2-705


LABELS *(paper)*



K2-673
100 pcs. With indicator.

For small size and
special containers

LABELS *(paper)*



K2-672
100 pcs. With indicator.

For full and
Half size containers

(-)



AUTO LOCK MECHANISM

K1-900
(2 Pcs)

EMULATING INDICATOR CARD *(class 6)*



K2-674
Paper 250 Pcs.



SECURITY SEAL *(blue)*

K2-663
100 pcs. with indicator.
made of plastic



SECURITY SEAL *(blue)*

K2-664
100 pcs. made of plastic



SECURITY SEAL *(blue)*

K2-661
100 pcs. with number.
made of plastic



SECURITY SEAL *(red)*

K2-662
100 pcs. with indicator.
made of plastic



SECURITY SEAL *(red)*

K2-660
100 pcs. made of plastic



SECURITY SEAL *(red)*

K2-665
100 pcs. with number.
made of plastic



DISPOSAL STAMP

K2-717
40 x 35 x 9 mm
Requested number or
letter must be informed
during the order.



LABEL HOLDER

K2-716
50 x 35 x 13 mm
Holder for identification
labels

(-)

AYGUN®
SURGICAL INSTRUMENTS CO., INC.


STERILE CONTAINER SYSTEMS





High Performance Polymers PPSU Lids

» 1/2 Half Size






1/2 POLYMER PPSU LID MODEL










Specifications	Lid (Perforated)	Lid (Perforated)	Lid (with barrier)	Lid (with barrier)
	Box (Non Perforated)	Box (Perforated)	Box (Non Perforated)	Box (with barrier)
	KP6-500	KP6-530	KP7-500	KP7-530
	KP6-501	KP6-531	KP7-501	KP7-531
	KP6-502	KP6-532	KP7-502	KP7-532
	KP6-503	KP6-533	KP7-503	KP7-533
	KP6-504	KP6-534	KP7-504	KP7-534
	KP6-505	KP6-535	KP7-505	KP7-535
	KT6-500 Transparent	KT6-530 Transparent	KT7-500 Transparent	KT7-530 Transparent
	h=100 mm	h=100 mm	h=105 mm	h²=125 mm
	KP6-506	KP6-536	KP7-506	KP7-536
	KP6-507	KP6-537	KP7-507	KP7-537
	KP6-508	KP6-538	KP7-508	KP7-538
	KP6-509	KP6-539	KP7-509	KP7-539
	KP6-510	KP6-540	KP7-510	KP7-540
	KP6-511	KP6-541	KP7-511	KP7-541
	KT6-506 Transparent	KT6-536 Transparent	KT7-506 Transparent	KT7-536 Transparent
	h=135 mm	h=135 mm	h=140 mm	h²=160 mm
	KP6-512	KP6-542	KP7-512	KP7-542
	KP6-513	KP6-543	KP7-513	KP7-543
	KP6-514	KP6-544	KP7-514	KP7-544
	KP6-515	KP6-545	KP7-515	KP7-545
	KP6-516	KP6-546	KP7-516	KP7-546
	KP6-517	KP6-547	KP7-517	KP7-547
	KT6-512 Transparent	KT6-542 Transparent	KT7-512 Transparent	KT7-542 Transparent
	h=150 mm	h=150 mm	h=155 mm	h²=175 mm
	KP6-518	KP6-548	KP7-518	KP7-548
	KP6-519	KP6-549	KP7-519	KP7-549
	KP6-520	KP6-550	KP7-520	KP7-550
	KP6-521	KP6-551	KP7-521	KP7-551
	KP6-522	KP6-552	KP7-522	KP7-552
	KP6-523	KP6-553	KP7-523	KP7-553
	KT6-518 Transparent	KT6-548 Transparent	KT7-518 Transparent	KT7-548 Transparent
	h=200 mm	h=200 mm	h=205 mm	h²=225 mm
	KP6-524	KP6-554	KP7-524	KP7-554
	KP6-525	KP6-555	KP7-525	KP7-555
	KP6-526	KP6-556	KP7-526	KP7-556
	KP6-527	KP6-557	KP7-527	KP7-557
	KP6-528	KP6-558	KP7-528	KP7-558
	KP6-529	KP6-559	KP7-529	KP7-559
	KT6-524 Transparent	KT6-554 Transparent	KT7-524 Transparent	KT7-554 Transparent
	h=260 mm	h=260 mm	h=265 mm	h²=285 mm

Ps: All container measurements cover the outer size of the lids.

BOX *(perforated)*






code	outside dimension	inside dimension	weight
K6-600	305 x 272 h=100 mm	253 x 258 h=83 mm	1.58 kg
K6-601	305 x 272 h=116 mm	253 x 258 h=101 mm	1.74 kg
K6-602	305 x 272 h=138 mm	253 x 258 h=122 mm	1.85 kg
K6-603	305 x 272 h=190 mm	253 x 258 h=173 mm	2.02 kg
K6-604	305 x 272 h=235 mm	253 x 258 h=218 mm	2.30 kg

BOX *(non perforated)*





code	outside dimension	inside dimension	weight
K6-605	305 x 272 h=100 mm	253 x 258 h=94 mm	1.22 kg
K6-606	305 x 272 h=116 mm	253 x 258 h=112 mm	1.38 kg
K6-607	305 x 272 h=138 mm	253 x 258 h=133 mm	1.49 kg
K6-608	305 x 272 h=190 mm	253 x 258 h=184 mm	1.67 kg
K6-609	305 x 272 h=235 mm	253 x 258 h=230 mm	1.94 kg

PERFORATED LIDS

Dimension= 308 x 285 mm



- KP6-630 Grey
- KP6-631 Yellow
- KP6-632 Green
- KP6-633 Blue
- KP6-634 Red
- KP6-635 Black
- KT6-630 Transparent

Weight= 0.80 Kg

BIO-BARRIER LIDS

Dimension= 308 x 285 mm



- KP7-630 Grey
- KP7-631 Yellow
- KP7-632 Green
- KP7-633 Blue
- KP7-634 Red
- KP7-635 Black
- KT7-630 Transparent

Weight= 1.00 Kg


BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET











code	outside dimension
K2-490	255 x 250 x h=30 mm
K2-491	255 x 250 x h=50 mm
K2-492	255 x 250 x h=70 mm
K2-493	255 x 250 x h=100 mm

WIRE BASKET WITH LID









code	outside dimension
K3-1040	255 x 250 h=35 mm
K3-1041	255 x 250 h=55 mm
K3-1042	255 x 250 h=75 mm
K3-1043	255 x 250 h=105 mm
K3-1045	ONLY LID, for baskets

WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET









code	outside dimension
K2-491 P	255 x 250 x h=50 mm
K2-492 P	255 x 250 x h=70 mm
K2-493 P	255 x 250 x h=100 mm

WIRE BASKET WITH LID











code	outside dimension
K3-1041 P	255 x 250 x h=55 mm
K3-1042 P	255 x 250 x h=75 mm
K3-1043 P	255 x 250 x h=105 mm
K3-1045 P	ONLY LID, for baskets


BASKET MADE FROM STAINLESS STEEL SHEET

BASKET *(with stand)*



	code	outside dimension
Box and Lid 	K3-732	244 x 253 h=43 mm
	K3-733	244 x 253 h=63 mm
	K3-734	244 x 253 h=83 mm
	K3-735	244 x 253 h=113 mm
Box 	K3-752	244 x 253 h=40 mm
	K3-753	244 x 253 h=60 mm
	K3-754	244 x 253 h=80 mm
	K3-755	244 x 253 h=110 mm
Lid 	K3-763	ONLY LID, for baskets







STAND



code	height
K3-767	20 mm



STAND



code	height
K3-768	10 mm



IDENTIFICATION *(aluminium)*

LABEL HOLDER



code	color
K2-560	
K2-561	
K2-562	
K2-563	
K2-564	
K2-565	

LABELS



code	color
K2-570	
K2-571	
K2-572	
K2-573	
K2-574	
K2-575	

Coloured identification labels
Engraved to your specification





Grey coloured recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

DIVIDERS



K2-483
255 x 245 x 130 mm

K2-484
255 x 245 x 180 mm

WIRE BASE



K2-482
255 x 255 x 30 mm

(-)

RACK *(for kerrison)*



K3-1094
225 x 245 x 160 mm
- Holds 10 kerrison punches
- Fits into a 1/2 and 1/1 size
- 20 cm deep container
- Wire basket 1/2 50 mm
- Wire basket 1/1 50 mm
- Container 1/2 200 mm
- Container 1/1 200 mm

DRAPE RETAINER



K3-481
255 x 255 x 30 mm

DRAPE RETAINER



K2-480
255 x 255 mm

ALUMINIUM BASKET *(with lid)*



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET *(with lid)*



K3-1120
245 x 130 x 70 mm

ALUMINIUM BASKET *(with lid)*




K3-1121
245 x 130 x 105 mm

SILICONE MAT



K2-521
250 x 235 mm

SILICONE MESH MAT



K2-530
250 x 250 mm

SILICONE HANDLE



K2-710
K2-711
K2-712
K2-713
K2-714
K2-715

PAPER FILTER




K2-740
Single use 100 pcs
with indicator. Aygun mark.
• Diameter: 185 mm

TEFLON FILTER



K2-742
Number of sterilization
cycle > 2000
• Diameter: 194 mm

FILTER DISPENSER



K2-730

IDENTIFICATION LABELS *(aluminium)*



K2-700
K2-701
K2-702
K2-703
K2-704
K2-705


LABELS *(paper)*



K2-673
100 pcs. With indicator.

For small size and
special containers

LABELS *(paper)*



K2-672
100 pcs. With indicator.

For full and
Half size containers

(-)



AUTO LOCK MECHANISM

K1-900
(2 Pcs)

EMULATING INDICATOR CARD *(class 6)*



K2-674
Paper 250 Pcs.



SECURITY SEAL *(blue)*

K2-663
100 pcs. with indicator.
made of plastic



SECURITY SEAL *(blue)*

K2-664
100 pcs. made of plastic



SECURITY SEAL *(blue)*

K2-661
100 pcs. with number.
made of plastic



SECURITY SEAL *(red)*

K2-662
100 pcs. with indicator.
made of plastic



SECURITY SEAL *(red)*

K2-660
100 pcs. made of plastic



SECURITY SEAL *(red)*

K2-665
100 pcs. with number.
made of plastic



DISPOSAL STAMP


K2-717
40 x 35 x 9 mm
Requested number or
letter must be informed
during the order.



LABEL HOLDER

K2-716
50 x 35 x 13 mm
Holder for identification
labels

(-)



PPSU *Polymer Lids*



STANDARD MODEL 1
BIO-BARRIER MODEL 33
Polymers PPSU Lids 65
WINDOW MODEL 85
B3arrier MODEL 103
for STERRAD 135
Dental, Mini, Special 145
BASKETS 163
Autolock Machanism Emulating Indicator 183
ACCESSORIES 191



PPSU *Polymer*

WHAT IS PPSU?

PPSU is Polyphenylsulfone, an amorphous plastic. This material combines a high melting temperature with quite a low moisture absorption. PPSU has a high impact strength and chemical resistance. The material is also resistant to detergents and disinfectants. It has a high heat distortion temperature up to 190 ºC and can be easily sterilized by superheated steam.

Polymer PPSU lids are;

- √ High Quality
- √ Lighter
- √ Six Different Colors + Transparent Option



And resistant against;

- √ Impact
- √ Scratch
- √ Deformation
- √ Discoloration
- √ Heat
- √ Chemical

Pay attention to;

- √ Solvents such as acetone, thinner, and gas should not be used.
- √ Distilled water or water without mineral should be used for the last rinsing procedure.

AYGUN®
SURGICAL INSTRUMENTS CO., INC.

STERILE CONTAINER SYSTEMS










Window Model

» *1/1 Full Size*

1/1 WINDOW MODEL



Specifications / Sizes	Lid (Perforated) / Box (Perforated)
h=100 mm	K6-010D
	K6-011D
	K6-012D
	K6-013D
	K6-014D
	K6-015D
h=135 mm	K6-016D
	K6-017D
	K6-018D
	K6-019D
	K6-020D
	K6-021D
h=150 mm	K6-022D
	K6-023D
	K6-024D
	K6-025D
	K6-026D
	K6-027D
h=200 mm	K6-028D
	K6-029D
	K6-030D
	K6-031D
	K6-032D
	K6-033D
h=260 mm	K6-034D
	K6-035D
	K6-036D
	K6-037D
	K6-038D
	K6-039D








Ps: All container measurements cover the outer size of the lids.

BOX *(perforated)*





Should be used with K2-440 wire base.

code	outside dimension	inside dimension	weight
K6-100D	600 x 272 h=115 mm	543 x 258 h=66 mm	2.24 kg
K6-101D	600 x 272 h=131 mm	543 x 258 h=84 mm	2.25 kg
K6-102D	600 x 272 h=153 mm	543 x 258 h=105 mm	2.55 kg
K6-103D	600 x 272 h=205 mm	543 x 258 h=156 mm	2.90 kg
K6-104D	600 x 272 h=250 mm	543 x 258 h=201 mm	3.32 kg

PERFORATED LIDS




Dimension= 602 x 285 mm

code	color	weight
K6-120D		1.95 kg
K6-121D		
K6-122D		
K6-123D		
K6-124D		
K6-125D		

BASKET MADE FROM STAINLESS STEEL WIRE MESH


WIRE BASKET






code	outside dimension
K2-460	540 x 250 h=30 mm
K2-461	540 x 250 h=50 mm
K2-462	540 x 250 h=70 mm
K2-463	540 x 250 h=100 mm
K2-450	480 x 250 h=30 mm
K2-451	480 x 250 h=50 mm
K2-452	480 x 250 h=70 mm
K2-453	480 x 250 h=100 mm

WIRE BASKET WITH LID





code	outside dimension
K3-1010	540 x 250 h=35 mm
K3-1011	540 x 250 h=55 mm
K3-1012	540 x 250 h=75 mm
K3-1013	540 x 250 h=105 mm
K3-1014	ONLY LID, for baskets
K3-1020	480 x 250 h=35 mm
K3-1021	480 x 250 h=55 mm
K3-1022	480 x 250 h=75 mm
K3-1023	480 x 250 h=105 mm
K3-1024	ONLY LID, for baskets

WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET





code	outside dimension
K2-461 P	540 x 250 h=50 mm
K2-462 P	540 x 250 h=70 mm
K2-463 P	540 x 250 h=100 mm
K2-451 P	480 x 250 h=50 mm
K2-452 P	480 x 250 h=70 mm
K2-453 P	480 x 250 h=100 mm

WIRE BASKET WITH LID






code	outside dimension
K3-1011 P	540 x 250 h=55 mm
K3-1012 P	540 x 250 h=75 mm
K3-1013 P	540 x 250 h=105 mm
K3-1014 P	ONLY LID, for baskets
K3-1021 P	480 x 250 h=55 mm
K3-1022 P	480 x 250 h=75 mm
K3-1023 P	480 x 250 h=105 mm
K3-1024 P	ONLY LID, for baskets


BASKET MADE FROM STAINLESS STEEL SHEET

BASKET *(with stand)*




	code	outside dimension
Box and Lid 	K3-720	540 x 253 h=43 mm
	K3-721	540 x 253 h=63 mm
	K3-722	540 x 253 h=83 mm
	K3-723	540 x 253 h=113 mm
Box 	K3-740	540 x 253 h=40 mm
	K3-741	540 x 253 h=60 mm
	K3-742	540 x 253 h=80 mm
	K3-743	540 x 253 h=110 mm
Lid 	K3-760	ONLY LID, for baskets





BASKET *(with stand)*



	code	outside dimension
Box and Lid 	K3-724	485 x 253 h=43 mm
	K3-725	485 x 253 h=63 mm
	K3-726	485 x 253 h=83 mm
	K3-727	485 x 253 h=113 mm
Box 	K3-744	485 x 253 h=40 mm
	K3-745	485 x 253 h=60 mm
	K3-746	485 x 253 h=80 mm
	K3-747	485 x 253 h=110 mm
Lid 	K3-761	ONLY LID, for baskets



STAND



code	height
K3-767	20 mm



STAND



code	height
K3-768	10 mm



IDENTIFICATION *(aluminium)*

LABEL HOLDER



code	color
K2-560	
K2-561	
K2-562	
K2-563	
K2-564	
K2-565	

LABELS



code	color
K2-570	
K2-571	
K2-572	
K2-573	
K2-574	
K2-575	

Coloured identification labels
Engraved to your specification





Grey coloured recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

DIVIDERS



K2-428
540 x 250 x 130 mm

K2-429
540 x 250 x 180 mm

WIRE BASE



K2-440
545 x 255 x 30 mm

DIVIDERS



K2-425
540 x 250 x 130 mm


K2-426
540 x 250 x 180 mm

RACK *(for endoscopy)*



K3-1090
510 x 240 x 130 mm
- Holds 10 endoscopic instruments
- Fits into a 1/1 size 20 cm deep container
- Wire basket 1/1 50 mm
- Container 1/1 200 mm
- Silicone mat 520 x 230 mm

DRAPE RETAINER



K2-420
545 x 255 x 30 mm

DRAPE RETAINER



K2-400
545 x 255 mm

ALUMINIUM BASKET *(with lid)*



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET *(with lid)*




K3-1120
245 x 130 x 70 mm

ALUMINIUM BASKET *(with lid)*



K3-1121
245 x 130 x 105 mm


SILICONE MAT



K2-526
520 x 230 mm

K2-528
470 x 230 mm

SILICONE MESH MAT



K2-531
480 x 250 mm

SILICONE HANDLE



K2-710
K2-711
K2-712
K2-713
K2-714
K2-715

PAPER FILTER




K2-740
Single use 100 pcs
with indicator. Aygun mark.
• Diameter: 185 mm

TEFLON FILTER



K2-742
Number of sterilization
cycle > 2000
• Diameter: 194 mm

FILTER DISPENSER



K2-730

IDENTIFICATION LABELS *(aluminium)*



K2-700
K2-701
K2-702
K2-703
K2-704
K2-705


LABELS *(paper)*



K2-673
100 pcs. With indicator.

For small size and
special containers

LABELS *(paper)*



K2-672
100 pcs. With indicator.

For full and
Half size containers

(-)



AUTO LOCK MECHANISM

K1-900
(2 Pcs)

EMULATING INDICATOR CARD *(class 6)*



K2-674
Paper 250 Pcs.



SECURITY SEAL *(blue)*

K2-663
100 pcs. with indicator.
made of plastic



SECURITY SEAL *(blue)*

K2-664
100 pcs. made of plastic



SECURITY SEAL *(blue)*

K2-661
100 pcs. with number.
made of plastic



SECURITY SEAL *(red)*

K2-662
100 pcs. with indicator.
made of plastic



SECURITY SEAL *(red)*

K2-660
100 pcs. made of plastic



SECURITY SEAL *(red)*

K2-665
100 pcs. with number.
made of plastic



DISPOSAL STAMP

K2-717
40 x 35 x 9 mm
Requested number or
letter must be informed
during the order.



LABEL HOLDER

K2-716
50 x 35 x 13 mm
Holder for identification
labels

(-)

AYGUN®
SURGICAL INSTRUMENTS CO., INC.


STERILE CONTAINER SYSTEMS






Window Model

» *3/4 Quarter Size*

3/4 WINDOW MODEL






Specifications / Sizes		Lid (Perforated) / Box (Perforated)
h=100 mm		K6-240D
		K6-241D
		K6-242D
		K6-243D
		K6-244D
		K6-245D
h=135 mm		K6-246D
		K6-247D
		K6-248D
		K6-249D
		K6-250D
		K6-251D
h=150 mm		K6-252D
		K6-253D
		K6-254D
		K6-255D
		K6-256D
		K6-257D


Ps: All container measurements cover the outer size of the lids.






BOX *(perforated)*


outside dimension



outside dimension



inside dimension





Should be used with K2-1522 wire base.

code	outside dimension	inside dimension	weight
K6-300D	485 x 272 h=115 mm	422 x 258 h=66 mm	2.00 kg
K6-301D	485 x 272 h=131 mm	422 x 258 h=84 mm	2.16 kg
K6-302D	485 x 272 h=153 mm	422 x 258 h=105 mm	2.26 kg

PERFORATED LIDS





Dimension= 477 x 285 mm

code	color	weight
K6-340D		1.30 kg
K6-341D		
K6-342D		
K6-343D		
K6-344D		
K6-345D		

BASKET MADE FROM STAINLESS STEEL WIRE MESH


WIRE BASKET






code	outside dimension
K2-1500	405 x 250 x h=30 mm
K2-1501	405 x 250 x h=50 mm
K2-1502	405 x 250 x h=70 mm
K2-1503	405 x 250 x h=100 mm

WIRE BASKET WITH LID






code	outside dimension
K3-1030	405 x 250 h=35 mm
K3-1031	405 x 250 h=55 mm
K3-1032	405 x 250 h=75 mm
K3-1033	405 x 250 h=105 mm
K3-1034	ONLY LID, for baskets

WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET





code	outside dimension
K2-1501 P	405 x 250 x h=50 mm
K2-1502 P	405 x 250 x h=70 mm
K2-1503 P	405 x 250 x h=100 mm

WIRE BASKET WITH LID







code	outside dimension
K3-1031 P	405 x 250 x h=55 mm
K3-1032 P	405 x 250 x h=75 mm
K3-1033 P	405 x 250 x h=105 mm
K3-1034 P	ONLY LID, for baskets


BASKET MADE FROM STAINLESS STEEL SHEET

BASKET *(with stand)*



	code	outside dimension
Box and Lid 	K3-728	405 x 253 h=43 mm
	K3-729	405 x 253 h=63 mm
	K3-730	405 x 253 h=83 mm
	K3-731	405 x 253 h=113 mm
Box 	K3-748	405 x 253 h=40 mm
	K3-749	405 x 253 h=60 mm
	K3-750	405 x 253 h=80 mm
	K3-751	405 x 253 h=110 mm
Lid 	K3-762	ONLY LID, for baskets







STAND



code	height
K3-767	20 mm



STAND



code	height
K3-768	10 mm



IDENTIFICATION *(aluminium)*

LABEL HOLDER



code	color
K2-560	
K2-561	
K2-562	
K2-563	
K2-564	
K2-565	

LABELS



code	color
K2-570	
K2-571	
K2-572	
K2-573	
K2-574	
K2-575	

Coloured identification labels
Engraved to your specification





Grey coloured recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

DIVIDERS



K2-1540
405 x 250 x 80 mm

K2-1541
405 x 250 x 110 mm

K2-1542
405 x 250 x 130 mm

WIRE BASE



K2-1522
405 x 255 x 30 mm

DIVIDERS



K2-1530
405 x 250 x 80 mm

K2-1531
405 x 250 x 110 mm

K2-1532
405 x 250 x 130 mm

(-)

DRAPE RETAINER



K2-1521
405 x 255 x 30 mm

DRAPE RETAINER



K2-1520
405 x 255 mm

ALUMINIUM BASKET *(with lid)*



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET *(with lid)*




K3-1120
245 x 130 x 70 mm

ALUMINIUM BASKET *(with lid)*



K3-1121
245 x 130 x 105 mm


SILICONE MAT



K2-524
380 x 230 mm

K2-525
440 x 230 mm

SILICONE MESH MAT



K2-531
480 x 250 mm

SILICONE HANDLE



K2-710
K2-711
K2-712
K2-713
K2-714
K2-715

PAPER FILTER




K2-740
Single use 100 pcs
with indicator. Aygun mark.
• Diameter: 185 mm

TEFLON FILTER



K2-742
Number of sterilization
cycle > 2000
• Diameter: 194 mm

FILTER DISPENSER



K2-730

IDENTIFICATION LABELS *(aluminium)*



K2-700
K2-701
K2-702
K2-703
K2-704
K2-705


LABELS *(paper)*



K2-673
100 pcs. With indicator.

For small size and
special containers

LABELS *(paper)*



K2-672
100 pcs. With indicator.

For full and
Half size containers

(-)



AUTO LOCK MECHANISM

K1-900
(2 Pcs)

EMULATING INDICATOR CARD *(class 6)*



K2-674
Paper 250 Pcs.



SECURITY SEAL *(blue)*

K2-663
100 pcs. with indicator.
made of plastic



SECURITY SEAL *(blue)*

K2-664
100 pcs. made of plastic



SECURITY SEAL *(blue)*

K2-661
100 pcs. with number.
made of plastic



SECURITY SEAL *(red)*

K2-662
100 pcs. with indicator.
made of plastic



SECURITY SEAL *(red)*

K2-660
100 pcs. made of plastic



SECURITY SEAL *(red)*

K2-665
100 pcs. with number.
made of plastic



DISPOSAL STAMP

K2-717
40 x 35 x 9 mm
Requested number or
letter must be informed
during the order.



LABEL HOLDER

K2-716
50 x 35 x 13 mm
Holder for identification
labels

(-)

AYGUN®
SURGICAL INSTRUMENTS CO., INC.


STERILE CONTAINER SYSTEMS




Window Model

» *1/2 Half Size*

1/2 WINDOW MODEL







Sizes \ Specifications	Lid (Perforated) / Box (Perforated)
h=100 mm	K6-500D
	K6-501D
	K6-502D
	K6-503D
	K6-504D
	K6-505D
h=135 mm	K6-506D
	K6-507D
	K6-508D
	K6-509D
	K6-510D
	K6-511D
h=150 mm	K6-512D
	K6-513D
	K6-514D
	K6-515D
	K6-516D
	K6-517D
h=200 mm	K6-518D
	K6-519D
	K6-520D
	K6-521D
	K6-522D
	K6-523D
h=260 mm	K6-524D
	K6-525D
	K6-526D
	K6-527D
	K6-528D
	K6-529D







Ps: All container measurements cover the outer size of the lids.

BOX *(perforated)*


outside dimension



outside dimension



inside dimension





Should be used with K2-482 wire base.

code	outside dimension	inside dimension	weight
K6-600D	305 x 272 h=115 mm	253 x 258 h=66 mm	1.58 kg
K6-601D	305 x 272 h=131 mm	253 x 258 h=84 mm	1.74 kg
K6-602D	305 x 272 h=153 mm	253 x 258 h=105 mm	1.85 kg
K6-603D	305 x 272 h=205 mm	253 x 258 h=156 mm	2.02 kg
K6-604D	305 x 272 h=250 mm	253 x 258 h=201 mm	2.30 kg

PERFORATED LIDS



Dimension= 308 x 285 mm

code	color	weight
K6-630D		1.06 kg
K6-631D		
K6-632D		
K6-633D		
K6-634D		
K6-635D		


BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET











code	outside dimension
K2-490	255 x 250 x h=30 mm
K2-491	255 x 250 x h=50 mm
K2-492	255 x 250 x h=70 mm
K2-493	255 x 250 x h=100 mm

WIRE BASKET WITH LID









code	outside dimension
K3-1040	255 x 250 h=35 mm
K3-1041	255 x 250 h=55 mm
K3-1042	255 x 250 h=75 mm
K3-1043	255 x 250 h=105 mm
K3-1045	ONLY LID, for baskets

WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET









code	outside dimension
K2-491 P	255 x 250 x h=50 mm
K2-492 P	255 x 250 x h=70 mm
K2-493 P	255 x 250 x h=100 mm

WIRE BASKET WITH LID











code	outside dimension
K3-1041 P	255 x 250 x h=55 mm
K3-1042 P	255 x 250 x h=75 mm
K3-1043 P	255 x 250 x h=105 mm
K3-1045 P	ONLY LID, for baskets


BASKET MADE FROM STAINLESS STEEL SHEET

BASKET *(with stand)*



	code	outside dimension
Box and Lid 	K3-732	244 x 253 h=43 mm
	K3-733	244 x 253 h=63 mm
	K3-734	244 x 253 h=83 mm
	K3-735	244 x 253 h=113 mm
Box 	K3-752	244 x 253 h=40 mm
	K3-753	244 x 253 h=60 mm
	K3-754	244 x 253 h=80 mm
	K3-755	244 x 253 h=110 mm
Lid 	K3-763	ONLY LID, for baskets







STAND



code	height
K3-767	20 mm



STAND



code	height
K3-768	10 mm



IDENTIFICATION *(aluminium)*

LABEL HOLDER



code	color
K2-560	
K2-561	
K2-562	
K2-563	
K2-564	
K2-565	

LABELS



code	color
K2-570	
K2-571	
K2-572	
K2-573	
K2-574	
K2-575	

Coloured identification labels
Engraved to your specification





Grey coloured recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

DIVIDERS



K2-483
255 x 245 x 130 mm

K2-484
255 x 245 x 180 mm

WIRE BASE



K2-482
255 x 255 x 30 mm

(-)

RACK *(for kerrison)*



K3-1094
225 x 245 x 160 mm
- Holds 10 kerrison punches
- Fits into a 1/2 and 1/1 size
- 20 cm deep container
- Wire basket 1/2 50 mm
- Wire basket 1/1 50 mm
- Container 1/2 200 mm
- Container 1/1 200 mm

DRAPE RETAINER



K3-481
255 x 255 x 30 mm

DRAPE RETAINER



K2-480
255 x 255 mm

ALUMINIUM BASKET *(with lid)*



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET *(with lid)*



K3-1120
245 x 130 x 70 mm

ALUMINIUM BASKET *(with lid)*




K3-1121
245 x 130 x 105 mm

SILICONE MAT



K2-521
250 x 235 mm

SILICONE MESH MAT



K2-530
250 x 250 mm

SILICONE HANDLE



K2-710
K2-711
K2-712
K2-713
K2-714
K2-715

PAPER FILTER




K2-740
Single use 100 pcs
with indicator. Aygun mark.
• Diameter: 185 mm

TEFLON FILTER



K2-742
Number of sterilization
cycle > 2000
• Diameter: 194 mm

FILTER DISPENSER



K2-730

IDENTIFICATION LABELS *(aluminium)*



K2-700
K2-701
K2-702
K2-703
K2-704
K2-705


LABELS *(paper)*



K2-673
100 pcs. With indicator.

For small size and
special containers

LABELS *(paper)*



K2-672
100 pcs. With indicator.

For full and
Half size containers

(-)



AUTO LOCK MECHANISM

K1-900
(2 Pcs)

EMULATING INDICATOR CARD *(class 6)*



K2-674
Paper 250 Pcs.

SECURITY SEAL *(blue)*



K2-663
100 pcs. with indicator.
made of plastic

SECURITY SEAL *(blue)*



K2-664
100 pcs. made of plastic

SECURITY SEAL *(blue)*



K2-661
100 pcs. with number.
made of plastic

SECURITY SEAL *(red)*



K2-662
100 pcs. with indicator.
made of plastic

SECURITY SEAL *(red)*



K2-660
100 pcs. made of plastic

SECURITY SEAL *(red)*



K2-665
100 pcs. with number.
made of plastic

DISPOSAL STAMP



K2-717
40 x 35 x 9 mm
Requested number or
letter must be informed
during the order.

LABEL HOLDER



K2-716
50 x 35 x 13 mm
Holder for identification
labels

(-)

AYGÜN®
SURGICAL INSTRUMENTS CO., INC.

B3

STERILE CONTAINER SYSTEMS



B3arrier Container System

PTFE ⇄ Valve ⇄ Biostop


» *1/1 Full Size*

1/1 BOX (B3 arrier model)




with K2-440 wire base.

outside dimension






inside dimension



BIOSTOP
Aluminium




height / Specifiations		PTFE	VALVE	BIOSTOP	BIOSTOP Aluminium
h 112 mm h² 63 mm		K8-100P	K8-100V	K8-100B	K8-100BA
h 128 mm h² 81 mm		K8-101P	K8-101V	K8-101B	K8-101BA
h 150 mm h² 101 mm		K8-102P	K8-102V	K8-102B	K8-102BA
h 202 mm h² 153 mm		K8-103P	K8-103V	K8-103B	K8-103BA
h 247 mm h² 199 mm		K8-104P	K8-104V	K8-104B	K8-104BA

PTFE pps	VALVE pps	BIOSTOP pps	BIOSTOP aluminium
code K1-970	code K1-980	code K1-990	code K1-990A
			

1/1 BOX *(non perforated)*





code	outside dimension	inside dimension	weight
K6-105	600 x 272 h=100 mm	543 x 258 h=94 mm	2.00 kg
K6-106	600 x 272 h=116 mm	543 x 258 h=112 mm	2.10 kg
K6-107	600 x 272 h=138 mm	543 x 258 h=130 mm	2.32 kg
K6-108	600 x 272 h=190 mm	543 x 258 h=180 mm	2.66 kg
K6-109	600 x 272 h=235 mm	543 x 258 h=228 mm	3.10 kg

LID *(B3 Barrier model)*





color	PTFE	VALVE	BIOSTOP
	K8-120P	K8-120V	K8-120B
	K8-121P	K8-121V	K8-121B
	K8-122P	K8-122V	K8-122B
	K8-123P	K8-123V	K8-123B
	K8-124P	K8-124V	K8-124B
	K8-125P	K8-125V	K8-125B

BIOSTOP Aluminium
K8-120BA
K8-121BA
K8-122BA
K8-123BA
K8-124BA
K8-125BA



PTFE pps

code K1-970



VALVE pps

code K1-980



BIOSTOP pps

code K1-990



BIOSTOP aluminium

code K1-990A



SAFETY LIDS




code	color	weight
K6-230		1.10 kg
K6-231		
K6-232		
K6-233		
K6-234		
K6-235		

BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET









code	outside dimension
K2-460	540 x 250 h=30 mm
K2-461	540 x 250 h=50 mm
K2-462	540 x 250 h=70 mm
K2-463	540 x 250 h=100 mm
K2-450	480 x 250 h=30 mm
K2-451	480 x 250 h=50 mm
K2-452	480 x 250 h=70 mm
K2-453	480 x 250 h=100 mm

WIRE BASKET WITH LID







code	outside dimension
K3-1010	540 x 250 h=35 mm
K3-1011	540 x 250 h=55 mm
K3-1012	540 x 250 h=75 mm
K3-1013	540 x 250 h=105 mm
K3-1014	ONLY LID, for baskets
K3-1020	480 x 250 h=35 mm
K3-1021	480 x 250 h=55 mm
K3-1022	480 x 250 h=75 mm
K3-1023	480 x 250 h=105 mm
K3-1024	ONLY LID, for baskets

WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET







code	outside dimension
K2-461 P	540 x 250 h=50 mm
K2-462 P	540 x 250 h=70 mm
K2-463 P	540 x 250 h=100 mm
K2-451 P	480 x 250 h=50 mm
K2-452 P	480 x 250 h=70 mm
K2-453 P	480 x 250 h=100 mm

WIRE BASKET WITH LID








code	outside dimension
K3-1011 P	540 x 250 h=55 mm
K3-1012 P	540 x 250 h=75 mm
K3-1013 P	540 x 250 h=105 mm
K3-1014 P	ONLY LID, for baskets
K3-1021 P	480 x 250 h=55 mm
K3-1022 P	480 x 250 h=75 mm
K3-1023 P	480 x 250 h=105 mm
K3-1024 P	ONLY LID, for baskets


BASKET MADE FROM STAINLESS STEEL SHEET

BASKET *(with stand)*




	code	outside dimension
Box and Lid	K3-720	540 x 253 h=43 mm
	K3-721	540 x 253 h=63 mm
	K3-722	540 x 253 h=83 mm
	K3-723	540 x 253 h=113 mm
Box	K3-740	540 x 253 h=40 mm
	K3-741	540 x 253 h=60 mm
	K3-742	540 x 253 h=80 mm
	K3-743	540 x 253 h=110 mm
Lid	K3-760	ONLY LID, for baskets






BASKET *(with stand)*



	code	outside dimension
Box and Lid	K3-724	485 x 253 h=43 mm
	K3-725	485 x 253 h=63 mm
	K3-726	485 x 253 h=83 mm
	K3-727	485 x 253 h=113 mm
Box	K3-744	485 x 253 h=40 mm
	K3-745	485 x 253 h=60 mm
	K3-746	485 x 253 h=80 mm
	K3-747	485 x 253 h=110 mm
Lid	K3-761	ONLY LID, for baskets



STAND



code	height
K3-767	20 mm



STAND



code	height
K3-768	10 mm



IDENTIFICATION *(aluminium)*

LABEL HOLDER



code	color
K2-560	
K2-561	
K2-562	
K2-563	
K2-564	
K2-565	

LABELS



code	color
K2-570	
K2-571	
K2-572	
K2-573	
K2-574	
K2-575	

Coloured identification labels
Engraved to your specification





Grey coloured recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

DIVIDERS



K2-428
540 x 250 x 130 mm

K2-429
540 x 250 x 180 mm

WIRE BASE



K2-440
545 x 255 x 30 mm

DIVIDERS



K2-425
540 x 250 x 130 mm


K2-426
540 x 250 x 180 mm

RACK *(for endoscopy)*



K3-1090
510 x 240 x 130 mm
- Holds 10 endoscopic instruments
- Fits into a 1/1 size 20 cm deep container
- Wire basket 1/1 50 mm
- Container 1/1 200 mm
- Silicone mat 520 x 230 mm

DRAPE RETAINER



K2-420
545 x 255 x 30 mm

DRAPE RETAINER



K2-400
545 x 255 mm

ALUMINIUM BASKET *(with lid)*



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET *(with lid)*




K3-1120
245 x 130 x 70 mm

ALUMINIUM BASKET *(with lid)*



K3-1121
245 x 130 x 105 mm


SILICONE MAT



K2-526
520 x 230 mm

K2-528
470 x 230 mm

SILICONE MESH MAT



K2-531
480 x 250 mm

SILICONE HANDLE



K2-710	
K2-711	
K2-712	
K2-713	
K2-714	
K2-715	

IDENTIFICATION LABELS *(aluminium)*



K2-700	
K2-701	
K2-702	
K2-703	
K2-704	
K2-705	


LABELS *(paper)*



K2-673
100 pcs. With indicator.

For small size and special containers

LABELS *(paper)*



K2-672
100 pcs. With indicator.

For full and Half size containers

(-)



AUTO LOCK MECHANISM

K1-900
(2 Pcs)

EMULATING INDICATOR CARD *(class 6)*



K2-674
Paper 250 Pcs.



SECURITY SEAL *(blue)*

K2-663
100 pcs. with indicator.
made of plastic



SECURITY SEAL *(blue)*

K2-664
100 pcs. made of plastic



SECURITY SEAL *(blue)*

K2-661
100 pcs. with number.
made of plastic



SECURITY SEAL *(red)*

K2-662
100 pcs. with indicator.
made of plastic



SECURITY SEAL *(red)*

K2-660
100 pcs. made of plastic



SECURITY SEAL *(red)*

K2-665
100 pcs. with number.
made of plastic



DISPOSAL STAMP

K2-717
40 x 35 x 9 mm
Requested number or letter must be informed during the order.



LABEL HOLDER

K2-716
50 x 35 x 13 mm
Holder for identification labels

(-)

AYGÜN®
SURGICAL INSTRUMENTS CO., INC.

B3

STERILE CONTAINER SYSTEMS



B3arrier Container System

PTFE ⇄ Valve ⇄ Biostop


» *3/4 Quarter Size*

3/4 BOX (B3 arrier model)




with K2-1522 wire base.

outside dimension



inside dimension



BIOSTOP
Aluminium




Specificiations / height	PTFE	VALVE	BIOSTOP	BIOSTOP Aluminium
h 112 mm, h² 63 mm 	K8-300P	K8-300V	K8-300B	K8-300BA
h 128 mm, h² 81 mm 	K8-301P	K8-301V	K8-301B	K8-301BA
h 150 mm, h² 101 mm 	K8-302P	K8-302V	K8-302B	K8-302BA

PTFE pps	VALVE pps	BIOSTOP pps	BIOSTOP aluminium
code K1-970	code K1-980	code K1-990	code K1-990A
			

3/4 BOX *(non perforated)*





code	outside dimension	inside dimension	weight
K6-305	485 x 272 h=100 mm	422 x 258 h=94 mm	1.64 kg
K6-306	485 x 272 h=116 mm	422 x 258 h=112 mm	1.78 kg
K6-307	485 x 272 h=138 mm	422 x 258 h=133 mm	1.90 kg

LID (B3 arrier model)





color	PTFE	VALVE	BIOSTOP
	K8-340P	K8-340V	K8-340B
	K8-341P	K8-341V	K8-341B
	K8-342P	K8-342V	K8-342B
	K8-343P	K8-343V	K8-343B
	K8-344P	K8-344V	K8-344B
	K8-345P	K8-345V	K8-345B

BIOSTOP Aluminium
K8-340BA
K8-341BA
K8-342BA
K8-343BA
K8-344BA
K8-345BA



PTFE pps
code K1-970



VALVE pps
code K1-980



BIOSTOP pps
code K1-990



BIOSTOP aluminium
code K1-990A




SAFETY LIDS




code	color	weight
K6-410		0.90 kg
K6-411		
K6-412		
K6-413		
K6-414		
K6-415		

BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET






code	outside dimension
K2-1500	405 x 250 x h=30 mm
K2-1501	405 x 250 x h=50 mm
K2-1502	405 x 250 x h=70 mm
K2-1503	405 x 250 x h=100 mm

WIRE BASKET WITH LID






code	outside dimension
K3-1030	405 x 250 h=35 mm
K3-1031	405 x 250 h=55 mm
K3-1032	405 x 250 h=75 mm
K3-1033	405 x 250 h=105 mm
K3-1034	ONLY LID, for baskets

WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET





code	outside dimension
K2-1501 P	405 x 250 x h=50 mm
K2-1502 P	405 x 250 x h=70 mm
K2-1503 P	405 x 250 x h=100 mm

WIRE BASKET WITH LID








code	outside dimension
K3-1031 P	405 x 250 x h=55 mm
K3-1032 P	405 x 250 x h=75 mm
K3-1033 P	405 x 250 x h=105 mm
K3-1034 P	ONLY LID, for baskets

BASKET MADE FROM STAINLESS STEEL SHEET

BASKET *(with stand)*



	code	outside dimension
Box and Lid 	K3-728	405 x 253 h=43 mm
	K3-729	405 x 253 h=63 mm
	K3-730	405 x 253 h=83 mm
	K3-731	405 x 253 h=113 mm
Box 	K3-748	405 x 253 h=40 mm
	K3-749	405 x 253 h=60 mm
	K3-750	405 x 253 h=80 mm
	K3-751	405 x 253 h=110 mm
Lid 	K3-762	ONLY LID, for baskets


STAND



code	height
K3-767	20 mm



STAND



code	height
K3-768	10 mm



IDENTIFICATION *(aluminium)*

LABEL HOLDER



code	color
K2-560	
K2-561	
K2-562	
K2-563	
K2-564	
K2-565	

LABELS



code	color
K2-570	
K2-571	
K2-572	
K2-573	
K2-574	
K2-575	

Coloured identification labels
Engraved to your specification




Grey coloured recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

DIVIDERS



K2-1540
405 x 250 x 80 mm

K2-1541
405 x 250 x 110 mm

K2-1542
405 x 250 x 130 mm

WIRE BASE



K2-1522
405 x 255 x 30 mm

DIVIDERS



K2-1530
405 x 250 x 80 mm

K2-1531
405 x 250 x 110 mm

K2-1532
405 x 250 x 130 mm

(-)

DRAPE RETAINER



K2-1521
405 x 255 x 30 mm

DRAPE RETAINER



K2-1520
405 x 255 mm

ALUMINIUM BASKET *(with lid)*



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET *(with lid)*




K3-1120
245 x 130 x 70 mm

ALUMINIUM BASKET *(with lid)*



K3-1121
245 x 130 x 105 mm


SILICONE MAT



K2-524
380 x 230 mm

K2-525
440 x 230 mm

SILICONE MESH MAT



K2-531
480 x 250 mm

SILICONE HANDLE



K2-710
K2-711
K2-712
K2-713
K2-714
K2-715

IDENTIFICATION LABELS *(aluminium)*



K2-700
K2-701
K2-702
K2-703
K2-704
K2-705


LABELS *(paper)*



K2-673
100 pcs. With indicator.

For small size and
special containers

LABELS *(paper)*



K2-672
100 pcs. With indicator.

For full and
Half size containers

(-)



AUTO LOCK MECHANISM

K1-900
(2 Pcs)

EMULATING INDICATOR CARD *(class 6)*



K2-674
Paper 250 Pcs.



SECURITY SEAL *(blue)*

K2-663
100 pcs. with indicator.
made of plastic



SECURITY SEAL *(blue)*

K2-664
100 pcs. made of plastic



SECURITY SEAL *(blue)*

K2-661
100 pcs. with number.
made of plastic



SECURITY SEAL *(red)*

K2-662
100 pcs. with indicator.
made of plastic



SECURITY SEAL *(red)*

K2-660
100 pcs. made of plastic



SECURITY SEAL *(red)*

K2-665
100 pcs. with number.
made of plastic



DISPOSAL STAMP

K2-717
40 x 35 x 9 mm
Requested number or
letter must be informed
during the order.



LABEL HOLDER

K2-716
50 x 35 x 13 mm
Holder for identification
labels

(-)

AYGUN®
SURGICAL INSTRUMENTS CO., INC.

B3

STERILE CONTAINER SYSTEMS



B3arrier Container System

PTFE ⇄ Valve ⇄ Biostop


» *1/2 Half Size*

1/2 BOX (B3arrier model)




with K2-482 wire base.




outside dimension



inside dimension






Specificiations / height		PTFE	VALVE	BIOSTOP	BIOSTOP Aluminium
h 112 mm h² 63 mm		K8-600P	K8-600V	K8-600B	K8-600BA
h 128 mm h² 81 mm		K8-601P	K8-601V	K8-601B	K8-601BA
h 150 mm h² 101 mm		K8-602P	K8-602V	K8-602B	K8-602BA
h 202 mm h² 153 mm		K8-603P	K8-603V	K8-603B	K8-603BA
h 247 mm h² 199 mm		K8-604P	K8-604V	K8-604B	K8-604BA

PTFE pps	VALVE pps	BIOSTOP pps	BIOSTOP aluminium
code K1-970	code K1-980	code K1-990	code K1-990A
			

1/2 BOX *(non perforated)*





code	outside dimension	inside dimension	weight
K6-605	305 x 272 h=100 mm	253 x 258 h=94 mm	1.22 kg
K6-606	305 x 272 h=116 mm	253 x 258 h=112 mm	1.38 kg
K6-607	305 x 272 h=138 mm	253 x 258 h=133 mm	1.49 kg
K6-608	305 x 272 h=190 mm	253 x 258 h=184 mm	1.67 kg
K6-609	305 x 272 h=235 mm	253 x 258 h=230 mm	1.94 kg

LID *(B3 arrier model)*





color	PTFE	VALVE	BIOSTOP
	K8-630P	K8-630V	K8-630B
	K8-631P	K8-631V	K8-631B
	K8-632P	K8-632V	K8-632B
	K8-633P	K8-633V	K8-633B
	K8-634P	K8-634V	K8-634B
	K8-635P	K8-635V	K8-635B

BIOSTOP Aluminium
K8-630BA
K8-631BA
K8-632BA
K8-633BA
K8-634BA
K8-635BA



PTFE pps
code K1-970



VALVE pps
code K1-980



BIOSTOP pps
code K1-990



BIOSTOP aluminium
code K1-990A



SAFETY LIDS



code	color	weight
K6-700		0.60 kg
K6-701		
K6-702		
K6-703		
K6-704		
K6-705		


BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET











code	outside dimension
K2-490	255 x 250 x h=30 mm
K2-491	255 x 250 x h=50 mm
K2-492	255 x 250 x h=70 mm
K2-493	255 x 250 x h=100 mm

WIRE BASKET WITH LID









code	outside dimension
K3-1040	255 x 250 h=35 mm
K3-1041	255 x 250 h=55 mm
K3-1042	255 x 250 h=75 mm
K3-1043	255 x 250 h=105 mm
K3-1045	ONLY LID, for baskets

WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET









code	outside dimension
K2-491 P	255 x 250 x h=50 mm
K2-492 P	255 x 250 x h=70 mm
K2-493 P	255 x 250 x h=100 mm

WIRE BASKET WITH LID











code	outside dimension
K3-1041 P	255 x 250 x h=55 mm
K3-1042 P	255 x 250 x h=75 mm
K3-1043 P	255 x 250 x h=105 mm
K3-1045 P	ONLY LID, for baskets


BASKET MADE FROM STAINLESS STEEL SHEET


BASKET *(with stand)*



	code	outside dimension
Box and Lid 	K3-732	244 x 253 h=43 mm
	K3-733	244 x 253 h=63 mm
	K3-734	244 x 253 h=83 mm
	K3-735	244 x 253 h=113 mm
Box 	K3-752	244 x 253 h=40 mm
	K3-753	244 x 253 h=60 mm
	K3-754	244 x 253 h=80 mm
	K3-755	244 x 253 h=110 mm
Lid 	K3-763	ONLY LID, for baskets







STAND



code	height
K3-767	20 mm



STAND



code	height
K3-768	10 mm



IDENTIFICATION *(aluminium)*

LABEL HOLDER



code	color
K2-560	
K2-561	
K2-562	
K2-563	
K2-564	
K2-565	

LABELS



code	color
K2-570	
K2-571	
K2-572	
K2-573	
K2-574	
K2-575	

Coloured identification labels
Engraved to your specification





Grey coloured recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

DIVIDERS



K2-483
255 x 245 x 130 mm

K2-484
255 x 245 x 180 mm

WIRE BASE



K2-482
255 x 255 x 30 mm

(-)

RACK *(for kerrison)*



K3-1094
225 x 245 x 160 mm
- Holds 10 kerrison punches
- Fits into a 1/2 and 1/1 size
- 20 cm deep container
- Wire basket 1/2 50 mm
- Wire basket 1/1 50 mm
- Container 1/2 200 mm
- Container 1/1 200 mm

DRAPE RETAINER



K3-481
255 x 255 x 30 mm

DRAPE RETAINER



K2-480
255 x 255 mm

ALUMINIUM BASKET *(with lid)*



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET *(with lid)*



K3-1120
245 x 130 x 70 mm

ALUMINIUM BASKET *(with lid)*




K3-1121
245 x 130 x 105 mm

SILICONE MAT



K2-521
250 x 235 mm

SILICONE MESH MAT



K2-530
250 x 250 mm

SILICONE HANDLE



K2-710
K2-711
K2-712
K2-713
K2-714
K2-715

IDENTIFICATION LABELS *(aluminium)*



K2-700
K2-701
K2-702
K2-703
K2-704
K2-705


LABELS *(paper)*



K2-673
100 pcs. With indicator.

For small size and
special containers

LABELS *(paper)*



K2-672
100 pcs. With indicator.

For full and
Half size containers

(-)



AUTO LOCK MECHANISM

K1-900
(2 Pcs)

EMULATING INDICATOR CARD *(class 6)*



K2-674
Paper 250 Pcs.



SECURITY SEAL *(blue)*

K2-663
100 pcs. with indicator.
made of plastic



SECURITY SEAL *(blue)*

K2-664
100 pcs. made of plastic



SECURITY SEAL *(blue)*

K2-661
100 pcs. with number.
made of plastic



SECURITY SEAL *(red)*

K2-662
100 pcs. with indicator.
made of plastic



SECURITY SEAL *(red)*

K2-660
100 pcs. made of plastic



SECURITY SEAL *(red)*

K2-665
100 pcs. with number.
made of plastic



DISPOSAL STAMP

K2-717
40 x 35 x 9 mm
Requested number or
letter must be informed
during the order.



LABEL HOLDER

K2-716
50 x 35 x 13 mm
Holder for identification
labels

(-)

AYGUN®
SURGICAL INSTRUMENTS CO., INC.

B3

STERILE CONTAINER SYSTEMS




B3arrier Container System


PTFE Valve Biostop

» *Extra Large Size*


EXTRA LARGE BOX (B3 Barrier model)

outside dimension






inside dimension








Specifications / height		PTFE	VALVE	BIOSTOP	BIOSTOP Aluminium
h 118 mm h² 69 mm		K8-700P	K8-700V	K8-700B	K8-700BA
h 180 mm h² 131 mm		K8-701P	K8-701V	K8-701B	K8-701BA

PTFE pps	VALVE pps	BIOSTOP pps	BIOSTOP aluminium
code K1-970	code K1-980	code K1-990	code K1-990A
			

EXTRA LARGE BOX *(non perforated)*





code	outside dimension	inside dimension	weight
K6-402	610 x 365 h=105 mm	543 x 350 h=100 mm	2.39 kg
K6-403	610 x 365 h=167 mm	543 x 350 h=162 mm	2.75 kg

LID (B3 arrier model)





	PTFE	VALVE	BIOSTOP	BIOSTOP Aluminium
➔	K8-326P	K8-326V	K8-326B	K8-326BA
➔	K8-327P	K8-327V	K8-327B	K8-327BA
➔	K8-328P	K8-328V	K8-328B	K8-328BA
➔	K8-329P	K8-329V	K8-329B	K8-329BA
➔	K8-330P	K8-330V	K8-330B	K8-330BA
➔	K8-331P	K8-331V	K8-331B	K8-331BA



PTFE pps	VALVE pps	BIOSTOP pps	BIOSTOP aluminium
code K1-970	code K1-980	code K1-990	code K1-990A
			

BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET





code	outside dimension
K2-1701	533 x 337 h=50 mm
K2-1702	533 x 337 h=70 mm
K2-1703	533 x 337 h=100 mm



WIRE BASKET WITH LID





code	outside dimension
K3-1704	533 x 337 h=55 mm
K3-1705	533 x 337 h=75 mm
K3-1706	533 x 337 h=105 mm
K3-1707	ONLY LID, for baskets



IDENTIFICATION *(aluminium)*

LABEL HOLDER



code	color
K2-560	
K2-561	
K2-562	
K2-563	
K2-564	
K2-565	

LABELS



code	color
K2-570	
K2-571	
K2-572	
K2-573	
K2-574	
K2-575	

Coloured identification labels
Engraved to your specification






Grey coloured recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.


BASKET MADE FROM STAINLESS STEEL SHEET

BASKET *(with stand)*



	code	outside dimension
Box and Lid 	K3-701	533 x 340 h=43 mm
	K3-702	533 x 340 h=63 mm
	K3-703	533 x 340 h=83 mm
	K3-704	533 x 340 h=113 mm
Box 	K3-705	533 x 340 h=40 mm
	K3-706	533 x 340 h=60 mm
	K3-707	533 x 340 h=80 mm
	K3-708	533 x 340 h=110 mm
Lid 	K3-709	ONLY LID, for baskets







STAND



code	height
K3-767	20 mm



STAND



code	height
K3-768	10 mm



DIVIDERS



K2-1731
533 x 337 x 70 mm

K2-1732
533 x 337 x 120 mm

(-)

DIVIDERS




K2-1721
533 x 337 x 70 mm

K2-1722
533 x 337 x 120 mm

(-)

DRAPE RETAINER



K2-1712
533 x 337 x 30 mm

DRAPE RETAINER



K2-1711
533 x 337 mm

(-)

(-)

SILICONE HANDLE



K2-710
K2-711
K2-712
K2-713
K2-714
K2-715

ALUMINIUM BASKET *(with lid)*



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET *(with lid)*



K3-1120
245 x 130 x 70 mm

ALUMINIUM BASKET *(with lid)*



K3-1121
245 x 130 x 105 mm

IDENTIFICATION LABELS *(aluminium)*



K2-700
K2-701
K2-702
K2-703
K2-704
K2-705


LABELS *(paper)*



K2-673
100 pcs. With indicator.

For small size and
special containers

LABELS *(paper)*



K2-672
100 pcs. With indicator.

For full and
Half size containers

(-)



AUTO LOCK MECHANISM

K1-900
(2 Pcs)

EMULATING INDICATOR CARD *(class 6)*



K2-674
Paper 250 Pcs.



SECURITY SEAL *(blue)*

K2-663
100 pcs. with indicator.
made of plastic



SECURITY SEAL *(blue)*

K2-664
100 pcs. made of plastic



SECURITY SEAL *(blue)*

K2-661
100 pcs. with number.
made of plastic



SECURITY SEAL *(red)*

K2-662
100 pcs. with indicator.
made of plastic



SECURITY SEAL *(red)*

K2-660
100 pcs. made of plastic



SECURITY SEAL *(red)*

K2-665
100 pcs. with number.
made of plastic



DISPOSAL STAMP

K2-717
40 x 35 x 9 mm
Requested number or
letter must be informed
during the order.



LABEL HOLDER

K2-716
50 x 35 x 13 mm
Holder for identification
labels

(-)

AYGÜN®
SURGICAL INSTRUMENTS CO., INC.

B3

STERILE CONTAINER SYSTEMS




B3arrier Container System

PTFE ⇄ Valve ⇄ Biostop


» *Extra Long Size*

EXTRA LONG BOX (B3 arrier model)


outside dimension



inside dimension






Specifications / height		PTFE	VALVE	BIOSTOP	BIOSTOP Aluminium
h 118 mm h² 69 mm		K8-2000P	K8-2000V	K8-2000B	K8-2000BA
h 180 mm h² 131 mm		K8-2001P	K8-2001V	K8-2001B	K8-2001BA

PTFE pps	VALVE pps	BIOSTOP pps	BIOSTOP aluminium
code K1-970	code K1-980	code K1-990	code K1-990A
			

EXTRA LONG BOX *(non perforated)*





code	outside dimension	inside dimension	weight
K6-2005	730 x 272 h=110 mm	687 x 258 h=105 mm	
K6-2006	730 x 272 h=165 mm	687 x 258 h=160 mm	

LID (B3 arrier model)





	PTFE	VALVE	BIOSTOP
➔	K8-2120P	K8-2120V	K8-2120B
➔	K8-2121P	K8-2121V	K8-2121B
➔	K8-2122P	K8-2122V	K8-2122B
➔	K8-2123P	K8-2123V	K8-2123B
➔	K8-2124P	K8-2124V	K8-2124B
➔	K8-2125P	K8-2125V	K8-2125B

BIOSTOP Aluminium
K8-2120BA
K8-2121BA
K8-2122BA
K8-2123BA
K8-2124BA
K8-2125BA



PTFE pps	VALVE pps	BIOSTOP pps	BIOSTOP aluminium
code K1-970	code K1-980	code K1-990	code K1-990A






BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET





code	outside dimension
K2-1801	665 x 250 h=50 mm
K2-1802	665 x 250 h=70 mm
K2-1803	665 x 250 h=100 mm






WIRE BASKET WITH LID





code	outside dimension
K3-1804	665 x 250 h=55 mm
K3-1805	665 x 250 h=75 mm
K3-1806	665 x 250 h=105 mm
K3-1807	ONLY LID, for baskets





IDENTIFICATION *(aluminium)*

LABEL HOLDER



code	color
K2-560	
K2-561	
K2-562	
K2-563	
K2-564	
K2-565	

LABELS



code	color
K2-570	
K2-571	
K2-572	
K2-573	
K2-574	
K2-575	

Coloured identification labels
Engraved to your specification







Grey coloured recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.


BASKET MADE FROM STAINLESS STEEL SHEET

BASKET *(with stand)*



	code	outside dimension
Box and Lid 	K3-715	665 x 253 h=43 mm
	K3-716	665 x 253 h=63 mm
	K3-717	665 x 253 h=83 mm
	K3-718	665 x 253 h=113 mm
Box 	K3-711	665 x 253 h=40 mm
	K3-712	665 x 253 h=60 mm
	K3-713	665 x 253 h=80 mm
	K3-714	665 x 253 h=110 mm
Lid 	K3-710	ONLY LID, for baskets







STAND



code	height
K3-767	20 mm




STAND



code	height
K3-768	10 mm



RACK *(for endoscopy)*



K3-1093
550 x 240 x 130 mm
(1 pcs)

- Holds 10 endoscopic instruments
- Fits into a Extra Long size 18 cm deep container
- Wire basket Extra Long 50 mm
- Container Extra Long 180 mm
- Silicone mat 340x230 (2pcs)

RACK *(for kerrison)*



K3-1094
225 x 245 x 160 mm
(2 pcs)

- Holds 10 kerrison punches
- Fits into a 1/2, 1/1 20 cm and Extra Long size 18 cm deep container
- Wire basket 1/2 50 mm
- Wire basket 1/1 50 mm
- Container 1/2 200 mm
- Container 1/1 200 mm
- Wire basket Extra long 50 mm
- Container Extra long 180 mm

DIVIDERS



K2-428
540 x 250 x 130 mm

K2-429
540 x 250 x 180 mm

WIRE BASE



K2-440
545 x 255 x 30 mm

DIVIDERS



K2-425
540 x 250 x 130 mm

K2-426
540 x 250 x 180 mm

ALUMINIUM BASKET *(with lid)*



K3-1119
245 x 130 x 55 mm

ALUMINIUM BASKET *(with lid)*




K3-1120
245 x 130 x 70 mm

ALUMINIUM BASKET *(with lid)*



K3-1121
245 x 130 x 105 mm

SILICONE MAT



K2-522
340 x 230 mm
(2 pcs)

(-)

SILICONE HANDLE



K2-710	
K2-711	
K2-712	
K2-713	
K2-714	
K2-715	

IDENTIFICATION LABELS *(aluminium)*



K2-700	
K2-701	
K2-702	
K2-703	
K2-704	
K2-705	


LABELS *(paper)*



K2-673
100 pcs. With indicator.

For small size and
special containers

LABELS *(paper)*



K2-672
100 pcs. With indicator.

For full and
Half size containers

(-)



AUTO LOCK MECHANISM

K1-900
(2 Pcs)

EMULATING INDICATOR CARD *(class 6)*



K2-674
Paper 250 Pcs.



SECURITY SEAL *(blue)*

K2-663
100 pcs. with indicator.
made of plastic



SECURITY SEAL *(blue)*

K2-664
100 pcs. made of plastic



SECURITY SEAL *(blue)*

K2-661
100 pcs. with number.
made of plastic



SECURITY SEAL *(red)*

K2-662
100 pcs. with indicator.
made of plastic



SECURITY SEAL *(red)*

K2-660
100 pcs. made of plastic



SECURITY SEAL *(red)*

K2-665
100 pcs. with number.
made of plastic



DISPOSAL STAMP

K2-717
40 x 35 x 9 mm
Requested number or
letter must be informed
during the order.



LABEL HOLDER

K2-716
50 x 35 x 13 mm
Holder for identification
labels

(-)



STANDARD MODEL 1
BIO-BARRIER MODEL 33
Polymers PPSU Lids 65
WINDOW MODEL 85
B3 arrier MODEL 103
for STERRAD 135
Dental, Mini, Special 145
BASKETS 163
Autolock Machanism Emulating Indicator 183
ACCESSORIES 191




AYGUN
AYGUN®

AYGUN®
SURGICAL INSTRUMENTS CO., INC.

STERILE CONTAINER SYSTEMS




LOW TEMPERATURE STERILIZATION CONTAINERS

For STERRAD®

* STERRAD is a registered trademark owned by Johnson & Johnson Company.

1/1 (FULL SIZE)






code	outside dimension	Specificiations
K6-040Z	580 x 280 h=100 mm	Lid (Perforated)
K6-046Z	580 x 280 h=135 mm	
K6-052Z	580 x 280 h=150 mm	Box (Perforated)

Ps: All container measurements cover the outer size of the lids.


BOX *(perforated)*




outside dimension



outside dimension



inside dimension



code	outside dimension	inside dimension	weight
K6-100Z	600 x 272 h=100 mm	543 x 258 h=83 mm	2.24 kg
K6-101Z	600 x 272 h=116 mm	543 x 258 h=101 mm	2.25 kg
K6-102Z	600 x 272 h=138 mm	543 x 258 h=122 mm	2.55 kg

PERFORATED LIDS



code	weight
K6-120Z	1.35 kg

SECURITY SEAL



K2-663Z
100 pcs. with indicator.
for hydrogen peroxide
plasma sterilization

POLYPROPYLENE FILTER



K2-741Z
Single use 100 pcs.
Diameter: 185 mm
for hydrogen peroxide
plasma sterilization

LABEL



K2-672Z
100 pcs. with indicator.
for hydrogen peroxide
plasma sterilization

LABEL



K2-673Z
100 pcs. with indicator.
for hydrogen peroxide
plasma sterilization

* STERRAD is a registered trademark owned by Johnson & Johnson Company.

BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET





code	outside dimension
K2-460	540 x 250 h=30 mm
K2-461	540 x 250 h=50 mm
K2-462	540 x 250 h=70 mm
K2-463	540 x 250 h=100 mm
K3-1014	ONLY LID, for baskets
K2-450	480 x 250 h=30 mm
K2-451	480 x 250 h=50 mm
K2-452	480 x 250 h=70 mm
K2-453	480 x 250 h=100 mm
K3-1024	ONLY LID, for baskets





WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET






code	outside dimension
K2-461 P	540 x 250 h=50 mm
K2-462 P	540 x 250 h=70 mm
K2-463 P	540 x 250 h=100 mm
K3-1014 P	ONLY LID, for baskets
K2-451 P	480 x 250 h=50 mm
K2-452 P	480 x 250 h=70 mm
K2-453 P	480 x 250 h=100 mm
K3-1024 P	ONLY LID, for baskets







BASKET MADE FROM STAINLESS STEEL SHEET


BASKET *(with stand)*



	code	outside dimension
Box 	K3-740	540 x 253 h=40 mm
	K3-741	540 x 253 h=60 mm
	K3-742	540 x 253 h=80 mm
	K3-743	540 x 253 h=110 mm
Lid 	K3-760	ONLY LID, for baskets

	code	outside dimension
Box 	K3-744	485 x 253 h=40 mm
	K3-745	485 x 253 h=60 mm
	K3-746	485 x 253 h=80 mm
	K3-747	485 x 253 h=110 mm
Lid 	K3-761	ONLY LID, for baskets





STAND




code	height
K3-767	20 mm



3/4 (QUARTER SIZE)






Ps: All container measurements cover the outer size of the lids.

code	outside dimension	Specificiations
K6-260Z	465 x 280 h=100 mm	Lid (Perforated)
K6-266Z	465 x 280 h=135 mm	
K6-272Z	465 x 280 h=150 mm	Box (Perforated)


BOX *(perforated)*




outside dimension



outside dimension



inside dimension



code	outside dimension	inside dimension	weight
K6-300Z	485 x 272 h=100 mm	422 x 258 h=94 mm	1.64 kg
K6-301Z	485 x 272 h=116 mm	422 x 258 h=112 mm	1.78 kg
K6-302Z	485 x 272 h=138 mm	422 x 258 h=133 mm	1.90 kg

PERFORATED LIDS



code	weight
K6-340Z	1.05 kg

SECURITY SEAL



K2-663Z
100 pcs. with indicator.
for hydrogen peroxide
plasma sterilization

POLYPROPYLENE FILTER



K2-741Z
Single use 100 pcs.
Diameter: 185 mm
for hydrogen peroxide
plasma sterilization

LABEL



K2-672Z
100 pcs. with indicator.
for hydrogen peroxide
plasma sterilization

LABEL



K2-673Z
100 pcs. with indicator.
for hydrogen peroxide
plasma sterilization

* STERRAD is a registered trademark owned by Johnson & Johnson Company.

BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET





code	outside dimension
K2-1500	405 x 250 h=30 mm
K2-1501	405 x 250 h=50 mm
K2-1502	405 x 250 h=70 mm
K2-1503	405 x 250 h=100 mm
K3-1034	ONLY LID, for baskets





WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET






code	outside dimension
K2-1501 P	405 x 250 h=50 mm
K2-1502 P	405 x 250 h=70 mm
K2-1503 P	405 x 250 h=100 mm
K3-1034 P	ONLY LID, for baskets







BASKET MADE FROM STAINLESS STEEL SHEET

BASKET *(with stand)*








code	outside dimension
K3-748	405 x 253 h=40 mm
K3-749	405 x 253 h=60 mm
K3-750	405 x 253 h=80 mm
K3-751	405 x 253 h=110 mm
K3-762	ONLY LID, for baskets





STAND





code	height
K3-767	20 mm



1/2 (HALF SIZE)








code	outside dimension	Specificiations
K6-530Z	285 x 280 h=100 mm	Lid (Perforated)
K6-536Z	285 x 280 h=135 mm	
K6-542Z	285 x 280 h=150 mm	Box (Perforated)

Ps: All container measurements cover the outer size of the lids.


BOX *(perforated)*




outside dimension



outside dimension



inside dimension



code	outside dimension	inside dimension	weight
K6-600Z	305 x 272 h=100 mm	253 x 258 h=83 mm	1.58 kg
K6-601Z	305 x 272 h=116 mm	253 x 258 h=101 mm	1.74 kg
K6-602Z	305 x 272 h=138 mm	253 x 258 h=122 mm	1.85 kg

PERFORATED LIDS



code	weight
K6-630Z	0.75 kg

SECURITY SEAL




K2-663Z
100 pcs. with indicator.
for hydrogen peroxide
plasma sterilization

POLYPROPYLENE FILTER




K2-741Z
Single use 100 pcs.
Diameter: 185 mm
for hydrogen peroxide
plasma sterilization

LABEL



K2-672Z
100 pcs. with indicator.
for hydrogen peroxide
plasma sterilization

LABEL



K2-673Z
100 pcs. with indicator.
for hydrogen peroxide
plasma sterilization

* STERRAD is a registered trademark owned by Johnson & Johnson Company.

BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET





code	outside dimension
K2-490	255 x 250 x h=30 mm
K2-491	255 x 250 x h=50 mm
K2-492	255 x 250 x h=70 mm
K2-493	255 x 250 x h=100 mm
K3-1045	ONLY LID, for baskets





WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET






code	outside dimension
K2-491 P	255 x 250 x h=70 mm
K2-492 P	255 x 250 x h=70 mm
K2-493 P	255 x 250 x h=100 mm
K3-1045 P	ONLY LID, for baskets







BASKET MADE FROM STAINLESS STEEL SHEET

BASKET *(with stand)*



	code	outside dimension
Box 	K3-752	244 x 253 h=40 mm
	K3-753	244 x 253 h=60 mm
	K3-754	244 x 253 h=80 mm
	K3-755	244 x 253 h=110 mm
Lid 	K3-763	ONLY LID, for baskets







STAND



code	height
K3-767	20 mm

DENTAL MODEL




code	outside dimension	Specificiations
K6-1820Z	320 x 190 x 50 mm	Lid (Perforated)
K6-1826Z	320 x 190 x 65 mm	
K6-1832Z	320 x 190 x 130 mm	Box (Perforated)

BOX *(perforated)*



code	outside dimension
K6-1860Z	320 x 186 x 43 mm
K6-1861Z	320 x 186 x 58 mm
K6-1862Z	320 x 186 x 122 mm

PERFORATED LIDS




code
K6-1880Z

POLYPROPYLENE FILTER



K3-615Z
Single use 100 pcs.
Dimension: 165 x 235 mm
for hydrogen peroxide plasma sterilization

BASKET *(with stand)*



code	outside dimension
K3-736	275 x 175 x 53 mm
K3-737	275 x 175 x 108 mm

MINI MODEL



code	outside dimension	Specificiations
K6-1920Z	320 x 140 x 40 mm	Lid (Perforated)
K6-1926Z	320 x 140 x 70 mm	
K6-1932Z	320 x 140 x 100 mm	Box (Perforated)

BOX *(perforated)*



code	outside dimension
K6-1960Z	315 x 132 x 32 mm
K6-1961Z	315 x 132 x 63 mm
K6-1962Z	315 x 132 x 92 mm

PERFORATED LIDS



code
K6-1970Z

POLYPROPYLENE FILTER



K2-761Z
Single use 100 pcs.
Dimension: 235 x 120 mm
for hydrogen peroxide plasma sterilization

BASKET *(with stand)*



code	outside dimension
K3-738	265 x 125 x 63 mm

* STERRAD is a registered trademark owned by Johnson & Johnson Company.

1/2 DENTAL MODEL



code	outside dimension	Specificiations
K6-1520Z	222 x 166 x 60 mm	Lid (Perforated)
K6-1526Z	222 x 166 x 100 mm	
K6-1532Z	222 x 166 x 130 mm	Box (Perforated)

BOX *(perforated)*



code	outside dimension
K6-1560Z	230 x 161 x 50 mm
K6-1561Z	230 x 161 x 90 mm
K6-1562Z	230 x 161 x 120 mm

PERFORATED LIDS



code
K6-1570Z

POLYPROPYLENE FILTER



K2-780Z
Single use 100 pcs.
Dimension: 130 x 110 mm
for hydrogen peroxide plasma sterilization

BASKET



code	outside dimension
K3-786	188 x 130 x 32 mm

Without silicone fixation systems



code	outside dimension
K3-786K	188 x 130 x 36 mm


Basket with silicone fixation systems
Holds 12 instruments with Ø 5 mm

SECURITY SEAL



K2-663Z
100 pcs. with indicator.
for hydrogen peroxide plasma sterilization

LABEL




K2-673Z
100 pcs. with indicator.
for hydrogen peroxide plasma sterilization

ENDO MODEL



code	outside dimension	Specificiations
K6-1400Z	540 x 159 x 80 mm	Lid (Perforated)
K6-1406Z	540 x 159 x 100 mm	Box (Perforated)

BOX *(perforated)*



code	outside dimension
K6-1100Z	540 x 145 x 67 mm
K6-1101Z	540 x 145 x 87 mm

PERFORATED LIDS



code
K6-1000Z

POLYPROPYLENE FILTER




K2-761Z
Single use 100 pcs.
Dimension: 235 x 120 mm
for hydrogen peroxide plasma sterilization

BASKET *(with stand)*




code	outside dimension
K3-1054	500 x 135 x 50 mm

LABEL



K2-672Z
100 pcs. with indicator.
for hydrogen peroxide plasma sterilization

LABEL



K2-673Z
100 pcs. with indicator.
for hydrogen peroxide plasma sterilization

TRAY LAPAROSCOPY

PPSU *Polymer*



code	outside dimension
KP-1400Z	510 x 80 x 80 mm
KP-1401Z	510 x 155 x 80 mm

* STERRAD is a registered trademark owned by Johnson & Johnson Company.

AYGÜN®
SURGICAL INSTRUMENTS CO., INC.


STERILE CONTAINER SYSTEMS







Dental, Mini & Special Model

LARGE DENTAL MODEL CONTAINER








Sizes \ Specifications	Lid (Perforated) / Box (Non Perforated)	
h=100 mm		K6-1600
		K6-1601
		K6-1602
		K6-1603
		K6-1604
		K6-1605
h=135 mm		K6-1606
		K6-1607
		K6-1608
		K6-1609
		K6-1610
		K6-1611
h=150 mm		K6-1612
		K6-1613
		K6-1614
		K6-1615
		K6-1616
		K6-1617


Ps: All container measurements cover the outer size of the lids.

BOX *(non perforated)*


outside dimension



outside dimension



inside dimension





code	outside dimension	inside dimension	weight
K6-1665	380 x 244 h=100 mm	330 x 234 h=94 mm	1,35 kg
K6-1666	380 x 244 h=116 mm	330 x 234 h=112 mm	1,48 kg
K6-1667	380 x 244 h=138 mm	330 x 234 h=130 mm	1,55 kg

PERFORATED LIDS



code	color	weight
K6-1680		0,75 kg
K6-1681		
K6-1682		
K6-1683		
K6-1684		
K6-1685		


LID-BARRIER SYSTEM




code	color	weight
K7-1680		0,95 kg
K7-1681		
K7-1682		
K7-1683		
K7-1684		
K7-1685		

BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET





code	outside dimension
K3-2000	320 x 220 h=50 mm
K3-2001	320 x 220 h=70 mm
K3-2002	320 x 220 h=100 mm


WIRE BASKET WITH LID





code	outside dimension
K3-2010	320 x 220 h=55 mm
K3-2011	320 x 220 h=75 mm
K3-2012	320 x 220 h=105 mm
K3-2013	ONLY LID, for baskets

SILICONE MAT



K2-532
280 x 200 mm

DISPOSAL STAMP



K2-717
40 x 35 x 9 mm
Requested number or letter must be informed during the order.

LABEL HOLDER



K2-716
50 x 35 x 13 mm
Holder for identification labels

PAPER FILTER




K2-740
Single use 100 pcs
with indicator. Aygun mark.
• Diameter: 185 mm

TEFLON FILTER




K2-742
Number of sterilization cycle > 2000
• Diameter: 194 mm

FILTER DISPENSER



K2-730

IDENTIFICATION LABELS *(aluminium)*



K2-700	
K2-701	
K2-702	
K2-703	
K2-704	
K2-705	

LABELS *(paper)*



K2-673
100 pcs. With indicator.

LABELS *(paper)*



K2-672
100 pcs. With indicator.

SECURITY SEAL *(blue)*



K2-663
100 pcs. with indicator.
made of plastic

SECURITY SEAL *(blue)*



K2-664
100 pcs. made of plastic

SECURITY SEAL *(blue)*



K2-661
100 pcs. with number.
made of plastic

SECURITY SEAL *(red)*



K2-662
100 pcs. with indicator.
made of plastic

SECURITY SEAL *(red)*



K2-660
100 pcs. made of plastic

SECURITY SEAL *(red)*





K2-665
100 pcs. with number.
made of plastic

BASKET MADE FROM STAINLESS STEEL SHEET

BASKET *(with stand)*



	code	outside dimension
Box and Lid 	K3-774	320 x 220 h=63 mm
	K3-775	320 x 220 h=83 mm
	K3-776	320 x 220 h=113 mm
Box 	K3-771	320 x 220 h=60 mm
	K3-772	320 x 220 h=80 mm
	K3-773	320 x 220 h=110 mm
Lid 	K3-770	ONLY LID, for baskets



STAND



code	height
K3-767	20 mm



STAND



code	height
K3-768	10 mm



IDENTIFICATION *(aluminium)*

LABEL HOLDER



code	color
K2-560	
K2-561	
K2-562	
K2-563	
K2-564	
K2-565	

LABELS



code	color
K2-570	
K2-571	
K2-572	
K2-573	
K2-574	
K2-575	

Coloured identification labels
Engraved to your specification





Grey coloured recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

Sizes \ Specifications	Lid (Perforated)	Lid (Perforated)	Lid (Non Perforated)		
	Box (Non Perforated)	Box (Perforated)	Box (Non Perforated)	Box (Perforated)	Box (Non Perforated)
320 X 190 X 50 mm 	K6-1800 K6-1801 K6-1802 K6-1803 K6-1804 K6-1805	K6-1820 K6-1821 K6-1822 K6-1823 K6-1824 K6-1825	K6-1840 K6-1841 K6-1842 K6-1843 K6-1844 K6-1845	K6-1860	K6-1865
320 X 190 X 65 mm 	K6-1806 K6-1807 K6-1808 K6-1809 K6-1810 K6-1811	K6-1826 K6-1827 K6-1828 K6-1829 K6-1830 K6-1831	K6-1846 K6-1847 K6-1848 K6-1849 K6-1850 K6-1851	K6-1861	K6-1866
320 X 190 X 130 mm 	K6-1812 K6-1813 K6-1814 K6-1815 K6-1816 K6-1817	K6-1832 K6-1833 K6-1834 K6-1835 K6-1836 K6-1837	K6-1852 K6-1853 K6-1854 K6-1855 K6-1856 K6-1857	K6-1862	K6-1867

Ps: All container measurements cover the outer size of the lids.

WIRE BASKET *(with lid)*





code	outside dimension
K3-611	270 x 175 x h=45 mm

WIRE BASKET






code	outside dimension
K3-1070	270 x 170 x h=45 mm

STORAGE FRAME



code	outside dimension
K3-609	273 x 180 x 13 mm

SILICONE MAT




code	outside dimension
K2-529	260 x 180 mm

DRAPE RETAINER



code	outside dimension
K3-610	277 x 175 mm

PERFORATED BOTTOMS





code	K6-1860
outside dimension	320 x 186 x h^1=43 mm
inside dimension	278 x 184 x h^2=28 mm
weight	0,45 kg




code	K6-1861
outside dimension	320 x 186 x h^1=58 mm
inside dimension	278 x 184 x h^2=46 mm
weight	0,50 kg



code	K6-1862
outside dimension	320 x 186 x h^1=122 mm
inside dimension	278 x 184 x h^2=110 mm
weight	0,70 kg

SOLID BOTTOMS





code	K6-1865
outside dimension	320 x 186 x h^1=43 mm
inside dimension	278 x 184 x h^2=38 mm
weight	0,35 kg



code	K6-1866
outside dimension	320 x 186 x h^1=59 mm
inside dimension	278 x 184 x h^2=54 mm
weight	0,40 kg




code	K6-1867
outside dimension	320 x 186 x h^1=122 mm
inside dimension	278 x 184 x h^2=118 mm
weight	0,65 kg

FILTERS



code K3-612
Dimension: 165 x 235 mm
Single use **paper filter** 100 pcs.
With indicator, Aygun mark.



code K3-615
Dimension: 165 x 235 mm
Single use **paper filter** 100 pcs.
With indicator, No marking.



code K2-743
Dimension: 150 x 217 mm
Teflon Filter
Number of sterilization cycle > 2000

PERFORATED LIDS



code	color	weight
K6-1880		0.60 kg
K6-1881		
K6-1882		
K6-1883		
K6-1884		
K6-1885		

REMOVAL LIDS *(non perforated)*



code	color	weight
K6-1870		0.47 kg
K6-1871		
K6-1872		
K6-1873		
K6-1874		
K6-1875		

BIO-BARRIER LIDS



code	color	weight
K7-1880		0.90 kg
K7-1881		
K7-1882		
K7-1883		
K7-1884		
K7-1885		

Specifications / Sizes		Lid (Perforated)	Lid (Perforated)	Lid (Non Perforated)		
		Box (Non Perforated)	Box (Perforated)	Box (Non Perforated)	Box (Perforated)	Box (Non Perforated)
236 X 174 X 60 mm		K6-1500 K6-1501 K6-1502 K6-1503 K6-1504 K6-1505	K6-1520 K6-1521 K6-1522 K6-1523 K6-1524 K6-1525	K6-1540 K6-1541 K6-1542 K6-1543 K6-1544 K6-1545	K6-1560	K6-1565
236 X 174 X 100 mm		K6-1506 K6-1507 K6-1508 K6-1509 K6-1510 K6-1511	K6-1526 K6-1527 K6-1528 K6-1529 K6-1530 K6-1531	K6-1546 K6-1547 K6-1548 K6-1549 K6-1550 K6-1551	K6-1561	K6-1566
236 X 174 X 130 mm		K6-1512 K6-1513 K6-1514 K6-1515 K6-1516 K6-1517	K6-1532 K6-1533 K6-1534 K6-1535 K6-1536 K6-1537	K6-1552 K6-1553 K6-1554 K6-1555 K6-1556 K6-1557	K6-1562	K6-1567

Ps: All container measurements cover the outer size of the lids.

WIRE BASKET *(with lid)*





code	outside dimension
K2-995	170 x 140 x 45 mm

WIRE BASKET






code	outside dimension
K3-1079	170 x 140 x 45 mm

STORAGE FRAME



code	outside dimension
K3-608	170 x 140 mm

SILICONE MAT




code	outside dimension
K2-519	150 x 130 mm

DRAPE RETAINER



code	outside dimension
K3-607	170 x 140 mm

PERFORATED BOTTOMS





code	K6-1560
outside dimension	230 x 161 x h^1=50 mm
inside dimension	190 x 158 x h^2=40 mm
weight	




code	K6-1561
outside dimension	230 x 161 x h^1=90 mm
inside dimension	190 x 158 x h^2=80 mm
weight	



code	K6-1562
outside dimension	230 x 161 x h^1=120 mm
inside dimension	190 x 158 x h^2=110 mm
weight	

SOLID BOTTOMS





code	K6-1565
outside dimension	230 x 161 x h^1=50 mm
inside dimension	190 x 158 x h^2=48 mm
weight	



code	K6-1566
outside dimension	230 x 161 x h^1=90 mm
inside dimension	190 x 158 x h^2=88 mm
weight	




code	K6-1567
outside dimension	230 x 161 x h^1=120 mm
inside dimension	190 x 158 x h^2=118 mm
weight	

FILTERS



code K2-781
Dimension: 130 x 110 mm
Single use **paper filter** 100 pcs.
With indicator, Aygun mark.



code K2-780
Dimension: 130 x 110 mm
Single use **paper filter** 100 pcs.
With indicator, No marking.



code K2-782
Dimension: 130 x 110 mm
Teflon Filter
Number of sterilization cycle > 2000

PERFORATED LIDS

code	color	weight
K6-1570		
K6-1571		
K6-1572		
K6-1573		
K6-1574		
K6-1575		



REMOVAL LIDS *(non perforated)*

code	color	weight
K6-1580		
K6-1581		
K6-1582		
K6-1583		
K6-1584		
K6-1585		



Specifications / Sizes		Lid (Perforated) / Box (Non Perforated)	Lid (Perforated) / Box (Perforated)	Lid (Non Perforated) / Box (Non Perforated)	Box (Perforated)	Box (Non Perforated)
320 X 140 X 40 mm		K6-1900 K6-1901 K6-1902 K6-1903 K6-1904 K6-1905	K6-1920 K6-1921 K6-1922 K6-1923 K6-1924 K6-1925	K6-1940 K6-1941 K6-1942 K6-1943 K6-1944 K6-1945	K6-1960	K6-1965
320 X 140 X 70 mm		K6-1906 K6-1907 K6-1908 K6-1909 K6-1910 K6-1911	K6-1926 K6-1927 K6-1928 K6-1929 K6-1930 K6-1931	K6-1946 K6-1947 K6-1948 K6-1949 K6-1950 K6-1951	K6-1961	K6-1966
320 X 140 X 100 mm		K6-1912 K6-1913 K6-1914 K6-1915 K6-1916 K6-1917	K6-1932 K6-1933 K6-1934 K6-1935 K6-1936 K6-1937	K6-1952 K6-1953 K6-1954 K6-1955 K6-1956 K6-1957	K6-1962	K6-1967

Ps: All container measurements cover the outer size of the lids.

WIRE BASKET *(with lid)*





code	outside dimension
K2-993	265 x 125 x h=50 mm

WIRE BASKET





code	outside dimension
K3-1073	265 x 120 x h=50 mm

WIRE BASE



code	outside dimension
K2-992	270 x 125 mm

SILICONE MAT



code	outside dimension
K2-520	275 x 125 mm

DRAPE RETAINER



code	outside dimension
K2-990	270 x 125 mm


PORTABLE CARRIER *(for small containers)*




code	K2-991
Width	325 mm
Height	328 mm
Depth	145 mm

Wire suspenders, adjustable as required.
Adjasting key of suspender is included.

PERFORATED BOTTOMS







code	K6-1960
outside dimension	315 x 132 x h^1=32 mm
inside dimension	273 x 128 x h^2=18 mm
weight	0,30 kg





code	K6-1961
outside dimension	315 x 132 x h^1=63 mm
inside dimension	273 x 128 x h^2=48 mm
weight	0,40 kg



code	K6-1962
outside dimension	315 x 132 x h^1=92 mm
inside dimension	273 x 128 x h^2=78 mm
weight	0,50 kg

SOLID BOTTOMS







code	K6-1965
outside dimension	315 x 132 x h^1=32 mm
inside dimension	273 x 128 x h^2=30 mm
weight	0,20 kg



code	K6-1966
outside dimension	315 x 132 x h^1=63 mm
inside dimension	273 x 128 x h^2=58 mm
weight	0,35 kg



code	K6-1967
outside dimension	315 x 132 x h^1=92 mm
inside dimension	273 x 128 x h^2=90 mm
weight	0,45 kg

FILTERS



code K2-760
Dimension: 235 x 120 mm
Single use **paper filter** 100 pcs.
With indicator, Aygun mark.



code K2-761
Dimension: 235 x 120 mm
Single use **paper filter** 100 pcs.
With indicator, No marking.



code K2-744
Dimension: 215 x 100 mm
Teflon Filter
Number of sterilization cycle > 2000

PERFORATED LIDS



code	color	weight
K6-1970		0.48 kg
K6-1971		
K6-1972		
K6-1973		
K6-1974		
K6-1975		

REMOVAL LIDS *(non perforated)*



code	color	weight
K6-1980		0.38 kg
K6-1981		
K6-1982		
K6-1983		
K6-1984		
K6-1985		

BIO-BARRIER LIDS



code	color	weight
K7-1970		0.65 kg
K7-1971		
K7-1972		
K7-1973		
K7-1974		
K7-1975		

STANDARD MODEL 1
BIO-BARRIER MODEL 33
Polymers PPSU Lids 65
WINDOW MODEL 85
B3 Barrier MODEL 103
for STERRAD 135
Dental, Mini, Special 145
BASKETS 163
Autolock Machanism Emulating Indicator 183
ACCESSORIES 191

Specifications / Sizes	Lid (Perforated)	Lid (Perforated)	Lid (Non Perforated)		
	Box (Non Perforated)	Box (Perforated)	Box (Non Perforated)	Box (Perforated)	Box (Non Perforated)
285 X 280 X 55 mm 	K6-1710 K6-1711 K6-1712 K6-1713 K6-1714 K6-1715	K6-1730 K6-1731 K6-1732 K6-1733 K6-1734 K6-1735	K6-1750 K6-1751 K6-1752 K6-1753 K6-1754 K6-1755	K6-1770	K6-1775
285 X 280 X 85 mm 	K6-1716 K6-1717 K6-1718 K6-1719 K6-1720 K6-1721	K6-1736 K6-1737 K6-1738 K6-1739 K6-1740 K6-1741	K6-1756 K6-1757 K6-1758 K6-1759 K6-1760 K6-1761	K6-1771	K6-1776

Ps: All container measurements cover the outer size of the lids.

WIRE BASKET





code	outside dimension
K2-490	255 x 250 x h=30 mm
K2-491	255 x 250 x h=50 mm

SILICONE MAT



code	outside dimension
K2-521	255 x 255 mm

WIRE BASE



code	outside dimension
K2-482	255 x 255 x 30 mm

PAPER FILTER



code	K2-740
Diameter	185 mm


Single use 100 pcs
with indicator. Aygun mark.

DRAPE RETAINER



code	outside dimension
K2-480	255 x 255 mm

PAPER FILTER



code	K2-741
Diameter	185 mm

Single use 100 pcs
with indicator. No marking.

DRAPE RETAINER



code	outside dimension
K2-481	255 x 255 x 30 mm


TEFLON FILTER



code	K2-742
Diameter	194 mm

Number of sterilization
cycle > 2000

PERFORATED BOTTOMS






code	K6-1770
outside dimension	295 x 270 x h^1=60 mm
inside dimension	258 x 260 x h^2=40 mm
weight	0,70 kg



code	K6-1771
outside dimension	295 x 270 x h^1=72 mm
inside dimension	258 x 260 x h^2=52 mm
weight	0,90 kg

SOLID BOTTOMS





code	K6-1775
outside dimension	295 x 270 x h^1=60 mm
inside dimension	258 x 260 x h^2=56 mm
weight	0,60 kg



code	K6-1776
outside dimension	295 x 270 x h^1=72 mm
inside dimension	258 x 260 x h^2=66 mm
weight	0,70 kg

PERFORATED LIDS



code	color	weight
K6-1780		0.71 kg
K6-1781		
K6-1782		
K6-1783		
K6-1784		
K6-1785		

REMOVAL LIDS *(non perforated)*



code	color	weight
K6-1790		0.58 kg
K6-1791		
K6-1792		
K6-1793		
K6-1794		
K6-1795		

BIO-BARRIER LIDS



code	color	weight
K7-1780		0.85 kg
K7-1781		
K7-1782		
K7-1783		
K7-1784		
K7-1785		

SAFETY LIDS



code	color	weight
K6-1418		0.60 kg
K6-1419		
K6-1420		
K6-1421		
K6-1422		
K6-1423		


BIO-BARRIER SAFETY LID



code	color	weight
K7-1418		0.60 kg
K7-1419		
K7-1420		
K7-1421		
K7-1422		
K7-1423		

ENDO MODEL CONTAINER







color	code	outside dimension
	K6-1400	540 x 159 h=80 mm
	K6-1406	540 x 159 h=100 mm

color	code	outside dimension
	K6-1401	540 x 159 h=80 mm
	K6-1407	540 x 159 h=100 mm


color	code	outside dimension
	K6-1402	540 x 159 h=80 mm
	K6-1408	540 x 159 h=100 mm

color	code	outside dimension
	K6-1403	540 x 159 h=80 mm
	K6-1409	540 x 159 h=100 mm

color	code	outside dimension
	K6-1404	540 x 159 h=80 mm
	K6-1410	540 x 159 h=100 mm

color	code	outside dimension
	K6-1405	540 x 159 h=80 mm
	K6-1411	540 x 159 h=100 mm

PERFORATED BOTTOMS





code	outside dimension
K6-1100	540 x 145 h=67 mm
K6-1101	540 x 145 h=87 mm

PERFORATED LIDS



code	color
K6-1000	
K6-1001	
K6-1002	
K6-1003	
K6-1004	
K6-1005	

FILTERS



code K2-760
Dimension: 235 x 120 mm
Single use **paper filter** 100 pcs.
With indicator, Aygun mark.




code K2-761
Dimension: 235 x 120 mm
Single use **paper filter** 100 pcs.
With indicator, No marking.




code K2-744
Dimension: 215 x 100 mm
Teflon Filter
Number of sterilization cycle > 2000


BASKET *(with stand)*



code	outside dimension
K3-1054	500 x 135 x 50 mm



LABELS *(paper)*




K2-673
100 pcs. With indicator.

LABELS *(paper)*



K2-672
100 pcs. With indicator.

IDENTIFICATION LABELS *(aluminium)*



K2-700
K2-701
K2-702
K2-703
K2-704
K2-705

IMPLANT MODEL CONTAINERS

Sizes \ Specifications	Lid (Perforated) / Box (Non Perforated)	Lid (Perforated) / Box (Perforated)	Lid (Non Perforated) / Box (Non Perforated)
300 X 150 X 75 mm	K5-010	K5-022	K5-034
	K5-011	K5-023	K5-035
	K5-012	K5-024	K5-036
	K5-013	K5-025	K5-037
	K5-014	K5-026	K5-038
	K5-015	K5-027	K5-039
500 X 170 X 75 mm	K5-016	K5-028	K5-040
	K5-017	K5-029	K5-041
	K5-018	K5-030	K5-042
	K5-019	K5-031	K5-043
	K5-020	K5-032	K5-044
	K5-021	K5-033	K5-045

Non filter





Ps: All container measurements cover the outer size of the lids.

MINI IMPLANT MODEL CONTAINERS

Sizes \ Specifications	Lid (Perforated) / Box (Non Perforated)	Lid (Perforated) / Box (Perforated)	Lid (Non Perforated) / Box (Non Perforated)
160 X 70 X 60 mm	K5-200	K5-212	K5-224
	K5-201	K5-213	K5-225
	K5-202	K5-214	K5-226
	K5-203	K5-215	K5-227
	K5-204	K5-216	K5-228
	K5-205	K5-217	K5-229
200 X 145 X 60 mm	K5-206	K5-218	K5-230
	K5-207	K5-219	K5-231
	K5-208	K5-220	K5-232
	K5-209	K5-221	K5-233
	K5-210	K5-222	K5-234
	K5-211	K5-223	K5-235

Non filter





Ps: All container measurements cover the outer size of the lids.


Non filter

SCOPY MODEL CONTAINERS

Specifications / Sizes	Lid (Perforated)	Lid (Perforated)
	Box (Non Perforated)	Box (Perforated)
260 X 70 X 65 mm 	K5-060 K5-061 K5-062 K5-063 K5-064 K5-065	K5-072 K5-073 K5-074 K5-075 K5-076 K5-077
460 X 80 X 65 mm 	K5-066 K5-067 K5-068 K5-069 K5-070 K5-071	K5-078 K5-079 K5-080 K5-081 K5-082 K5-083








Ps: All container measurements cover the outer size of the lids.

SCOPY MODEL CONTAINERS *(with silicon stand, lock, label)*

Specifications / Sizes	Lid (Perforated)	Lid (Perforated)
	Box (Non Perforated)	Box (Perforated)
270 X 70 X 65 mm 	K5-100 K5-101 K5-102 K5-103 K5-104 K5-105	K5-115 K5-116 K5-117 K5-118 K5-119 K5-120
475 X 80 X 65 mm 	K5-106 K5-107 K5-108 K5-109 K5-110 K5-111	K5-121 K5-122 K5-123 K5-124 K5-125 K5-126







Ps: All container measurements cover the outer size of the lids.

STANDARD MODEL 1
BIO-BARRIER MODEL 33
Polymers PPSU Lids 65
WINDOW MODEL 85
B3arrier MODEL 103
for STERRAD 135
Dental, Mini, Special 145
BASKETS 163
Autolock Machanism Emulating Indicator 183
ACCESSORIES 191

BRUSH MODEL CONTAINERS



Container for brush 280 x 285 x 85 mm
With wall mounting fixtures,
Maximum 20 brushes can be stored in container
In order to take the brush, please move the handle under the container to right or left direction.





AYGUN®
SURGICAL INSTRUMENTS CO., INC.

STERILE CONTAINER SYSTEMS






BASKETS

BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET WITH LID




code	outside dimension
K3-1010	540 x 250 h=35 mm
K3-1011	540 x 250 h=55 mm
K3-1012	540 x 250 h=75 mm
K3-1013	540 x 250 h=105 mm
K3-1014	ONLY LID, for baskets



code	outside dimension
K3-1020	480 x 250 h=35 mm
K3-1021	480 x 250 h=55 mm
K3-1022	480 x 250 h=75 mm
K3-1023	480 x 250 h=105 mm
K3-1024	ONLY LID, for baskets



code	outside dimension
K3-1030	405 x 250 h=35 mm
K3-1031	405 x 250 h=55 mm
K3-1032	405 x 250 h=75 mm
K3-1033	405 x 250 h=105 mm
K3-1034	ONLY LID, for baskets




code	outside dimension
K3-1040	255 x 250 h=35 mm
K3-1041	255 x 250 h=55 mm
K3-1042	255 x 250 h=75 mm
K3-1043	255 x 250 h=105 mm
K3-1045	ONLY LID, for baskets



Mesh grid

Actual Size



WIRE BASKETS





code	outside dimension
K2-460	540 x 250 h=30 mm
K2-461	540 x 250 h=50 mm
K2-462	540 x 250 h=70 mm
K2-463	540 x 250 h=100 mm





code	outside dimension
K2-450	480 x 250 h=30 mm
K2-451	480 x 250 h=50 mm
K2-452	480 x 250 h=70 mm
K2-453	480 x 250 h=100 mm





code	outside dimension
K2-1500	405 x 250 h=30 mm
K2-1501	405 x 250 h=50 mm
K2-1502	405 x 250 h=70 mm
K2-1503	405 x 250 h=100 mm





code	outside dimension
K2-490	255 x 250 h=30 mm
K2-491	255 x 250 h=50 mm
K2-492	255 x 250 h=70 mm
K2-493	255 x 250 h=100 mm





BASKET MADE FROM STAINLESS STEEL WIRE MESH

WIRE BASKET WITH LID





code	outside dimension
K3-2010	320 x 220 h=55 mm
K3-2011	320 x 220 h=75 mm
K3-2012	320 x 220 h=105 mm
K3-2013	ONLY LID, for baskets






code	outside dimension
K3-1704	533 x 337 h=55 mm
K3-1705	533 x 337 h=75 mm
K3-1706	533 x 337 h=105 mm
K3-1707	ONLY LID, for baskets






code	outside dimension
K3-1804	665 x 250 h=55 mm
K3-1805	665 x 250 h=75 mm
K3-1806	665 x 250 h=105 mm
K3-1807	ONLY LID, for baskets





Mesh grid

Actual Size



WIRE BASKETS





code	outside dimension
K3-2000	320 x 220 h=50 mm
K3-2001	320 x 220 h=70 mm
K3-2002	320 x 220 h=100 mm





code	outside dimension
K2-1701	533 x 337 h=50 mm
K2-1702	533 x 337 h=70 mm
K2-1703	533 x 337 h=100 mm






code	outside dimension
K2-1801	665 x 250 h=50 mm
K2-1802	665 x 250 h=70 mm
K2-1803	665 x 250 h=100 mm





WIRE BASKET WITH PERFORATED METAL PLATE

WIRE BASKET WITH LID




code	outside dimension
K3-1011 P	540 x 250 h=55 mm
K3-1012 P	540 x 250 h=75 mm
K3-1013 P	540 x 250 h=105 mm
K3-1014 P	ONLY LID, for baskets



code	outside dimension
K3-1021 P	480 x 250 h=55 mm
K3-1022 P	480 x 250 h=75 mm
K3-1023 P	480 x 250 h=105 mm
K3-1024 P	ONLY LID, for baskets




code	outside dimension
K3-1031 P	405 x 250 h=55 mm
K3-1032 P	405 x 250 h=75 mm
K3-1033 P	405 x 250 h=105 mm
K3-1034 P	ONLY LID, for baskets




code	outside dimension
K3-1041 P	255 x 250 h=55 mm
K3-1042 P	255 x 250 h=75 mm
K3-1043 P	255 x 250 h=105 mm
K3-1045 P	ONLY LID, for baskets



Side Plate
304 ss sheet



Base
304 ss wire mesh



WIRE BASKETS





code	outside dimension
K2-461 P	540 x 250 h=50 mm
K2-462 P	540 x 250 h=70 mm
K2-463 P	540 x 250 h=100 mm





code	outside dimension
K2-451 P	480 x 250 h=50 mm
K2-452 P	480 x 250 h=70 mm
K2-453 P	480 x 250 h=100 mm





code	outside dimension
K2-1501 P	405 x 250 h=50 mm
K2-1502 P	405 x 250 h=70 mm
K2-1503 P	405 x 250 h=100 mm






code	outside dimension
K2-491 P	255 x 250 h=50 mm
K2-492 P	255 x 250 h=70 mm
K2-493 P	255 x 250 h=100 mm






BASKET MADE FROM STAINLESS STEEL SHEET *(WITH STAND)*


Sizes \ Specifications	h=1 (mm)	h=2 (mm)	Box and Lid	Box	Lid
665 x 253 x h	40 mm	43 mm	K3-715	K3-711	K3-710
	60 mm	63 mm	K3-716	K3-712	
	80 mm	83 mm	K3-717	K3-713	
	110 mm	113 mm	K3-718	K3-714	
533 x 340 x h	40 mm	43 mm	K3-701	K3-705	K3-709
	60 mm	63 mm	K3-702	K3-706	
	80 mm	83 mm	K3-703	K3-707	
	110 mm	113 mm	K3-704	K3-708	
540 x 253 x h	40 mm	43 mm	K3-720	K3-740	K3-760
	60 mm	63 mm	K3-721	K3-741	
	80 mm	83 mm	K3-722	K3-742	
	110 mm	113 mm	K3-723	K3-743	
485 x 253 x h	40 mm	43 mm	K3-724	K3-744	K3-761
	60 mm	63 mm	K3-725	K3-745	
	80 mm	83 mm	K3-726	K3-746	
	110 mm	113 mm	K3-727	K3-747	




► *For Extra Long Model*



► *For Extra Large Model*




► *For 1/1 Model*



► *For 1/1 Model*






Sizes / Specifications		h=1 (mm)	h=2 (mm)	Box and Lid	Box	Lid
405 x 253 x h	► For 3/4 Model	40 mm	43 mm	K3-728	K3-748	K3-762
		60 mm	63 mm	K3-729	K3-749	
		80 mm	83 mm	K3-730	K3-750	
		110 mm	113 mm	K3-731	K3-751	
244 x 253 x h	► For 1/2 Model	40 mm	43 mm	K3-732	K3-752	K3-763
		60 mm	63 mm	K3-733	K3-753	
		80 mm	83 mm	K3-734	K3-754	
		110 mm	113 mm	K3-735	K3-755	
320 x 220 x h	► For Large Dental Model	60 mm	63 mm	K3-774	K3-771	K3-770
		80 mm	83 mm	K3-775	K3-772	
		110 mm	113 mm	K3-776	K3-773	
275 x 175 x h	► For Dental Model	50 mm	53 mm	K3-736	K3-756	K3-764
		105 mm	108 mm	K3-737	K3-757	
265 x 125 x h	► For Small Model	60 mm	63 mm	K3-738	K3-758	K3-765


STAND



code	height
K3-767	20 mm





STAND



code	height
K3-768	10 mm







DENTAL BASKETS & TRAYS



code	outside dimension
K3-780K	274 x 180 x 34 mm

Basket with silicone fixation systems
Holds 17 instruments with Ø 5 mm



code	outside dimension
K3-780	274 x 180 x 32 mm

Without silicone fixation systems



code	outside dimension
K3-781K	274 x 180 x 44 mm

Basket with silicone fixation systems
Holds 17 instruments with Ø 5 mm



code	outside dimension
K3-781	274 x 180 x 42 mm
K3-782	274 x 180 x 62 mm

Without silicone fixation systems




code	outside dimension
K3-783K	274 x 88 x 46 mm

Basket with silicone fixation systems
Holds 8 instruments with Ø 5 mm



code	outside dimension
K3-784K	240 x 76 x 30 mm

Basket with blue silicone mat



code	outside dimension
K3-785K	188 x 86 x 36 mm

Basket with silicone fixation systems
Holds 8 instruments with Ø 5 mm



code	outside dimension
K3-785	188 x 86 x 32 mm

Basket with blue silicone mat



code	outside dimension
K3-787	138 x 124 x 48 mm

Without silicone fixation systems



code	outside dimension
K3-788	146 x 46 x 28 mm

Without silicone fixation systems



code	outside dimension
K3-789	86 x 46 x 28 mm

Without silicone fixation systems
Bottom 2 mm, lid 4 mm perforation



code	outside dimension
K3-786K	188 x 130 x 36 mm

Basket with silicone fixation systems
Holds 12 instruments with Ø 5 mm



code	outside dimension
K3-786	188 x 130 x 32 mm

Without silicone fixation systems



code	outside dimension
K3-790K	186 x 72 x 24 mm

Tray with silicone fixation system.
Holds 5 instruments.



code	outside dimension
K3-791K	186 x 99 x 24 mm

Tray with silicone fixation system.
Holds 7 instruments.



code	outside dimension
K3-792K	186 x 137 x 24 mm

Tray with silicone fixation system.
Holds 10 instruments.




code	outside dimension
K3-793K	286 x 192 x 34 mm


Tray with silicone fixation system.
Holds 20 instruments.

STANDARD MODEL 1
BIO-BARRIER MODEL 33
Polymers PPSU Lids 65
WINDOW MODEL 85
B3 Barrier MODEL 103
for STERRAD 135
Dental, Mini, Special 145
BASKETS 163
Autolock Machanism Emulating Indicator 183
ACCESSORIES 191


WIRE BASKETS

Mesh grid






code	outside dimension
K2-993	265 x 125 x h=50 mm




code	outside dimension
K3-1073	265 x 120 x h=50 mm


WIRE BASKETS

Mesh grid







code	outside dimension
K3-611	270 x 175 x h=45 mm



code	outside dimension
K3-1070	270 x 170 x h=45 mm




code	outside dimension
K2-995	170 x 140 x h=45 mm



code	outside dimension
K3-1079	170 x 140 x h=45 mm


SMALL FINE MESH BASKETS WITH LID



code	outside dimension
K3-1100	30 x 30 x 30 mm
K3-1101	40 x 40 x 20 mm
K3-1102	40 x 40 x 40 mm
K3-1103	60 x 60 x 20 mm
K3-1104	60 x 60 x 40 mm
K3-1105	60 x 60 x 60 mm
K3-1106	80 x 80 x 20 mm
K3-1107	80 x 40 x 40 mm
K3-1108	80 x 80 x 40 mm
K3-1109	80 x 80 x 60 mm
K3-1110	80 x 80 x 80 mm
K3-1111	100 x 100 x 10 mm
K3-1112	120 x 120 x 30 mm
K3-1113	120 x 120 x 60 mm
K3-1114	120 x 120 x 80 mm
K3-1115	240 x 240 x 30 mm
K3-1116	240 x 240 x 60 mm
K3-1117	240 x 240 x 80 mm
K3-1118	240 x 240 x 100 mm

Mesh grid

Actual Size



LAUNDRY BASKETS



code	outside dimension
K3-1080	600 x 400 x 150 mm
K3-1081	600 x 400 x 300 mm




code	outside dimension
K3-1085	600 x 400 x 150 mm
K3-1086	600 x 400 x 300 mm

WIRE NET BASKET




code	outside dimension
K3-1200	250 x 170 x 70 mm
K3-1201	340 x 250 x 70 mm
K3-1202	450 x 340 x 70 mm

LID FOR WIRE NET BASKET




code	outside dimension
K3-1203	250 x 170 mm
K3-1204	340 x 250 mm
K3-1205	450 x 340 mm

STE BASKETS



Standard

code	outside dimension
K3-1206	575 x 280 x 135 mm
K3-1207	575 x 280 x 265 mm



Front access

code	outside dimension
K3-1208	575 x 280 x 265 mm

SPRI BASKETS



Double Frame with Folding Handle

code	outside dimension
K3-1210	585 x 395 x 100 mm
K3-1211	585 x 395 x 195 mm



With Single Frame

code	outside dimension
K3-1230	600 x 300 x 40 mm
K3-1231	600 x 300 x 50 mm
K3-1232	600 x 300 x 100 mm
K3-1233	600 x 300 x 130 mm
K3-1234	600 x 300 x 150 mm
K3-1235	600 x 300 x 180 mm
K3-1236	600 x 300 x 200 mm
K3-1237	600 x 400 x 100 mm
K3-1238	600 x 400 x 130 mm
K3-1239	600 x 400 x 150 mm
K3-1240	600 x 400 x 180 mm
K3-1241	600 x 400 x 200 mm


DRAPE



code	sizes	model
K2-1600	130 x 60 cm	for 1/1 Model
K2-1601	140 x 100 cm	
K2-1602	185 x 45 cm	
K2-1603	180 x 60 cm	
K2-1615	140 x 100 cm	for 3/4 Model
K2-1630	90 x 60 cm	for 1/2 Model
K2-1631	90 x 80 cm	
K2-1632	130 x 45 cm	
K2-1633	130 x 60 cm	
K2-1640	90 x 60 cm	for Flat Model
K2-1641	90 x 80 cm	
K2-1650	60 x 40 cm	for Mini Model
K2-1660	60 x 40 cm	for Dental Model
K2-1661	65 x 65 cm	
K2-1662	85 x 85 cm	

ENDOSCOPE BASKETS

304 ss wire mesh





code	outside dimension
K3-1050	670 x 80 x 52 mm
K3-1051	460 x 80 x 52 mm
K3-1052	290 x 80 x 52 mm



code	outside dimension
K3-1062	640 x 150 x 77 mm







ALUMINIUM BASKET, WITH LID



code	outside dimension
K3-1119	245 x 130 x 55 mm



code	outside dimension
K3-1120	245 x 130 x 70 mm



code	outside dimension
K3-1121	245 x 130 x 105 mm










Washer Tube for K-WIRES

OZGEN Systems

The Aygün washer tube systems are designed in order to safely keep, healthfully wash and sterile the K-Wires used especially in orthopedic (trauma) surgery.





code	outside dimension
K4-1051	460 x 100 x 64 mm


K-Wires stainless steel basket with lid.



code	outside dimension
K4-1052	265 x 72 x 64 mm

K-Wires stainless steel basket with lid.

WASHER TUBE FOR K-WIRES



The Aygün washer tube systems are designed in order to safely keep, healthfully wash and sterile the K-Wires used especially in orthopedic (trauma) surgery.

The Aygün washer tubes systems have a special design for getting maximum efficiency.

The dividing part inside the tube provides protection of 4 different diameter wires without intermixing.


With the help of inner tube placed in the middle of the divider, the high pressure water coming of the washer machine flows from inside to outside.

By this way, the wires inside the tube are washed by inside-out and outside-in flow and the disinfection process is completed efficiently.







- The system has 2 different lenghts as option.
- Every tube has 4 different tanks for 4 different diameter wires.
- The system has been designed suitable for 12 different diameter from 0,6 mm to 3 mm.



code	lenght	suitable wire diameters
KA-100	150 mm	Ø 0,60 mm Ø 0,80 mm Ø 1,00 mm Ø 1,20 mm
KB-100	150 mm	Ø 1,25 mm Ø 1,40 mm Ø 1,50 mm Ø 1,60 mm
KC-100	150 mm	Ø 1,80 mm Ø 2,00 mm Ø 2,50 mm Ø 3,00 mm
KLA-100	300 mm	Ø 0,60 mm Ø 0,80 mm Ø 1,00 mm Ø 1,20 mm
KLB-100	300 mm	Ø 1,25 mm Ø 1,40 mm Ø 1,50 mm Ø 1,60 mm
KLC-100	300 mm	Ø 1,80 mm Ø 2,00 mm Ø 2,50 mm Ø 3,00 mm



Our wire mesh and perforated sheet baskets can be manufactured in any size.



Please contact for detailed information

AYGUN®
SURGICAL INSTRUMENTS CO., INC.

STERILE CONTAINER SYSTEMS





code	
K1-900	(2 Pcs)

Modular Auto Lock Mechanism

TÜRK PATENT ENSTİTÜSÜ - - - - - - - - - - - - - - - - - - - No: a2012 00715
DEUTSCHES PATENT - Nr. 20 2013 100 251.8

GENERAL INFORMATION ABOUT MODULAR AUTO LOCK MECHANISM




WHAT IS AUTO LOCK MECHANISM?

Auto lock mechanism is a heat-sensitive automatic locking system developed in order to ease sterilization control by R&D department.




Modular auto lock system designed to be usable with different container systems which are belongs to different brands like shown below.



This system has been developed in accordance with the requirements of sterilization to be used in a steam autoclave for our container systems. Auto lock is a system designed in reusable property instead of disposable plastic products that are used as security locks in containers. The system has been tested in our own facilities 5000 cycles and has successfully passed al tests. Minimum expected life of the system is 5000 sterilizations. During this time system is usable without the need for any maintenance or service.

Picture 1 (Closed position)



HOW DOES AUTO LOCK MECHANISM WORK?

The average temperature in the autoclave during sterilization is at the level of 135 ° C degrees.

As the temperature in the autoclave begins to rise above 100 degrees, automatic locking mechanism located on the box is activated. When the mechanism is activated, the red movable locking shaft in it is going forward (Picture 1). When the movable locking shaft is going forward, it blocks the locking mechanism in lid and so it prevents uncontrolled opening of the lid.

WARNING: It's possible to move the movable shaft with only the effect of temperature. It's not possible under normal conditions to activate (to be brought into locked position) lock mechanism.

The process of the system becoming inactive is as following: After sterilization process has been completed and container has been removed from the autoclave, the container and Auto Lock system are allowed to cool between 5 and 10 minutes. Then the red movable locking shaft is pushed back with the help of fingers (Picture 3). Thus, lid closure of the container ceases to be blocked and comes to opened position.

When the container enters into each sterilization, these processes are repeated in the same manner.

When the user sees that Auto Lock mechanism is activated (Picture 1), he/she can understand that the container has entered to the sterilization process. If Auto lock mechanism is inactive (Picture 2), it means that this container has been previously opened.

WHAT ARE THE ADVANTAGES OF MODULAR AUTO LOCK MECHANISM?

- Because of system being reusable, it is more economical when you compare with plastic security seal usage.
- System is modular, so it can be usable with different brand products. In this reason, so many users can make use of system advantages.
- After the usage of disposable products, plastic material harms the nature. Because of reusable property of auto lock mechanism and because of recycling raw material inside, system does not harm the nature.
- Disposable products have many disadvantages such as purchasing, storage and inventory tracking. Auto Lock mechanism saves the user from this workload and cost.
- Disposable products must be attached to the (2) container(s) prior to each sterilization and this leads to loss of time for the employees.
- Auto Lock Mechanism removes the difficulties faced during the use of security seals. In breakdown condition, because of product is not fixed on the container, system can be easily serviceable or changeable so container does not needs replacing.

Picture 2 (Open position)



Picture 3





Picture 4 (Plastic security seal)




All our container systems with Auto Lock mechanism are designed to be used also with plastic security seal when necessary (Picture 4).

ASSEMBLY AND DISASSEMBLY OF MODULAR AUTO LOCK MECHANISM







Due to container model that system will be assembled plastic washer should be removed or stay in place.



Locking clamp should be removed from the groove before assembly.



Then it should be placed to the container label part as shown picture.



When you sure that product is snug, locking clamp should be placed through the arrow direction.



Please be sure that locking stamp is forwarded to the end of the clamp groove and it is locked.

Lock mechanism should be in open position for the disassembly process (Picture 2).

<u>It is not possible</u> to make disassembly on closed position (Picture 1).

When you sure that lock mechanism is on open position, locking clamp can be removable by pulling backward through the reverse direction of the locking direction.



<u>It is not possible</u> to make disassembly on closed position

Closed position Picture 1

AYGUN®
SURGICAL INSTRUMENTS CO., INC.

STERILE CONTAINER SYSTEMS





Window For Emulating Indicator

WINDOW FOR EMULATING INDICATOR

Picture 1



Patent Pending

We continue to produce solution for the sterilization management requirements with our 25 years of experience in medical industry.

For this purpose, we have developed emulating indicator window for the sterile container systems.




AIM OF THE WINDOW FOR EMULATING INDICATOR

Emulating indicators are used for the load sterilization monitorization while surgical instruments are loaded to containers in central sterilization services department (CSSD). (Picture 2)

During standard container usage it is not possible to see indicator results without opening the lid. When set is decided to use in surgery if result is negative and also if there is no alternative set, surgery is delaying and problems occurs in implementations.

Picture 2



EMULATING INDICATOR

K2-674	Paper 250 Pcs.

Result of the emulating indicator can observed after cycle easily from the window on the container case. In negative conditions, sterilization processes are repeated before send set to usage. By this way waste of time prohibited and it can help to avoid troubles before start.

NO RISK...

WINDOW FOR EMULATING INDICATOR

- Transparent PPSU polymer material is used on window part of the system which is suitable to autoclave. PPSU polymer material has resistance to scoring and impact also it is a special material which has heat resistance up to 330°
- Silicon joint is used between window and box to avoid sterilization risk inside the container and security is provided %100 by 4 pieces rivet connection.
- All other parts used in the system is manufactured from anodized aluminum and stainless steel.
- Indicator is designed to place the box from two directions. Also there is a spring mechanism to immobilize indicator because of the pressure inside the indicator placed sections. This spring mechanism and the immobilization property from the two side of indicator are provided to use different branded indicators to use in this system together.



USAGE OF WINDOW FOR EMULATING INDICATOR

1. Emulating indicator before placing materials to sterilize inside the box for the sterilization purpose is placed inside the box as below. (Picture 3)
2. When you placed indicator band inside the box, you should be sure that placed references and indicator should appears. You should specify the suitable position by reciprocating motions or rotating reverse the indicator band.
3. After you placed indicator band fairly, you can start sterilization process by placing materials to sterilize after closing the lid.




Picture 3


STR NO
STR DATE
DUE DATE
NAME
STEAM BLACK
AYGUN
Laminectomy


AYGUN®
SURGICAL INSTRUMENTS CO., INC.

STERILE CONTAINER SYSTEMS




ACCESSORIES

LABELS *(paper)*



K2-673
100 pcs. With indicator.

For small size and
special containers




K2-672
100 pcs. With indicator.

For full and
Half size containers



IDENTIFICATION LABELS *(aluminium)*



code	color
K2-700	
K2-701	
K2-702	
K2-703	
K2-704	
K2-705	

Coloured identification labels
Engraved to your specifications
Maximum 16 letters



IDENTIFICATION *(aluminium)*

LABEL HOLDER



code	color
K2-560	
K2-561	
K2-562	
K2-563	
K2-564	
K2-565	

LABELS



code	color
K2-570	
K2-571	
K2-572	
K2-573	
K2-574	
K2-575	

Coloured identification labels
Engraved to your specification





Grey coloured recommended for use in Sterrad.
Color fading By effect of Hydrogen Peroxide Gas Plasma on other colors.

EMULATING INDICATOR




K2-674
Paper 250 Pcs.









The Aygün chemical indicator strips are Class 6 emulating indicators designed for use in prevacuum steam sterilizers operating at 134 °C for 3,5 minutes or 121 °C for 15 minutes.

The Aygün chemical indicator strips integrate all the critical parameters of the steam sterilization cycle and test your sterilization processes according to these parameters (temperature, saturated steam and exposure time).

Simply place the indicator strip in window specially designed for emulating indicator or any desired location while loading the sterilizer.

After exposure to specific conditions, the liquid goes through a permanent color change (from pink to black) that indicates sterilization parameters have been met. If the color is not black, then it suggests inadequate sterilization. In that case, items must be resterilized (per hospital policy) with new/unused indicator strips.

The Aygün chemical indicator strips are suitable for use in any container system.

Once the indicator ink has changed color, there will be no reverse change. The ink contains no heavy metals.

The lamination of these indicators provides the maximum safety for direct contact with the indicator.

The Aygün chemical indicators are non-toxic and free of lead or heavy metals.

Meets the requirements for ISO 11140-1 standard.

Strips can be kept for documentation.

DISPOSAL STAMP



K2-717
40 x 35 x 9 mm
Requested number or letter must be informed during the order.



LABEL HOLDER



K2-716
50 x 35 x 13 mm
Holder for identification labels




STORAGE STAND



K2-691
390 x 85 x 153 mm



DISPENSER *(for idetification labels)*



K2-690
212 x 53 x 92 mm



K2-680
108 x 53 x 92 mm

SECURITY SEAL



K2-663 *Blue*
100 pcs. with indicator.
made of plastic



K2-664 *Blue*
100 pcs. made of plastic



K2-661 *Blue*
100 pcs. with number.
made of plastic





K2-662 *Red*
100 pcs. with indicator.
made of plastic



K2-660 *Red*
100 pcs. made of plastic



K2-665 *Red*
100 pcs. with number.
made of plastic

AUTO LOCK MECHANISM



K1-900
(2 Pcs)



What is Auto Lock Mechanism?

Auto lock mechanism is a heat-sensitive automatic locking system developed in order to ease sterilization control by R&D department.

Modular auto lock system designed to be usable with different container systems which are belongs to different brands like shown below.

This system has been developed in accordance with the requirements of sterilization to be used in a steam autoclave for our container systems. Auto lock is a system designed in reusable property instead of disposable plastic products that are used as security locks in containers. The system has been tested in our own facilities 5000 cycles and has successfully passed al tests. Minimum expected life of the system is 5000 sterilizations. During this time system is usable without the need for any maintenance or service.




SILICONE HOSE

Silicone handle has avaible in six different colors



SILICONE HANDLE



K2-710 *Red*
K2-711 *Yellow*
K2-712 *Green*
K2-713 *Blue*
K2-714 *Grey*
K2-715 *Black*



Silicone handle has avaible in six different colors and detachable by user.

Patent No: 200801401















PAPER FILTER



code	K2-740
Diameter	185 mm

Single use 100 pcs
with indicator. Aygun mark.

PAPER FILTER



code	K2-741
Diameter	185 mm

Single use 100 pcs
with indicator. No marking.

TEFLON FILTER



code	K2-742
Diameter	194 mm

Number of sterilization
cycle > 2000



1/1



3/4



1/2



Extra Long Model



Extra Large Model



Large Dental Model

PAPER FILTER



code	K3-612
Dimension	165 x 235 mm

Single use 100 pcs
with indicator. Aygun mark.

PAPER FILTER



code	K3-615
Dimension	165 x 235 mm

Single use 100 pcs
with indicator. No marking.


TEFLON FILTER



code	K2-743
Dimension	150 x 217 mm

Number of sterilization
cycle > 2000

Dental Model



PAPER FILTER



code	K2-760
Dimension	235 x 120 mm

Single use 100 pcs
with indicator. Aygun mark.

PAPER FILTER



code	K2-761
Dimension	235 x 120 mm

Single use 100 pcs
with indicator. No marking.

TEFLON FILTER



code	K2-744
Dimension	215 x 100 mm

Number of sterilization
cycle > 2000

Mini Model



PAPER FILTER



code	K2-781
Dimension	130 x 110 mm

Single use 100 pcs
with indicator. Aygun mark.

PAPER FILTER



code	K2-780
Dimension	130 x 110 mm

Single use 100 pcs
with indicator. No marking.


TEFLON FILTER



code	K2-782
Dimension	130 x 110 mm

Number of sterilization
cycle > 2000

1/2 Dental Model



STANDARD MODEL 1
BIO-BARRIER MODEL 33
Polymers PPSU Lids 65
WINDOW MODEL 85
B3arrier MODEL 103
for STERRAD 135
Dental, Mini, Special 145
BASKETS 163
Autolock Machanism Emulating Indicator 183
ACCESSORIES 191



code	K2-720
Diameter	186 mm

Filter Retainer,
for 1/1, 3/4, 1/2, Extra large, Extra long, Large dental




code	K2-721
Diameter	186 mm

For PTFE Teflon filter
for 1/1, 3/4, 1/2, Extra large, Extra long, Large dental



code	K2-730
Dimension	200 x 200 x 64 mm

Filter Dispenser




code	K2-1715
Dimension	247 x 172 mm

Filter Retainer,
for Dental model



code	K2-1708
Dimension	250 x 177 x 40 mm

Filter Dispenser



code	K2-1716
Dimension	243 x 120 mm

Filter Retainer,
for Mini model



code	K2-1709
Dimension	250 x 127 x 53 mm

Filter Dispenser



code	K2-1717
Dimension	162 x 144 mm


Filter Retainer,
for 1/2 Dental model





code	K2-1710
Dimension	169 x 151 x 53 mm

Filter Dispenser

SILICONE MATS













code	dimension
K2-519	150 x 130 mm
K2-520	275 x 125 mm
K2-521	250 x 235 mm
K2-522	340 x 230 mm (2 pcs)
K2-523	300 x 300 mm
K2-524	380 x 230 mm
K2-525	440 x 230 mm
K2-526	520 x 230 mm
K2-527	230 x 220 mm
K2-528	470 x 230 mm
K2-529	260 x 180 mm
K2-532	280 x 200 mm



code	dimension
K2-530	250 x 240 mm
K2-531	480 x 250 mm

Silicone Mesh Mat,

Enables surgical instruments to be stored without slip and dry well.



code	outside dimension
K3-1090	510 x 240 x 130 mm


Rack, for endoscopy


- Holds 10 endoscopic instruments
- Fits into a 1/1 size 20 cm deep container
- Wire basket 1/1 50 mm
- Container 1/1 200 mm
- Silicone mat 520 x 230 mm

code	outside dimension
K3-1093	550 x 240 x 130 mm

Rack, for endoscopy


- Holds 10 endoscopic instruments
- Fits into a Extra Long size 18 cm deep container
- Wire basket Extra Long 50 mm
- Container Extra Long 180 mm
- Silicone mat 340x230 (2pcs)

















code	outside dimension
K3-1092	515 x 240 x 165 mm

Rack, for artroscopy

- Holds 20 artroscopy punches
- Fits into a 1/1 size 20 cm deep container
- Wire basket 1/1 50 mm
- Container 1/1 200 mm
- Silicone mat 440 x 230 mm






code	outside dimension
K3-1094	225 x 245 x 160 mm


Rack, for kerrison

- Holds 10 kerrison punches
- Fits into a 1/2, 1/1 20 cm and Extra Long size 18 cm deep container
- Wire basket 1/2 50 mm
- Wire basket 1/1 50 mm
- Wire basket Extra long 50 mm
- Container 1/2 200 mm
- Container 1/1 200 mm
- Container Extra long 180 mm



SILICONE FIXATION SYSTEM






RAIL



code	lenght
K1-1601	250 x 9 mm
K1-1602	158 x 9 mm
K1-1603	123 x 9 mm
K1-1604	97 x 9 mm
K1-1605	73 x 9 mm
K1-1606	23,5 x 9 mm


Can be manufactured in any size demanded

code	
K1-680-02 (1 piece)	 Kep nut
K1-680-03 (1 piece)	 Screw




With rail, screw and nut

code	lenght	height
K12-100	250 mm	45 mm
K12-101	152 mm	45 mm
K12-102	125 mm	45 mm
K12-145	97 mm	45 mm




Actual Size



With rail, screw and nut

code	lenght	height
K12-109	238 mm	45 mm
K12-110	158 mm	45 mm
K12-111	112 mm	45 mm
K12-148	77 mm	45 mm




Actual Size



code	lenght	height
K12-106	238 mm	45 mm
K12-107	150 mm	45 mm
K12-108	119 mm	45 mm
K12-147	87 mm	45 mm

With rail, screw and nut




Actual Size



code	lenght	height
K12-103	240 mm	45 mm
K12-104	150 mm	45 mm
K12-105	120 mm	45 mm
K12-146	90 mm	45 mm

With rail, screw and nut




Actual Size



code	lenght	height
K12-112	178 mm	24 mm

Instruments holder, from Ø 3 to 8 mm
With rail, screw and nut




Actual Size



code	lenght	height
K12-113	73 mm	24 mm

Instruments holder,
Ø 5 mm
With rail, screw and nut




Actual Size



code	lenght	height
K12-114	73 mm	24 mm

Instruments holder,
Ø 3 mm
With rail, screw and nut




Actual Size



code	lenght	height
K12-115	178 mm	34 mm

Instruments holder, from Ø 3 to 15 mm
With rail, screw and nut




Actual Size



code	lenght	height
K12-116	121 mm	22 mm

With rail, screw and nut




Actual Size



code	lenght	height
K12-117	123 mm	22 mm

With rail, screw and nut




Actual Size



code	lenght	height
K12-124	178 mm	24 mm

Instruments holder, from Ø 3 mm
With rail, screw and nut




Actual Size



code	lenght	height
K12-125	178 mm	24 mm

Instruments holder, from Ø 5 mm
With rail, screw and nut




Actual Size





code	lenght	height
K12-142	40 mm	22 mm




Actual Size



code	lenght	height
K12-126	23.5 mm	25 mm

Ø 10,5 mm
With rail, screw and nut




Actual Size



code	lenght	height
K12-127	23.5 mm	25 mm

Ø 8 mm
With rail, screw and nut




Actual Size



code	lenght	height
K12-128	23.5 mm	25 mm

Ø 13 mm
With rail, screw and nut




Actual Size



code	lenght	height
K12-129	23.5 mm	25 mm

Ø 5 mm
With rail, screw and nut




Actual Size



code	lenght	height
K12-130	72 mm	34 mm

Endoscope holder, double
One side Ø 12 mm open
One side from Ø 3 to Ø 15 mm closed
With rail, screw and nut




Actual Size



code	lenght	height
K12-141	72 mm	34 mm

Endoscope holder, double
One side Ø 12 mm open
One side from Ø 3 to Ø 8 mm closed
With rail, screw and nut




Actual Size



code	lenght	height
K12-131	72 mm	34 mm

Instruments holder
from Ø 3 to Ø 15 mm
With rail, screw and nut




Actual Size



code	lenght	height
K12-132	72 mm	24 mm

Instruments holder,
from Ø 3 to Ø 8 mm
With rail, screw and nut




Actual Size



code	lenght	height
K12-133	38 mm	24 mm

Endoscope holder, double
one side from Ø 3 to Ø 8 mm
With rail, screw and nut




Actual Size



code	lenght	height
K12-134	28 mm	34 mm

Endoscope holder, single
one side Ø 12 mm open
one side from Ø 3 to Ø 15 mm
With rail, screw and nut




Actual Size



code	lenght	height
K12-135	38 mm	33 mm

Endoscope holder, Ø 4 mm closed
With rail, screw and nut




Actual Size



code	lenght	height
K12-136	38 mm	33 mm

Endoscope holder, Ø 6 mm closed
With rail, screw and nut




Actual Size



code	lenght	height
K12-137	38 mm	33 mm

Endoscope holder, Ø 8 mm closed
With rail, screw and nut




Actual Size



code	lenght	height
K12-138	38 mm	33 mm

Endoscope holder, Ø 12 mm closed
With rail, screw and nut




Actual Size



code	lenght	height
K12-139	38 mm	33 mm

Endoscope holder, Ø 12 mm open
With rail, screw and nut




Actual Size



code	lenght	height
K12-140	38 mm	33 mm

Endoscope holder, Ø 15 mm open
With rail, screw and nut



Actual Size



K2-650
Holding pin for divider





K2-651
Holding pin for instruments



K2-588
Fixation clamp









K2-645
DIVIDER
50 x 20 mm

K2-646
DIVIDER
130 x 20 mm

K2-647
DIVIDER
225 x 20 mm

K2-648
DIVIDER
460 x 20 mm

FIXATION CLAMP



K2-580
Ø 7 - 12 mm



K2-581
Ø 12 - 16 mm




K2-582
Ø 16 - 26 mm



K2-583
Ø 26 - 36 mm



K2-584
Ø 36 - 45 mm





code	outside dimension
K8-508	98 x 43 x 44 mm

Rack for 24 burrs with shanks Ø 2.35 mm





code	outside dimension
K8-509	163 x 103 x 40 mm

Rack for 15 pcs of instruments





code	outside dimension
K8-511	218 x 22 x 54 mm


Rack for 12 pcs of instruments






code	outside dimension
K8-490	218 x 45 x 52 mm

Tiltable holding device for 6 micro heads








code	outside dimension
K2-600	40 x 5 x 18 mm


DIVIDER (use with K2-601 and K2-602)





code	outside dimension
K2-601	230 x 26 mm
K2-602	470 x 26 mm

Sliding rails with securing screws





code	outside dimension
K2-604	230 x 26 mm
K2-605	470 x 26 mm

Limiting bar, with security screws






code	outside dimension
K2-607	233 x 30 mm

Spiral holding device







code	outside dimension
K2-609	116 x 30 mm



code	outside dimension
K2-615	112 x 18 mm
K2-616	172 x 18 mm
K2-617	232 x 18 mm
K2-618	472 x 18 mm

Limiting bar





code
K2-620

Spiral holding





code	outside dimension
K2-622	223 x 30 mm

Spiral holding





code	outside dimension
K2-625	126 x 30 mm

Spiral holding

SPREY OIL



code
K8-510

SILICONE GASKETS FOR LIDS



code
K3-1000


Silicone adhesive
310 ml ± 5%




code	model	size
K3-950	Mini silicone gasket	300 x 140 mm
K3-951	Dental silicone gasket	310 x 190 mm
K3-952	Flat silicone gasket	285 x 280 mm
K3-953	1/2 silicone gasket	285 x 280 mm
K3-954	3/4 silicone gasket	465 x 280 mm
K3-955	1/1 silicone gasket	580 x 280 mm
K3-956	Extra Large silicone gasket	590 x 370 mm

For mounting, K3-1000 silicone adhesive is used

TROLLEYS



code
K2-802



code
K2-803

GOODS COMPATIBILITY TABLE

1/1 MODEL CONTAINER



1/1 MODEL	K6-100	K6-101	K6-102	K6-103	K6-104	K6-105	K6-106	K6-107	K6-108	K6-109	K6-120,125	K6-230,235	K1-900	K2-450	K2-451	K2-452	K2-453	K2-460	K2-461	K2-462	K2-463	K3-1010	K3-1011	K3-1012	K3-1013	K3-1020	K3-1021	K3-1022	K3-1023	K2-451 P	K2-452 P	K2-453 P	K2-461 P	K2-462 P	K2-463 P	K3-1011 P	K3-1012 P	K3-1013 P	K3-1021 P	K3-1022 P	K3-1023 P
K6-010,015 / K6-150,155						✓					✓	✓	✓	✓	✓	✓		✓	✓	✓		✓	✓	✓		✓	✓	✓		✓	✓		✓	✓		✓	✓		✓	✓	
K6-016,021 / K6-156,161							✓				✓	✓	✓	✓	✓	✓		✓	✓	✓		✓	✓	✓		✓	✓	✓		✓	✓		✓	✓		✓	✓		✓	✓	
K6-022,027 / K6-162,167								✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
K6-028,033 / K6-168,173									✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
K6-034,039 / K6-174,179										✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
K6-040,045 / K6-180,185	✓										✓	✓	✓	✓	✓			✓	✓			✓	✓			✓	✓			✓			✓			✓			✓		
K6-046,051 / K6-186,191		✓									✓	✓	✓	✓	✓	✓		✓	✓	✓		✓	✓	✓		✓	✓	✓		✓	✓		✓	✓		✓	✓		✓	✓	
K6-052,057 / K6-192,197			✓								✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
K6-058,063 / K6-198,203				✓							✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
K6-064,069 / K6-204,209					✓						✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

3/4 MODEL CONTAINER



3/4 MODEL	K6-300	K6-301	K6-302	K6-305	K6-306	K6-307	K6-340,345	K6-410,415	K1-900	K2-1500	K2-1501	K2-1502	K2-1503	K3-1030	K3-1031	K3-1032	K3-1033	K2-1501 P	K2-1502 P	K2-1503 P	K3-1031 P	K3-1032 P	K3-1033 P	K3-728	K3-729	K3-730	K3-731	K3-748	K3-749	K3-750	K3-751
K6-240,245 / K6-350,355				✓			✓	✓	✓	✓	✓	✓		✓	✓	✓		✓	✓		✓	✓		✓	✓	✓		✓	✓	✓	
K6-246,251 / K6-356,361					✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
K6-252,257 / K6-362,367						✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
K6-260,265 / K6-370,375	✓						✓	✓	✓	✓	✓			✓	✓			✓			✓			✓	✓			✓	✓		
K6-266,271 / K6-376,381		✓					✓	✓	✓	✓	✓	✓		✓	✓	✓		✓	✓		✓	✓		✓	✓			✓	✓		
K6-272,277 / K6-382,387			✓				✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

1/2 MODEL CONTAINER



1/2 MODEL	K6-600	K6-601	K6-602	K6-603	K6-604	K6-605	K6-606	K6-607	K6-608	K6-609	K6-630,635	K6-700,705	K1-900	K2-490	K2-491	K2-492	K2-493	K3-1040	K3-1041	K3-1042	K2-491 P	K2-492 P	K2-493 P	K3-1041 P	K3-1042 P	K3-1043 P	K3-732	K3-733	K3-734	K3-735	K3-752
K6-500,505 / K6-640,645						✓					✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓		✓	✓		✓	✓			✓
K6-506,511 / K6-646,651							✓				✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓		✓	✓		✓	✓	✓		✓
K6-512,517 / K6-652,657								✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
K6-518,523 / K6-658,663									✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
K6-524,529 / K6-664,669										✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
K6-530,535 / K6-670,675	✓										✓	✓	✓	✓	✓			✓	✓		✓			✓			✓	✓			✓
K6-536,541 / K6-676,681		✓									✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓		✓	✓		✓	✓			✓
K6-542,547 / K6-682,687			✓								✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
K6-548,553 / K6-688,693				✓							✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
K6-554,559 / K6-694,699					✓						✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

K3-720	K3-721	K3-722	K3-723	K3-740	K3-741	K3-742	K3-743	K3-724	K3-725	K3-726	K3-727	K3-744	K3-745	K3-746	K3-747	K2-569	K2-428	K2-429	K2-440	K2-425	K2-426	K3-1090	K2-420	K2-400	K3-1119	K3-1120	K3-1121	K2-526	K2-531	K2-700	K2-701	K2-702	K2-703	K2-704	K2-705	K2-740	K2-742	K2-710	K2-711	K2-712	K2-713	K2-714	K2-715	K2-673	K2-672	K2-660	K2-661	K2-1600	K2-1601	K2-1602	K2-1603
✓	✓	✓		✓	✓	✓		✓	✓	✓		✓	✓	✓					✓				✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓		✓	✓	✓		✓	✓	✓		✓	✓	✓					✓				✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓		✓	✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓			✓	✓			✓	✓			✓	✓						✓				✓	✓				✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓		✓	✓	✓		✓	✓	✓		✓	✓	✓					✓				✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

K2-1540	K2-1541	K2-1542	K2-1522	K2-1530	K2-1531	K2-1532	K2-1521	K2-1520	K3-1119	K3-1120	K3-1121	K2-524	K2-700	K2-701	K2-702	K2-703	K2-704	K2-705	K2-740	K2-742	K2-710	K2-711	K2-712	K2-713	K2-714	K2-715	K2-673	K2-672	K2-660	K2-661	K2-1615
✓			✓	✓			✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓		✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
			✓				✓	✓				✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓			✓	✓			✓	✓	✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

K3-753	K3-754	K3-755	K2-569	K2-483	K2-484	K2-482	K3-1094	K3-481	K2-480	K3-1119	K3-1120	K3-1121	K2-521	K2-530	K2-700	K2-701	K2-702	K2-703	K2-704	K2-705	K2-740	K2-742	K2-730	K2-710	K2-711	K2-712	K2-713	K2-714	K2-715	K2-673	K2-672	K2-660	K2-661	K2-1630	K2-1632	K2-1633
✓	✓					✓		✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓					✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓		✓		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓						✓		✓	✓	✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓					✓		✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓		✓		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

GOODS COMPATIBILITY TABLE

DENTAL MODEL CONTAINER



DENTAL MODEL	K6-1860	K6-1861	K6-1862	K6-1865	K6-1866	K6-1867	K6-1880	K7-1880	K3-1070	K3-611	K3-609	K3-610	K2-529	K3-612	K3-615	K2-743	K2-1660	K2-1661	K2-1662
K6-1800,1806				✓			✓	✓				✓	✓	✓	✓	✓	✓	✓	✓
K6-1806,1811					✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
K6-1812,1817						✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
K6-1820,1825	✓						✓					✓	✓	✓	✓	✓	✓	✓	✓
K6-1826,1831		✓					✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
K6-1832,1837			✓				✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

MINI MODEL CONTAINER



MINI MODEL	K6-1960	K6-1961	K6-1962	K6-1965	K6-1966	K6-1967	K6-1980	K3-1073	K2-993	K2-990	K2-991	K2-992	K2-520	K2-760	K2-761	K2-744	K2-1650
K6-1900,1906				✓			✓			✓	✓	✓	✓	✓	✓	✓	✓
K6-1906,1911					✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
K6-1912,1917						✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
K6-1920,1925	✓						✓			✓	✓	✓	✓	✓	✓	✓	✓
K6-1926,1931		✓					✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
K6-1932,1937			✓				✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

AYGUN®

SURGICAL INSTRUMENTS CO., INC.

STERILE CONTAINER SYSTEMS

Edition 8













Six Different Models

Organize Sanayi Bölgesi Yaşar Doğu Cad. No:76
55330 Kutlukent - SAMSUN / TÜRKİYE

☎ 90 (362) 266 66 80
E-mail: aygun@aygun.com

90 (362) 266 93 30
Web: www.aygun.com

KA - 3007-Y1 Copyright © Aygün Co., Inc 2017 All Right Reserved, Printed in Türkiye